

Xijiao Yu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6840405/publications.pdf>

Version: 2024-02-01

22
papers

223
citations

1040056

9
h-index

1058476

14
g-index

23
all docs

23
docs citations

23
times ranked

212
citing authors

#	ARTICLE	IF	CITATIONS
1	Expression of neuropeptides and bone remodeling-related factors during periodontal tissue regeneration in denervated rats. <i>Journal of Molecular Histology</i> , 2015, 46, 195-203.	2.2	32
2	Substance P participates in periodontitis by upregulating HIF-1 α and RANKL/OPG ratio. <i>BMC Oral Health</i> , 2020, 20, 27.	2.3	31
3	Denervation effectively aggravates rat experimental periodontitis. <i>Journal of Periodontal Research</i> , 2017, 52, 1011-1020.	2.7	24
4	Periodontal ligament-associated protein-1 gets involved in experimental periodontitis. <i>Journal of Periodontal Research</i> , 2019, 54, 180-189.	2.7	13
5	Periodontal ligament-associated protein-1 delays rat periodontal bone defect repair by regulating osteogenic differentiation of bone marrow stromal cells and osteoclast activation. <i>International Journal of Molecular Medicine</i> , 2018, 41, 1110-1118.	4.0	12
6	CGRP gene-modified rBMSCs show better osteogenic differentiation capacity in vitro. <i>Journal of Molecular Histology</i> , 2018, 49, 357-367.	2.2	12
7	Multiple idiopathic cervical root resorption involving all permanent teeth. <i>Australian Endodontic Journal</i> , 2020, 46, 263-271.	1.5	12
8	Semaphorin 3A promotes the osteogenic differentiation of rat bone marrow-derived mesenchymal stem cells in inflammatory environments by suppressing the Wnt/ β -catenin signaling pathway. <i>Journal of Molecular Histology</i> , 2021, 52, 1245-1255.	2.2	12
9	Cyclophilin a increases CD68+ cell infiltration in rat experimental periodontitis. <i>Journal of Molecular Histology</i> , 2018, 49, 157-164.	2.2	10
10	Semaphorin 3A gets involved in the establishment of mouse tooth eruptive pathway. <i>Journal of Molecular Histology</i> , 2019, 50, 427-434.	2.2	9
11	Association of high HIF-1 α levels in serous periodontitis with external root resorption by the NFATc1 pathway. <i>Journal of Molecular Histology</i> , 2020, 51, 649-658.	2.2	8
12	Calcitonin gene related peptide gene-modified rat bone mesenchymal stem cells are effective seed cells in tissue engineering to repair skull defects. <i>Histology and Histopathology</i> , 2019, 34, 1229-1241.	0.7	8
13	LncRNA CASC15 functions as an oncogene by sponging miR-130b-3p in bladder cancer. <i>European Review for Medical and Pharmacological Sciences</i> , 2019, 23, 9814-9820.	0.7	8
14	Overexpression of PLAP-1 in bone marrow stromal cells inhibits the rat critical-size skull defect repair. <i>Journal of Molecular Histology</i> , 2015, 46, 251-261.	2.2	7
15	High levels of HIF-1 α in hypoxic dental pulps associated with teeth with severe periodontitis. <i>Journal of Molecular Histology</i> , 2020, 51, 265-275.	2.2	7
16	Ursolic Acid Loaded-Mesoporous Hydroxylapatite/ Chitosan Therapeutic Scaffolds Regulate Bone Regeneration Ability by Promoting the M2-Type Polarization of Macrophages. <i>International Journal of Nanomedicine</i> , 2021, Volume 16, 5301-5315.	6.7	6
17	Periodontal ligament-associated protein-1 gets involved in the development of osseous eruption canal. <i>Journal of Molecular Histology</i> , 2019, 50, 35-42.	2.2	4
18	Isorhamnetin 3-O-neohesperidoside promotes the resorption of crown-covered bone during tooth eruption by osteoclastogenesis. <i>Scientific Reports</i> , 2020, 10, 5172.	3.3	3

#	ARTICLE	IF	CITATIONS
19	Characterizations of alveolar repair after mandibular second molar extraction: an experimental study in rats. <i>Journal of Applied Oral Science</i> , 0, 30, .	1.8	3
20	EMMPRIN-CypA contributes to the inflammatory processes in human periodontitis through infiltrating CD68 inflammatory cells. <i>International Journal of Clinical and Experimental Pathology</i> , 2018, 11, 3828-3834.	0.5	1
21	Importin 8 is involved in human periodontitis by the NF- κ B pathway. <i>International Journal of Clinical and Experimental Pathology</i> , 2019, 12, 711-716.	0.5	0
22	LncRNA CASC15 functions as an oncogene by sponging miR-130b-3p in bladder cancer. <i>European Review for Medical and Pharmacological Sciences</i> , 2020, 24, 7203.	0.7	0