

Carla R Scanzello

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6840720/carla-r-scanzello-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

43
papers

5,155
citations

22
h-index

47
g-index

47
ext. papers

6,557
ext. citations

5
avg. IF

6.07
L-index

#	Paper	IF	Citations
43	Erosive hand osteoarthritis: latest findings and outlook.. <i>Nature Reviews Rheumatology</i> , 2022 ,	8.1	4
42	Expression of Human Interleukin 8 in Mice Alters Their Natural Behaviors.. <i>Journal of Inflammation Research</i> , 2022 , 15, 2413-2424	4.8	
41	Synovial Structure and Physiology in Health and Disease 2022 , 5-19		
40	Correlation between senescence-associated secretory phenotypes factors in synovial fluid and serum and structural changes in osteoarthritis. <i>European Journal of Rheumatology</i> , 2020 , 7, 44-45	1.7	0
39	Functional Deficits in Mice Expressing Human Interleukin 8. <i>Comparative Medicine</i> , 2020 , 70, 205-215	1.6	2
38	2019 American College of Rheumatology/Arthritis Foundation Guideline for the Management of Osteoarthritis of the Hand, Hip, and Knee. <i>Arthritis and Rheumatology</i> , 2020 , 72, 220-233	9.5	386
37	2019 American College of Rheumatology/Arthritis Foundation Guideline for the Management of Osteoarthritis of the Hand, Hip, and Knee. <i>Arthritis Care and Research</i> , 2020 , 72, 149-162	4.7	306
36	IL-15 and IL15RA in Osteoarthritis: Association With Symptoms and Protease Production, but Not Structural Severity. <i>Frontiers in Immunology</i> , 2020 , 11, 1385	8.4	9
35	An emerging role for Toll-like receptors at the neuroimmune interface in osteoarthritis. <i>Seminars in Immunopathology</i> , 2019 , 41, 583-594	12	19
34	Innate inflammation and synovial macrophages in osteoarthritis pathophysiology. <i>Clinical and Experimental Rheumatology</i> , 2019 , 37 Suppl 120, 57-63	2.2	33
33	Chemokine receptor-7 (CCR7) deficiency leads to delayed development of joint damage and functional deficits in a murine model of osteoarthritis. <i>Journal of Orthopaedic Research</i> , 2018 , 36, 864-875	2.8	10
32	Deficiency of the pattern-recognition receptor CD14 protects against joint pathology and functional decline in a murine model of osteoarthritis. <i>PLoS ONE</i> , 2018 , 13, e0206217	3.7	14
31	Role of low-grade inflammation in osteoarthritis. <i>Current Opinion in Rheumatology</i> , 2017 , 29, 79-85	5.3	113
30	Chemokines and inflammation in osteoarthritis: Insights from patients and animal models. <i>Journal of Orthopaedic Research</i> , 2017 , 35, 735-739	3.8	109
29	Synovial chemokine expression and relationship with knee symptoms in patients with meniscal tears. <i>Osteoarthritis and Cartilage</i> , 2015 , 23, 1158-64	6.2	22
28	Fibronectin splice variation in human knee cartilage, meniscus and synovial membrane: observations in osteoarthritic knee. <i>Journal of Orthopaedic Research</i> , 2015 , 33, 556-62	3.8	9
27	Inflammation in joint injury and post-traumatic osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2015 , 23, 1825-34	5.34	218

26	Identification of myeloid-derived suppressor cells in the synovial fluid of patients with rheumatoid arthritis: a pilot study. <i>BMC Musculoskeletal Disorders</i> , 2014 , 15, 281	2.8	31
25	Fibronectin fragments and the cleaving enzyme ADAM-8 in the degenerative human intervertebral disc. <i>Spine</i> , 2014 , 39, 1274-9	3.3	18
24	Serum free light chains, interferon-alpha, and interleukins in systemic lupus erythematosus. <i>Lupus</i> , 2014 , 23, 881-8	2.6	22
23	The influence of synovial inflammation and hyperplasia on symptomatic outcomes up to 2 years post-operatively in patients undergoing partial meniscectomy. <i>Osteoarthritis and Cartilage</i> , 2013 , 21, 1392-9	6.2	28
22	Proteomic analysis of synovial fluid from the osteoarthritic knee: comparison with transcriptome analyses of joint tissues. <i>Arthritis and Rheumatism</i> , 2013 , 65, 981-92		109
21	Staging of hip osteoarthritis for clinical trials on femoroacetabular impingement. <i>Journal of the American Academy of Orthopaedic Surgeons, The</i> , 2013 , 21 Suppl 1, S33-8	4.5	2
20	Pathologic and pathogenic processes in osteoarthritis: the effects of synovitis. <i>HSS Journal</i> , 2012 , 8, 20-2		10
19	The role of synovitis in osteoarthritis pathogenesis. <i>Bone</i> , 2012 , 51, 249-57	4.7	665
18	Osteoarthritis: a disease of the joint as an organ. <i>Arthritis and Rheumatism</i> , 2012 , 64, 1697-707		1449
17	Synovial fluid from patients with early osteoarthritis modulates fibroblast-like synoviocyte responses to toll-like receptor 4 and toll-like receptor 2 ligands via soluble CD14. <i>Arthritis and Rheumatism</i> , 2012 , 64, 2268-77		65
16	Identification of a central role for complement in osteoarthritis. <i>Nature Medicine</i> , 2011 , 17, 1674-9	50.5	378
15	Perioperative management of biologic agents used in treatment of rheumatoid arthritis. <i>American Journal of Therapeutics</i> , 2011 , 18, 426-34	1	22
14	Non-surgical treatment of osteoarthritis-related pain in the elderly. <i>Current Reviews in Musculoskeletal Medicine</i> , 2011 , 4, 113-22	4.6	21
13	Synovial inflammation in patients undergoing arthroscopic meniscectomy: molecular characterization and relationship to symptoms. <i>Arthritis and Rheumatism</i> , 2011 , 63, 391-400		166
12	Soluble CD14 in synovial fluid from patients with OA and meniscal injury modulates the response of synovial fibroblasts to LPS. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, A34-A35	2.4	
11	Local cytokine profiles in knee osteoarthritis: elevated synovial fluid interleukin-15 differentiates early from end-stage disease. <i>Osteoarthritis and Cartilage</i> , 2009 , 17, 1040-8	6.2	168
10	The synovitis of "non-inflammatory" orthopaedic arthropathies: a quantitative histological and immunohistochemical analysis. <i>Annals of the Rheumatic Diseases</i> , 2008 , 67, 1184-7	2.4	76
9	Innate immune system activation in osteoarthritis: is osteoarthritis a chronic wound?. <i>Current Opinion in Rheumatology</i> , 2008 , 20, 565-72	5.3	165

8	The post-NSAID era: what to use now for the pharmacologic treatment of pain and inflammation in osteoarthritis. <i>Current Rheumatology Reports</i> , 2008 , 10, 49-56	4.9	9
7	A histomorphometric analysis of synovial biopsies from individuals with Gulf War VeteransTllness and joint pain compared to normal and osteoarthritis synovium. <i>Clinical Rheumatology</i> , 2008 , 27, 1127-34	2.9	38
6	Elevated high-sensitivity C-reactive protein levels are associated with local inflammatory findings in patients with osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2007 , 15, 516-23	6.2	212
5	The post-NSAID era: what to use now for the pharmacologic treatment of pain and inflammation in osteoarthritis. <i>Current Pain and Headache Reports</i> , 2007 , 11, 415-22	4.2	6
4	Perioperative management of medications used in the treatment of rheumatoid arthritis. <i>HSS Journal</i> , 2006 , 2, 141-7	2	49
3	Interleukin-12 is expressed by infiltrating macrophages and synovial lining cells in rheumatoid arthritis and osteoarthritis. <i>Cellular Immunology</i> , 1998 , 188, 105-10	4.4	57
2	T cells and T-cell cytokine transcripts in the synovial membrane in patients with osteoarthritis. <i>Vaccine Journal</i> , 1998 , 5, 430-7		100
1	Wirkung des Knoblauchs ¶Wahrheit und Dichtung. Molekulare Grundlagen des Berlieferten Brauchtums. <i>Chemie in Unserer Zeit</i> , 1988 , 22, 193-200	0.2	5