

Ligong Zhang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6841054/ligong-zhang-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66

papers

2,567

citations

26

h-index

49

g-index

67

ext. papers

2,923

ext. citations

5

avg, IF

4.83

L-index

#	Paper	IF	Citations
66	Formation mechanism and optimization of highly luminescent N-doped graphene quantum dots. <i>Scientific Reports</i> , 2014 , 4, 5294	4.9	639
65	Amplified Spontaneous Green Emission and Lasing Emission From Carbon Nanoparticles. <i>Advanced Functional Materials</i> , 2014 , 24, 2689-2695	15.6	171
64	Blue-emitting K ₂ Al ₂ B ₂ O ₇ :Eu(2+) phosphor with high thermal stability and high color purity for near-UV-pumped white light-emitting diodes. <i>Inorganic Chemistry</i> , 2015 , 54, 3189-95	5.1	116
63	A nanoscaled lanthanide metal-organic framework as a colorimetric fluorescence sensor for dipicolinic acid based on modulating energy transfer. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 7294-7301	7.1	93
62	Oxidation Behavior of a Fully Dense Polymer-Derived Amorphous Silicon Carbonitride Ceramic. <i>Journal of the American Ceramic Society</i> , 2004 , 87, 483-486	3.8	83
61	Fast Photoconductive Responses in Organometal Halide Perovskite Photodetectors. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 2840-6	9.5	81
60	Efficient Super Broadband NIR Ca ₂ LuZr ₂ Al ₃ O ₁₂ :Cr ³⁺ ,Yb ³⁺ Garnet Phosphor for pc-LED Light Source toward NIR Spectroscopy Applications. <i>Advanced Optical Materials</i> , 2020 , 8, 1901684	8.1	69
59	Ultra-Long Single-Crystalline Si ₃ N ₄ Nanowires: Derived from a Polymeric Precursor. <i>Journal of the American Ceramic Society</i> , 2005 , 88, 1647-1650	3.8	68
58	Er ³⁺ /Yb ³⁺ codoped phosphor Ba ₃ Y ₄ O ₉ with intense red upconversion emission and optical temperature sensing behavior. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 3459-3467	7.1	65
57	Polymer-Ceramic Conversion of Liquid Polyaluminasilazanes for SiAlCN Ceramics. <i>Journal of the American Ceramic Society</i> , 2005 , 88, 2415-2419	3.8	64
56	Constructing bulk defective perovskite SrTiO nanocubes for high performance photocatalysts. <i>Nanoscale</i> , 2016 , 8, 16963-16968	7.7	62
55	Silicoaluminum carbonitride ceramic resist to oxidation/corrosion in water vapor. <i>Journal of Materials Research</i> , 2006 , 21, 1625-1628	2.5	60
54	Oxidation of Polymer-Derived SiAlCN Ceramics. <i>Journal of the American Ceramic Society</i> , 2005 , 88, 3075-3080	3.8	59
53	The work mechanism and sub-bandgap-voltage electroluminescence in inverted quantum dot light-emitting diodes. <i>Scientific Reports</i> , 2014 , 4, 6974	4.9	58
52	Ratiometric fluorescent nanosensors for selective detecting cysteine with upconversion luminescence. <i>Biosensors and Bioelectronics</i> , 2016 , 77, 124-30	11.8	55
51	Influence of Exciton Localization on the Emission and Ultraviolet Photoresponse of ZnO/ZnS Core-Shell Nanowires. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 10331-6	9.5	44
50	Comparison of computed tomographic and standard radiographic determination of tibial torsion in the dog. <i>Veterinary Surgery</i> , 2005 , 34, 457-62	1.7	44

49	Highly Luminescent Carbon-Nanoparticle-Based Materials: Factors Influencing Photoluminescence Quantum Yield. <i>Particle and Particle Systems Characterization</i> , 2014 , 31, 1175-1182	3.1	39
48	Efficient near-infrared downconversion and energy transfer mechanism of ce(3+)/yb(3+) codoped calcium scandate phosphor. <i>Inorganic Chemistry</i> , 2015 , 54, 4806-10	5.1	38
47	Photoluminescence and photocatalytic properties of rhombohedral CuGaO ₂ nanoplates. <i>Scientific Reports</i> , 2016 , 6, 21135	4.9	34
46	Investigation of Interface Effect on the Performance of CHNHPbCl/ZnO UV Photodetectors. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 34744-34750	9.5	32
45	Phase Transformation of Mechanically Milled Nano-Sized α -Alumina. <i>Journal of the American Ceramic Society</i> , 2005 , 88, 2559-2563	3.8	31
44	Optical Properties of Heavily Al-Doped Single-Crystal Si ₃ N ₄ Nanobelts. <i>Journal of the American Ceramic Society</i> , 2010 , 93, 1364	3.8	29
43	Red emission generation through highly efficient energy transfer from Ce(3+) to Mn(2+) in CaO for warm white LEDs. <i>Dalton Transactions</i> , 2016 , 45, 1539-45	4.3	28
42	An intense blue-emitting phosphor for near-ultraviolet pumped white-light-emitting diodes: Ce ³⁺ -activated β -Ca ₂ SiO ₄ . <i>Journal of Luminescence</i> , 2014 , 152, 40-43	3.8	28
41	Structure and photoluminescence properties of ZnO microrods. <i>Journal of Applied Physics</i> , 2003 , 94, 5605-5608	5.5	28
40	Synthesis, Characterization, and Optical Properties of Pristine and Doped Yttrium Aluminum Garnet Nanopowders. <i>Journal of the American Ceramic Society</i> , 2005 , 88, 284-286	3.8	25
39	Origin of Anisotropic Photoluminescence in Heteroatom-Doped Carbon Nanodots. <i>Advanced Optical Materials</i> , 2017 , 5, 1601049	8.1	24
38	Structure and strong ultraviolet emission characteristics of amorphous ZnO films grown by electrophoretic deposition. <i>Journal of Materials Research</i> , 2003 , 18, 151-155	2.5	24
37	Oxygen diffusion through Al-doped amorphous SiO ₂ . <i>Journal of Phase Equilibria and Diffusion</i> , 2006 , 27, 671-675	1	21
36	Shallow Acceptor State in Mg-Doped CuAlO and Its Effect on Electrical and Optical Properties: An Experimental and First-Principles Study. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 12608-12616	9.5	19
35	Efficient Blue-emitting Phosphor SrLuO:Ce with High Thermal Stability for Near Ultraviolet (~400 nm) LED-Chip based White LEDs. <i>Scientific Reports</i> , 2018 , 8, 10463	4.9	19
34	Efficient energy transfer from hole transporting materials to CdSe-core CdS/ZnCdS/ZnS-multishell quantum dots in type II aligned blend films. <i>Applied Physics Letters</i> , 2011 , 99, 093106	3.4	19
33	A facile template-free route to fabricate highly luminescent mesoporous gadolinium oxides. <i>CrystEngComm</i> , 2011 , 13, 4831	3.3	18
32	Synthesis of Nd/Si Codoped YAG Powders via a Solvothermal Method. <i>Journal of the American Ceramic Society</i> , 2006 , 89, 3570-3572	3.8	18

31	On the luminescence of Ti ⁴⁺ and Eu ³⁺ in monoclinic ZrO ₂ : high performance optical thermometry derived from energy transfer. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 4518-4533	7.1	17
30	Improving the Back Electrode Interface Quality of Cu ₂ ZnSn(S,Se) ₄ Thin-Film Solar Cells Using a Novel CuAlO ₂ Buffer Layer. <i>ACS Applied Energy Materials</i> , 2019 , 2, 2230-2237	6.1	16
29	Polygonal Single-Crystal Aluminum Borate Microtubes. <i>Journal of the American Ceramic Society</i> , 2005 , 88, 485-487	3.8	16
28	Influencing mechanism of cationic ratios on efficiency of Cu ₂ ZnSn(S,Se) ₄ solar cells fabricated with DMF-based solution approach. <i>Solar Energy Materials and Solar Cells</i> , 2019 , 195, 55-62	6.4	15
27	The Inductive Effect of Neighboring Cations in Tuning Luminescence Properties of the Solid Solution Phosphors. <i>Inorganic Chemistry</i> , 2017 , 56, 9938-9945	5.1	14
26	Evolution in the Electronic Structure of Polymer-derived Amorphous Silicon Carbide. <i>Journal of the American Ceramic Society</i> , 2015 , 98, 2153-2158	3.8	13
25	Self-Organized Back Surface Field to Improve the Performance of CuZnSn(S,Se) Solar Cells by Applying P-Type MoSe:Nb to the Back Electrode Interface. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 31851-31859	9.5	12
24	On electronic structure of polymer-derived amorphous silicon carbide ceramics. <i>Applied Physics Letters</i> , 2014 , 104, 221902	3.4	12
23	Electrospinning preparation and photoluminescence properties of SrAl ₂ O ₄ :Ce ³⁺ nanowires. <i>Journal of Materials Science</i> , 2011 , 46, 7517-7524	4.3	12
22	Aluminum nanocomposites having wear resistance better than stainless steel. <i>Journal of Materials Research</i> , 2011 , 26, 2479-2483	2.5	12
21	Cooperative Upconversion Luminescence Properties of Yb ³⁺ and Tb ³⁺ Heavily Codoped Silicate Garnet Obtained by Multiple Chemical Unit Cosubstitution. <i>Journal of Physical Chemistry C</i> , 2017 , 121, 2998-3006	3.8	11
20	Eu and F co-doped ZnO-based transparent electrodes for organic and quantum dot light-emitting diodes. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 5542-5551	7.1	11
19	Photoinduced Charge Separation and Recombination Processes in CdSe Quantum Dot and Graphene Oxide Composites with Methylene Blue as Linker. <i>Journal of Physical Chemistry Letters</i> , 2013 , 4, 2919-2925	6.4	11
18	Conversion mechanism of conductivity of phosphorus-doped ZnO films induced by post-annealing. <i>Journal of Applied Physics</i> , 2013 , 113, 193105	2.5	11
17	Synthesis and characterization of multifunctional CdTe/Fe ₂ O ₃ @SiO ₂ core/shell nanosensors for Hg ₂₊ ions detection. <i>New Journal of Chemistry</i> , 2010 , 34, 2996	3.6	11
16	Monochromatic visible light-driven photocatalysis realized on 2D ZnO shell arrays. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 9132	13	10
15	Structure and Optical Property of Polymer-Derived Amorphous Silicon Oxycarbides Obtained at Different Temperatures. <i>Journal of the American Ceramic Society</i> , 2011 , 94, 3359-3363	3.8	8
14	Laser-quality Tm:(Lu _{0.8} Sc _{0.2}) ₂ O ₃ mixed sesquioxide ceramics shaped by gelcasting of well-dispersed nanopowders. <i>Journal of the American Ceramic Society</i> , 2019 , 102, 4919-4928	3.8	7

13	Electron transport behavior of polymer-derived amorphous silicoboron carbonitrides. <i>Journal of the American Ceramic Society</i> , 2019 , 102, 6038-6047	3.8	7
12	Modulation of Field-Effect Passivation at the Back Electrode Interface Enabling Efficient Kesterite-Type CuZnSn(S,Se) Thin-Film Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 38163-38174	8.5	74
11	Hydrothermal Synthesis and Upconversion Properties of About 19nm ScO: Er, Yb Nanoparticles with Detailed Investigation of the Energy Transfer Mechanism. <i>Nanoscale Research Letters</i> , 2018 , 13, 372	5	7
10	Hybrid dandelion-like YH(O ₃ PC ₆ H ₅) ₂ :Ln (Ln = Eu ³⁺ , Tb ³⁺) particles: formation mechanism, thermal and photoluminescence properties. <i>CrystEngComm</i> , 2011 , 13, 5226	3.3	6
9	Chemical synthesis and characterization of Cu doped ZnS nano-powder. <i>Journal of Materials Science Letters</i> , 2002 , 21, 1031-1033		6
8	Digestive Ripening-Mediated Growth of NaYbF ₄ : Core/Shell Nanoparticles for Bioimaging. <i>ACS Applied Nano Materials</i> , 2020 , 3, 10049-10056	5.6	3
7	Synthesis of ZnO nanowires on aluminum flake by aqueous method. <i>Applied Physics A: Materials Science and Processing</i> , 2014 , 114, 1209-1213	2.6	2
6	Microscopic View of Defect Evolution in Thermal Treated AlGaInAs Quantum Well Revealed by Spatially Resolved Cathodoluminescence. <i>Materials</i> , 2018 , 11,	3.5	2
5	Emission evolution of alpha-silicon nitride nanowires with temperature. <i>Journal of Nanoscience and Nanotechnology</i> , 2011 , 11, 9795-8	1.3	1
4	Synthesis and size control of monodisperse manganese-doped ZnS nanoparticles by methacrylate polymer. <i>Colloid and Polymer Science</i> , 2003 , 281, 178-181	2.4	1
3	23.4: A Liquid Crystal Fresnel Zone Device and Its Light Focusing Properties. <i>Digest of Technical Papers SID International Symposium</i> , 2001 , 32, 366	0.5	1
2	The Formation and characteristics of ZnO/AlN and ZnO/AlN/ZnO core-shell nanowires. <i>Integrated Ferroelectrics</i> , 2016 , 172, 25-31	0.8	
1	Size-controllable Synthesis of Hierarchically Structured Mesoporous Anatase TiO ₂ Microspheres Covered With {001} Facet. <i>Materials Research Society Symposia Proceedings</i> , 2013 , 1578, 1		