## MichaÅ, BieÅ,,kowski

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6841285/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	PARP inhibitors for metastatic castration-resistant prostate cancer: Biological rationale and current evidence. Cancer Treatment Reviews, 2022, 104, 102359.	3.4	9
2	Comprehensive cancer-oriented biobanking resource of human samples for studies of post-zygotic genetic variation involved in cancer predisposition. PLoS ONE, 2022, 17, e0266111.	1.1	4
3	Impact of Activation of EGFL7 within Microenvironment of High Grade Ovarian Serous Carcinoma on Infiltration of CD4+ and CD8+ Lymphocytes. Medicina (Lithuania), 2022, 58, 588.	0.8	1
4	miRNA signatures of prognostic significance in single hormone receptor-positive breast cancer Journal of Clinical Oncology, 2022, 40, e12544-e12544.	0.8	0
5	Who Is a Pathologist According to Oncology Patients and Internet Users? A Survey Study. Journal of Cancer Education, 2021, 36, 370-376.	0.6	1
6	Plasma amino acids indicate glioblastoma with ATRX loss. Amino Acids, 2021, 53, 119-132.	1.2	8
7	Combined Assessment of Immune Checkpoint Regulator VISTA on Tumor-Associated Immune Cells and Platelet-to-Lymphocyte Ratio Identifies Advanced Germ Cell Tumors with Higher Risk of Unfavorable Outcomes. Cancers, 2021, 13, 1750.	1.7	12
8	Impact of relative dose intensity of oxaliplatin in adjuvant therapy among stage III colon cancer patients on early recurrence: a retrospective cohort study. BMC Cancer, 2021, 21, 529.	1.1	9
9	Effectiveness and safety of immunotherapy in NSCLC patients with ECOG PS score ≥2 – Systematic review and meta-analysis. Lung Cancer, 2021, 158, 97-106.	0.9	31
10	The Role of Urine F2-isoprostane Concentration in Delayed Cerebral Ischemia after Aneurysmal Subarachnoid Haemorrhage—A Poor Prognostic Factor. Diagnostics, 2021, 11, 5.	1.3	7
11	Diagnostic Accuracy of Liquid Biopsy in Endometrial Cancer. Cancers, 2021, 13, 5731.	1.7	13
12	microRNA Expression Profile in Single Hormone Receptor-Positive Breast Cancers Is Mainly Dependent on HER2 Status—A Pilot Study. Diagnostics, 2020, 10, 617.	1.3	7
13	MAML2 rearrangement as a useful diagnostic marker discriminating between Warthin tumour and Warthin-like mucoepidermoid carcinoma. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2020, 477, 393-400.	1.4	15
14	Liquid biopsy for minimally invasive heart transplant monitoring: a pilot study. Journal of Clinical Pathology, 2020, 73, 507-510.	1.0	4
15	Expression of Female Sex Hormone Receptors, Connective Tissue Growth Factor and HER2 in Gallbladder Cancer. Scientific Reports, 2020, 10, 1871.	1.6	7
16	Medullary thyroid carcinoma of unknown primary origin with synchronous finding of papillary thyroid carcinoma. Endokrynologia Polska, 2020, 71, 200-201.	0.3	1
17	Primarily resectable pancreatic adenocarcinoma – to operate or to refer the patient to an oncologist?. Critical Reviews in Oncology/Hematology, 2019, 135, 95-102.	2.0	6
18	MiR-21, miR-34a, miR-125b, miR-181d and miR-648 levels inversely correlate with MGMT and TP53 expression in primary glioblastoma patients. Archives of Medical Science, 2019, 15, 504-512.	0.4	49

ΜιςμαÅ, ΒιεÅ,,κοωςκι

#	Article	IF	CITATIONS
19	Consistency in biomarkers expression between matched tissue microarray cores from primary gallblader and ovarian cancers. Oncology in Clinical Practice, 2019, 15, 85-88.	0.1	1
20	Genomic characterization of brain metastases (BM) in high-grade serous ovarian cancer (HGSOC) Journal of Clinical Oncology, 2019, 37, e13580-e13580.	0.8	0
21	Clinical neuropathology of brain tumors. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2018, 145, 477-534.	1.0	6
22	Isoprostanes as potential cerebral vasospasm biomarkers. Neurologia I Neurochirurgia Polska, 2018, 52, 643-651.	0.6	4
23	Molecular diagnostic testing of diffuse gliomas in the real-life setting: A practical approach. , 2018, 37, 166-177.		9
24	Bioimaging and surgery of brain tumors. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2018, 145, 535-545.	1.0	4
25	Recurrent Pineocytomalike Papillary Tumor of The Pineal Region: A Case Report and Literature Review. World Neurosurgery, 2018, 120, 1-14.	0.7	3
26	Urinary F2-Isoprostane Concentration as a Poor Prognostic Factor After Subarachnoid Hemorrhage World Neurosurgery, 2017, 107, 185-193.	0.7	6
27	Validation of nuclear STAT6 immunostaining as a diagnostic marker of meningeal solitary fibrous tumor (SFT)/hemangiopericytoma. , 2017, 36, 56-59.		19
28	KINFix – A formalin-free non-commercial fixative optimized for histological, immunohistochemical and molecular analyses of neurosurgical tissue specimens. , 2016, 35, 3-12.		12
29	BRAF inhibitors in BRAF-V600 mutated primary neuroepithelial brain tumors. Expert Opinion on Investigational Drugs, 2016, 25, 7-14.	1.9	16
30	Prognostic role of tumour-infiltrating inflammatory cells in brain tumours. Current Opinion in Neurology, 2015, 28, 647-658.	1.8	33
31	Clinical Neuropathology practice guide 5-2015: MGMT methylation pyrosequencing in glioblastoma: unresolved issues and open questions. , 2015, 34, 250-257.		42
32	The Failure in the Stabilization of Glioblastoma-Derived Cell Lines: Spontaneous In Vitro Senescence as the Main Culprit. PLoS ONE, 2014, 9, e87136.	1.1	22
33	Different mutational characteristics of TSG in cell lines and surgical specimens. Tumor Biology, 2014, 35, 11311-11318.	0.8	2
34	PIN3 duplication may be partially responsible for TP53haploinsufficiency. BMC Cancer, 2014, 14, 669.	1.1	4
35	Reduced expression of ELAVL4 in male meningioma patients. Brain Tumor Pathology, 2013, 30, 160-166.	1.1	13
36	Screening for EGFR Amplifications with a Novel Method and Their Significance for the Outcome of Glioblastoma Patients. PLoS ONE, 2013, 8, e65444.	1.1	29

ΜιςμαÅ, ΒιεÅ,,κοωςκι

#	Article	IF	CITATIONS
37	Association of loss of heterozygosity with shorter survival in primary glioblastoma patients. Polish Journal of Pathology, 2013, 4, 268-275.	0.1	12
38	EGFRvIII-a stable target for anti-EGFRvIII therapy. Anticancer Research, 2013, 33, 5343-8.	0.5	4
39	Glioblastoma specimens with TP53 mutations do not show EGFRvIII amplification. Cancer Genetics, 2011, 204, 282-283.	0.2	3
40	Glioma cells showing IDH1 mutation cannot be propagated in standard cell culture conditions. British Journal of Cancer, 2011, 104, 968-970.	2.9	76
41	Glioblastoma-derived spheroid cultures as an experimental model for analysis of EGFR anomalies. Journal of Neuro-Oncology, 2011, 102, 395-407.	1.4	27
42	Limited importance of the dominant-negative effect of TP53missense mutations. BMC Cancer, 2011, 11, 243.	1.1	7
43	Detection of P53 mutations in different cancer types is improved by cDNA sequencing. Oncology Letters, 2010, 1, 717-721.	0.8	5
44	PARP inhibitors beyond BRCA-mutated cancers: precision medicine at the crossroads. Precision Cancer Medicine, 0, 4, 19-19.	1.8	2