

Geir Helge RÅ, dli Systad

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6841312/publications.pdf>

Version: 2024-02-01

21
papers

574
citations

623734

14
h-index

713466

21
g-index

21
all docs

21
docs citations

21
times ranked

679
citing authors

#	ARTICLE	IF	CITATIONS
1	Multicolony tracking reveals the winter distribution of a pelagic seabird on an ocean basin scale. Diversity and Distributions, 2012, 18, 530-542.	4.1	165
2	Behavioral Responses to Decreasing Day Length in Wintering Sea Ducks. Auk, 2000, 117, 33-40.	1.4	54
3	Breeding and moulting locations and migration patterns of the Atlantic population of Steller's eiders <i>Polysticta stelleri</i> as determined from satellite telemetry. Journal of Avian Biology, 2006, 37, 58-68.	1.2	36
4	Circumpolar dynamics of a marine top predator track ocean warming rates. Global Change Biology, 2017, 23, 3770-3780.	9.5	33
5	Seasonal variation of mercury contamination in Arctic seabirds: A pan-Arctic assessment. Science of the Total Environment, 2021, 750, 142201.	8.0	31
6	Coping with darkness and low temperatures: foraging strategies in Steller's eiders, <i>Polysticta stelleri</i> , wintering at high latitudes. Canadian Journal of Zoology, 2001, 79, 402-406.	1.0	30
7	Modelled drift patterns of fish larvae link coastal morphology to seabird colony distribution. Nature Communications, 2016, 7, 11599.	12.8	22
8	Effects of the invasive red king crab on food web structure and ecosystem properties in an Atlantic fjord. Marine Ecology - Progress Series, 2018, 596, 13-31.	1.9	22
9	Seabirds and marine oil incidents: is it possible to predict the spatial distribution of pelagic seabirds?. Journal of Applied Ecology, 2002, 39, 349-360.	4.0	19
10	The decline of Norwegian kittiwake populations: modelling the role of ocean warming. Climate Research, 2014, 60, 91-102.	1.1	19
11	Coping with darkness and low temperatures: foraging strategies in Steller's eiders, <i>Polysticta stelleri</i> , wintering at high latitudes. Canadian Journal of Zoology, 2001, 79, 402-406.	1.0	18
12	Comparative Feeding Ecology of Steller's Eider and Long-Tailed Ducks in Winter. Waterbirds, 2001, 24, 407.	0.3	18
13	Meeting Paris agreement objectives will temper seabird winter distribution shifts in the North Atlantic Ocean. Global Change Biology, 2021, 27, 1457-1469.	9.5	16
14	Earlier colony arrival but no trend in hatching timing in two congeneric seabirds (<i>Uria</i> spp.) across the North Atlantic. Biology Letters, 2019, 15, 20190634.	2.3	15
15	Migration Patterns of Adult and Juvenile Lesser Black-Backed Gulls (<i>Larus fuscus</i>) from Northern Norway. Ardea, 2009, 97, 281-286.	0.6	14
16	Changes in the Norwegian breeding population of European shag correlate with forage fish and climate. Marine Ecology - Progress Series, 2013, 489, 235-244.	1.9	13
17	Dispersal and Survival of Juvenile Golden Eagles (<i>Aquila chrysaetos</i>) from Finnmark, Northern Norway. Journal of Raptor Research, 2016, 50, 144-160.	0.6	12
18	Species diversity affects ecosystem structure and mass flows in fjords. Regional Studies in Marine Science, 2016, 3, 205-215.	0.7	12

#	ARTICLE	IF	CITATIONS
19	Migration patterns, breeding and moulting locations of king eiders wintering in north-eastern Norway. <i>Polar Biology</i> , 2010, 33, 1379-1385.	1.2	11
20	Individual migration strategy fidelity but no habitat specialization in two congeneric seabirds. <i>Journal of Biogeography</i> , 2021, 48, 263-275.	3.0	9
21	Changing distribution of flocking sea ducks as non-regenerating food resources are depleted. <i>Marine Ecology - Progress Series</i> , 2013, 484, 249-257.	1.9	5