

Geir Helge RÅ, dli Systad

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6841312/publications.pdf>

Version: 2024-02-01

21
papers

574
citations

623734

14
h-index

713466

21
g-index

21
all docs

21
docs citations

21
times ranked

679
citing authors

#	ARTICLE	IF	CITATIONS
1	Seasonal variation of mercury contamination in Arctic seabirds: A pan-Arctic assessment. <i>Science of the Total Environment</i> , 2021, 750, 142201.	8.0	31
2	Individual migration strategy fidelity but no habitat specialization in two congeneric seabirds. <i>Journal of Biogeography</i> , 2021, 48, 263-275.	3.0	9
3	Meeting Paris agreement objectives will temper seabird winter distribution shifts in the North Atlantic Ocean. <i>Global Change Biology</i> , 2021, 27, 1457-1469.	9.5	16
4	Earlier colony arrival but no trend in hatching timing in two congeneric seabirds (<i>Uria</i> spp.) across the North Atlantic. <i>Biology Letters</i> , 2019, 15, 20190634.	2.3	15
5	Effects of the invasive red king crab on food web structure and ecosystem properties in an Atlantic fjord. <i>Marine Ecology - Progress Series</i> , 2018, 596, 13-31.	1.9	22
6	Circumpolar dynamics of a marine top predator track ocean warming rates. <i>Global Change Biology</i> , 2017, 23, 3770-3780.	9.5	33
7	Modelled drift patterns of fish larvae link coastal morphology to seabird colony distribution. <i>Nature Communications</i> , 2016, 7, 11599.	12.8	22
8	Dispersal and Survival of Juvenile Golden Eagles (<i>Aquila chrysaetos</i>) from Finnmark, Northern Norway. <i>Journal of Raptor Research</i> , 2016, 50, 144-160.	0.6	12
9	Species diversity affects ecosystem structure and mass flows in fjords. <i>Regional Studies in Marine Science</i> , 2016, 3, 205-215.	0.7	12
10	The decline of Norwegian kittiwake populations: modelling the role of ocean warming. <i>Climate Research</i> , 2014, 60, 91-102.	1.1	19
11	Changing distribution of flocking sea ducks as non-regenerating food resources are depleted. <i>Marine Ecology - Progress Series</i> , 2013, 484, 249-257.	1.9	5
12	Changes in the Norwegian breeding population of European shag correlate with forage fish and climate. <i>Marine Ecology - Progress Series</i> , 2013, 489, 235-244.	1.9	13
13	Multicolony tracking reveals the winter distribution of a pelagic seabird on an ocean basin scale. <i>Diversity and Distributions</i> , 2012, 18, 530-542.	4.1	165
14	Migration patterns, breeding and moulting locations of king eiders wintering in north-eastern Norway. <i>Polar Biology</i> , 2010, 33, 1379-1385.	1.2	11
15	Migration Patterns of Adult and Juvenile Lesser Black-Backed Gulls (<i>Larus fuscus</i>) from Northern Norway. <i>Ardea</i> , 2009, 97, 281-286.	0.6	14
16	Breeding and moulting locations and migration patterns of the Atlantic population of Steller's eiders <i>Polysticta stelleri</i> as determined from satellite telemetry. <i>Journal of Avian Biology</i> , 2006, 37, 58-68.	1.2	36
17	Seabirds and marine oil incidents: is it possible to predict the spatial distribution of pelagic seabirds?. <i>Journal of Applied Ecology</i> , 2002, 39, 349-360.	4.0	19
18	Coping with darkness and low temperatures: foraging strategies in Steller's eiders, <i>Polysticta stelleri</i> , wintering at high latitudes. <i>Canadian Journal of Zoology</i> , 2001, 79, 402-406.	1.0	18

#	ARTICLE	IF	CITATIONS
19	Comparative Feeding Ecology of Steller's Eider and Long-Tailed Ducks in Winter. <i>Waterbirds</i> , 2001, 24, 407.	0.3	18
20	Coping with darkness and low temperatures: foraging strategies in Steller's eiders, <i>Polysticta stelleri</i> , wintering at high latitudes. <i>Canadian Journal of Zoology</i> , 2001, 79, 402-406.	1.0	30
21	Behavioral Responses to Decreasing Day Length in Wintering Sea Ducks. <i>Auk</i> , 2000, 117, 33-40.	1.4	54