Juliana Dias Lourenço

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6841347/publications.pdf

Version: 2024-02-01

933264 940416 21 350 10 16 citations g-index h-index papers 21 21 21 561 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Extracellular Matrix Component Remodeling in Respiratory Diseases: What Has Been Found in Clinical and Experimental Studies?. Cells, 2019, 8, 342.	1.8	95
2	Th17/Treg imbalance in COPD progression: A temporal analysis using a CS-induced model. PLoS ONE, 2019, 14, e0209351.	1.1	30
3	The Th17/Treg Cytokine Imbalance in Chronic Obstructive Pulmonary Disease Exacerbation in an Animal Model of Cigarette Smoke Exposure and Lipopolysaccharide Challenge Association. Scientific Reports, 2019, 9, 1921.	1.6	30
4	Aerobic exercise attenuates pulmonary inflammation induced by <i>Streptococcus pneumoniae </i> Journal of Applied Physiology, 2014, 117, 998-1007.	1.2	29
5	A Treatment with a Protease Inhibitor Recombinant from the Cattle Tick (Rhipicephalus Boophilus) Tj ETQq1 1 0.	.784314 rş	gBT_{Overlock
6	Th17/Treg Imbalance in Chronic Obstructive Pulmonary Disease: Clinical and Experimental Evidence. Frontiers in Immunology, 2021, 12, 804919.	2.2	24
7	A murine model of elastase- and cigarette smoke-induced emphysema. Jornal Brasileiro De Pneumologia, 2017, 43, 95-100.	0.4	20
8	The deleterious effects of smoking in bone mineralization and fibrillar matrix composition. Life Sciences, 2020, 241, 117132.	2.0	20
9	Th17/Treg imbalance in COPD development: suppressors of cytokine signaling and signal transducers and activators of transcription proteins. Scientific Reports, 2020, 10, 15287.	1.6	20
10	Chronic exposure to diesel particles worsened emphysema and increased M2-like phenotype macrophages in a PPE-induced model. PLoS ONE, 2020, 15, e0228393.	1.1	13
11	Collagenase mRNA Overexpression and Decreased Extracellular Matrix Components Are Early Events in the Pathogenesis of Emphysema. PLoS ONE, 2015, 10, e0129590.	1.1	12
12	The tick-derived rBmTI-A protease inhibitor attenuates the histological and functional changes induced by cigarette smoke exposure. Histology and Histopathology, 2018, 33, 289-298.	0.5	12
13	Th17/Treg-Related Intracellular Signaling in Patients with Chronic Obstructive Pulmonary Disease: Comparison between Local and Systemic Responses. Cells, 2021, 10, 1569.	1.8	9
14	rBmTl-6 attenuates pathophysiological and inflammatory parameters of induced emphysema in mice. International Journal of Biological Macromolecules, 2018, 111, 1214-1221.	3 . 6	5
15	Decreased Bone Type I Collagen in the Early Stages of Chronic Obstructive Pulmonary Disease (COPD). COPD: Journal of Chronic Obstructive Pulmonary Disease, 2020, 17, 575-586.	0.7	3
16	Intracellular mechanisms of Th17/Treg differentiation in mild and moderate COPD patients. , 2019, , .		1
17	Increased bone resorption by long-term cigarette smoke exposure in animal model. Heliyon, 2021, 7, e08587.	1.4	1
18	Th17/Treg Imbalance in Chronic Obstructive Pulmonary Disease (COPD) Development: The Role of Suppressors of Cytokine Signaling (SOCS) and Signal Transducers and Activators of Transcription (STAT) Proteins., 2019,,.		0

#	Article	IF	CITATIONS
19	Time-dependent effects of diesel exhaust exposure on worsening of emphysema. , 2017, , .		O
20	Regulatory T cells in COPD development: How the animal model resembles the human pathophysiological features. , $2017, \ldots$		O
21	Temporal analysis of the intracellular signaling pathways involved in Th17/Treg response in COPD development. , 2019, , .		O