

# Pere Llorens-Soriano

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6841439/publications.pdf>

Version: 2024-02-01

77  
papers

1,527  
citations

304743

22  
h-index

361022

35  
g-index

89  
all docs

89  
docs citations

89  
times ranked

2060  
citing authors

#	ARTICLE	IF	CITATIONS
1	A Systematic Review and Collaborative Meta-Analysis to Determine the Incremental Value of Copeptin for Rapid Rule-Out of Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2014, 113, 1581-1591.	1.6	118
2	Pulmonary embolism in patients with COVID-19: incidence, risk factors, clinical characteristics, and outcome. <i>European Heart Journal</i> , 2021, 42, 3127-3142.	2.2	90
3	Frequency, Risk Factors, Clinical Characteristics, and Outcomes of Spontaneous Pneumothorax in Patients With Coronavirus Disease 2019. <i>Chest</i> , 2021, 159, 1241-1255.	0.8	79
4	Time trends in characteristics, clinical course, and outcomes of 13,791 patients with acute heart failure. <i>Clinical Research in Cardiology</i> , 2018, 107, 897-913.	3.3	77
5	Incidence, clinical, risk factors and outcomes of Guillain-Barré in Covid-19. <i>Annals of Neurology</i> , 2021, 89, 598-603.	5.3	77
6	Clinical phenotypes of acute heart failure based on signs and symptoms of perfusion and congestion at emergency department presentation and their relationship with patient management and outcomes. <i>European Journal of Heart Failure</i> , 2019, 21, 1353-1365.	7.1	56
7	Morphine Use in the ED and Outcomes of Patients With Acute Heart Failure. <i>Chest</i> , 2017, 152, 821-832.	0.8	45
8	Analysis of clinical characteristics and outcomes in patients with COVID-19 based on a series of 1000 patients treated in Spanish emergency departments. <i>Emergencias</i> , 2020, 32, 233-241.	0.6	45
9	Departments involved during the first episode of acute heart failure and subsequent emergency department revisits and rehospitalisations: an outlook through the NOVICA cohort. <i>European Journal of Heart Failure</i> , 2019, 21, 1231-1244.	7.1	42
10	Adherence to Mediterranean Diet and All-Cause Mortality After an Episode of Acute Heart Failure. <i>JACC: Heart Failure</i> , 2018, 6, 52-62.	4.1	40
11	Frequency of five unusual presentations in patients with COVID-19: results of the UMC-19-S <sub>1</sub> . <i>Epidemiology and Infection</i> , 2020, 148, e189.	2.1	38
12	The Effect of Frailty on 30-day Mortality Risk in Older Patients With Acute Heart Failure Attended in the Emergency Department. <i>Academic Emergency Medicine</i> , 2017, 24, 298-307.	1.8	37
13	Analysis of How Emergency Physicians' Decisions to Hospitalize or Discharge Patients With Acute Heart Failure Match the Clinical Risk Categories of the MEESSEI-AHF Scale. <i>Annals of Emergency Medicine</i> , 2019, 74, 204-215.	0.6	35
14	Impact of geriatric assessment variables on 30-day mortality among older patients with acute heart failure. <i>Emergencias</i> , 2018, 30, 149-155.	0.6	35
15	Emergency Heart Failure Mortality Risk Grade score performance for 7-day mortality prediction in patients with heart failure attended at the emergency department: validation in a Spanish cohort. <i>European Journal of Emergency Medicine</i> , 2018, 25, 169-177.	1.1	32
16	Impact of the COVID-19 pandemic on hospital emergency departments: results of a survey of departments in 2020 - the Spanish ENCOVUR study. <i>Emergencias</i> , 2020, 32, 320-331.	0.6	32
17	Effects of the intensity of prehospital treatment on short-term outcomes in patients with acute heart failure: the SEMICA-2 study. <i>Clinical Research in Cardiology</i> , 2018, 107, 347-361.	3.3	29
18	How does a clinical trial fit into the real world? The RELAX-AHF study population into the EAHFE registry. <i>Clinical Research in Cardiology</i> , 2015, 104, 850-860.	3.3	27

#	ARTICLE	IF	CITATIONS
19	MEESSI-AHF risk score performance to predict multiple post-index event and post-discharge short-term outcomes. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, 10, 142-152.	1.0	26
20	Patients with acute heart failure discharged from the emergency department and classified as low risk by the MEESSI score (multiple risk estimate based on the Spanish emergency department scale): prevalence of adverse events and predictability. <i>Emergencias</i> , 2019, 31, 5-14.	0.6	24
21	The GALA study: relationship between galectin-3 serum levels and short- and long-term outcomes of patients with acute heart failure. <i>Biomarkers</i> , 2017, 22, 731-739.	1.9	23
22	Effect of Barthel Index on the Risk of Thirty-Day Mortality in Patients With Acute Heart Failure Attending the Emergency Department: A Cohort Study of Nine Thousand Ninety-Eight Patients From the Epidemiology of Acute Heart Failure in Emergency Departments Registry. <i>Annals of Emergency Medicine</i> , 2019, 73, 589-598.	0.6	22
23	Planning to reduce 30-day adverse events after discharge of frail elderly patients with acute heart failure: design and rationale for the DEED FRAIL-AHF trial. <i>Emergencias</i> , 2019, 31, 27-35.	0.6	20
24	BETAWIN-AHF study: effect of beta-blocker withdrawal during acute decompensation in patients with chronic heart failure. <i>Clinical Research in Cardiology</i> , 2016, 105, 1021-1029.	3.3	18
25	IMPROV-ED study: outcomes after discharge for an episode of acute-decompensated heart failure and comparison between patients discharged from the emergency department and hospital wards. <i>Clinical Research in Cardiology</i> , 2017, 106, 369-378.	3.3	17
26	Synergistic Impact of Systolic Blood Pressure and Perfusion Status on Mortality in Acute Heart Failure. <i>Circulation: Heart Failure</i> , 2021, 14, e007347.	3.9	17
27	A case-control emergency department-based analysis of acute pancreatitis in Covid-19: Results of the UMC-19. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021, 28, 953-966.	2.6	16
28	Editor's Choice Impact of identifying precipitating factors on 30-day mortality in acute heart failure patients. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2019, 8, 667-680.	1.0	15
29	An integrated emergency department/hospital at home model in mild COVID-19 pneumonia: feasibility and outcomes after discharge from the emergency department. <i>Internal and Emergency Medicine</i> , 2021, 16, 1673-1682.	2.0	15
30	Incidence, Clinical Characteristics, Risk Factors, and Outcomes of Upper Gastrointestinal Bleeding in Patients With COVID-19. <i>Journal of Clinical Gastroenterology</i> , 2022, 56, e38-e46.	2.2	15
31	Midazolam versus morphine in acute cardiogenic pulmonary oedema: results of a multicentre, open-label, randomized controlled trial. <i>European Journal of Heart Failure</i> , 2022, 24, 1953-1962.	7.1	15
32	Short-term outcomes of heart failure patients with reduced and preserved ejection fraction after acute decompensation according to the final destination after emergency department care. <i>Clinical Research in Cardiology</i> , 2018, 107, 698-710.	3.3	14
33	Frequency, Associated Risk Factors, and Characteristics of COVID-19 Among Healthcare Personnel in a Spanish Health Department. <i>American Journal of Preventive Medicine</i> , 2020, 59, e221-e229.	3.0	14
34	Factors associated with in-hospital mortality and adverse outcomes during the vulnerable post-discharge phase after the first episode of acute heart failure: results of the NOVICA-2 study. <i>Clinical Research in Cardiology</i> , 2021, 110, 993-1005.	3.3	13
35	CORT-AHF Study. <i>JACC: Heart Failure</i> , 2019, 7, 834-845.	4.1	12
36	Comparative Analysis of Short-Term Outcomes of Patients With Heart Failure With a Mid-Range Ejection Fraction After Acute Decompensation. <i>American Journal of Cardiology</i> , 2019, 123, 84-92.	1.6	12

#	ARTICLE	IF	CITATIONS
37	Fatality and risk features for prognosis in COVID-19 according to the care approach – a retrospective cohort study. PLoS ONE, 2021, 16, e0248869.	2.5	12
38	Pulmonary embolism severity and in-hospital mortality: An international comparative study between COVID-19 and non-COVID patients. European Journal of Internal Medicine, 2022, 98, 69-76.	2.2	12
39	Effects on short term outcome of non-invasive ventilation use in the emergency department to treat patients with acute heart failure: A propensity score-based analysis of the EAHFE Registry. European Journal of Internal Medicine, 2018, 53, 45-51.	2.2	11
40	Association between Covid-19 and Pulmonary Embolism (AC-19-PE study). Thrombosis Research, 2020, 196, 322-324.	1.7	11
41	Incidence, risk factors, clinical characteristics and outcomes of deep venous thrombosis in patients with COVID-19 attending the Emergency Department: results of the UMC-19-S8. European Journal of Emergency Medicine, 2021, 28, 218-226.	1.1	11
42	Socio-Demographic Health Determinants Are Associated with Poor Prognosis in Spanish Patients Hospitalized with COVID-19. Journal of General Internal Medicine, 2021, 36, 3737-3742.	2.6	10
43	Diagnostic yield of point-of-care ultrasound imaging of the lung in patients with COVID-19. Emergencias, 2020, 32, 340-344.	0.6	10
44	Frequency of five cardiovascular/hemostatic entities as primary manifestations of SARS-CoV-2 infection: Results of the UMC-19-S2. International Journal of Cardiology, 2021, 330, 268-272.	1.7	9
45	Worsening renal function during an episode of acute heart failure and its relation to short- and long-term mortality: associated factors in the Epidemiology of Acute Heart Failure in Emergency Departments- Worsening Renal Function study. Emergencias, 2020, 32, 332-339.	0.6	9
46	Time-pattern of adverse outcomes after an infection-triggered acute heart failure decompensation and the influence of early antibiotic administration and hospitalisation: results of the PAPRICA-3 study. Clinical Research in Cardiology, 2020, 109, 34-45.	3.3	8
47	Analysis of standards of quality for outcomes in acute heart failure patients directly discharged home from emergency departments and their relationship with the emergency department direct discharge rate. Journal of Cardiology, 2021, 77, 245-253.	1.9	8
48	Influence of the length of hospitalisation in post-discharge outcomes in patients with acute heart failure: Results of the LOHRCA study. European Journal of Internal Medicine, 2019, 70, 24-32.	2.2	7
49	The role of atrial fibrillation in the short-term outcomes of patients with acute heart failure. Clinical Research in Cardiology, 2019, 108, 622-633.	3.3	7
50	Incidence, clinical characteristics, risk factors and outcomes of meningoencephalitis in patients with COVID-19. European Journal of Clinical Microbiology and Infectious Diseases, 2021, 40, 1645-1656.	2.9	7
51	180-Day functional decline among older patients attending an emergency department after a fall. Maturitas, 2019, 129, 50-56.	2.4	6
52	The CRAS-EAHFE study: Characteristics and prognosis of acute heart failure episodes with cardiorenal-anaemia syndrome at the emergency department. European Heart Journal: Acute Cardiovascular Care, 2020, 9, 406-418.	1.0	6
53	Iron deficiency and safety of ferric carboxymaltose in patients with acute heart failure. AHF&ID study. International Journal of Clinical Practice, 2020, 74, e13584.	1.7	6
54	Profile of older patients attended in the emergency department after falls: a FALL-ER registry study of the magnitude of the problem and opportunities for improving hospital emergency care. Emergencias, 2018, 30, 231-240.	0.6	6

#	ARTICLE	IF	CITATIONS
55	Effect of systemic corticosteroid therapy for acute heart failure patients with elevated C-reactive protein. ESC Heart Failure, 2022, 9, 2225-2232.	3.1	6
56	Reducción de la sobrecarga del cuidador tras entrenamiento supervisado en ancianos pluripatológicos y paliativos. Cuadernos De Psicología Del Deporte, 2021, 21, 271-281.	0.4	5
57	Outcomes of patients with heart failure with preserved ejection fraction discharged on treatment with neurohormonal antagonists after an episode of decompensation. European Journal of Internal Medicine, 2021, 94, 73-84.	2.2	5
58	Early intravenous nitroglycerin use in prehospital setting and in the emergency department to treat patients with acute heart failure: Insights from the EAHFE Spanish registry. International Journal of Cardiology, 2021, 344, 127-134.	1.7	5
59	A case-control analysis of stroke in COVID-19 patients: Results of unusual manifestations of COVID-19 study 11. Academic Emergency Medicine, 2021, 28, 1236-1250.	1.8	5
60	A case-control, multicentre study of consecutive patients with COVID-19 and acute (myo)pericarditis: incidence, risk factors, clinical characteristics and outcomes. Emergency Medicine Journal, 2022, 39, 402-410.	1.0	5
61	General Characteristics and Activity of Emergency Department Short-Stay Units in Spanish Hospitals. Journal of Emergency Medicine, 2017, 52, 764-768.	0.7	4
62	The BRONCH-AHF study: effects on short-term outcome of nebulized bronchodilators in emergency department patients diagnosed with acute heart failure. European Journal of Heart Failure, 2018, 20, 822-826.	7.1	4
63	Mortalidad tras un episodio de insuficiencia cardiaca aguda en una cohorte de pacientes con función ventricular intermedia: análisis global y en relación con el lugar de ingreso. Medicina Clínica, 2018, 151, 223-230.	0.6	3
64	Tasas de reconsulta, hospitalización y muerte a corto plazo tras el alta directa desde Urgencias de pacientes con insuficiencia cardiaca aguda y análisis de los factores asociados. Estudio ALTUR-ICA. Medicina Clínica, 2018, 150, 167-177.	0.6	3
65	The FAST-FURO study: effect of very early administration of intravenous furosemide in the prehospital setting to patients with acute heart failure attending the emergency department. European Heart Journal: Acute Cardiovascular Care, 2021, 10, 487-496.	1.0	3
66	Incidence, Clinical Characteristics, Risk Factors and Outcomes of Acute Coronary Syndrome in Patients With COVID-19: Results of the UMC-19-S1010. Journal of Emergency Medicine, 2022, 62, 443-454.	0.7	3
67	Acute heart failure and adverse events associated with the presence of renal dysfunction and hyperkalaemia. EAHFE- renal dysfunction and hyperkalaemia. European Journal of Internal Medicine, 2019, 67, 89-96.	2.2	2
68	Safety of diuretic administration during the early management of dyspnea patients who are not finally diagnosed with acute heart failure. European Journal of Emergency Medicine, 2020, 27, 422-428.	1.1	2
69	Ultrasound in Pregnant Women With Suspected COVID-19 Infection. Journal of Ultrasound in Medicine, 2021, 40, 645-647.	1.7	2
70	Lung Ultrasound Integration in Assessment of Patients with Noncritical COVID-19. Journal of Ultrasound in Medicine, 2021, 40, 2203-2212.	1.7	2
71	Impact of diabetes and on-arrival hyperglycemia on short-term outcomes in acute heart failure patients. Internal and Emergency Medicine, 2022, 17, 1503-1516.	2.0	2
72	Characteristics and outcomes of older adults presented to Spanish emergency departments after a fall. European Geriatric Medicine, 2018, 9, 631-640.	2.8	1

#	ARTICLE	IF	CITATIONS
73	Impact of hospital and emergency department structural and organizational characteristics on outcomes of acute heart failure. Revista Espanola De Cardiologia (English Ed ), 2022, 75, 39-49.	0.6	1
74	Medium-term serostatus in Spanish case series recovered from SARS-CoV-2 infection. Journal of Medical Virology, 2021, 93, 6030-6039.	5.0	1
75	Safety and Revisit Related to Discharge the Sixty-one Spanish Emergency Department Medical Centers Without Hospitalization in Patients with COVID-19 Pneumonia. A Prospective Cohort Study UMC-Pneumonia COVID-19. Revista De Investigacion Clinica, 2022, , .	0.4	1
76	Key decision-making around hospitalization in patients with acute heart failure. European Journal of Internal Medicine, 2020, 75, 102-104.	2.2	0
77	Multicomponent Physical Exercise Training in Multimorbid and Palliative Oldest Adults. International Journal of Environmental Research and Public Health, 2021, 18, 8896.	2.6	0