

William M Splinter

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6842189/publications.pdf>

Version: 2024-02-01

31
papers

1,151
citations

430874

18
h-index

454955

30
g-index

33
all docs

33
docs citations

33
times ranked

483
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Dexamethasone Decreases Vomiting by Children After Tonsillectomy. <i>Anesthesia and Analgesia</i> , 1996, 83, 913-916. | 2.2 | 148 |
| 2 | Dexamethasone Decreases Vomiting by Children After Tonsillectomy. <i>Anesthesia and Analgesia</i> , 1996, 83, 913-916. | 2.2 | 118 |
| 3 | The effect of preoperative apple juice on gastric contents, thirst, and hunger in children. <i>Canadian Journal of Anaesthesia</i> , 1989, 36, 55-58. | 1.6 | 113 |
| 4 | Preoperative ketorolac increases bleeding after tonsillectomy in children. <i>Canadian Journal of Anaesthesia</i> , 1996, 43, 560-563. | 1.6 | 111 |
| 5 | Midazolam reduces vomiting after tonsillectomy in children. <i>Canadian Journal of Anaesthesia</i> , 1995, 42, 201-203. | 1.6 | 96 |
| 6 | Prevention of vomiting after strabismus surgery in children: dexamethasone alone versus dexamethasone plus low-dose ondansetron. <i>Paediatric Anaesthesia</i> , 2001, 11, 591-595. | 1.1 | 63 |
| 7 | Preoperative Fasting in Children. <i>Anesthesia and Analgesia</i> , 1999, 89, 80-89. | 2.2 | 62 |
| 8 | Prophylaxis for Vomiting by Children After Tonsillectomy. <i>Anesthesia and Analgesia</i> , 1997, 85, 534-537. | 2.2 | 61 |
| 9 | Ondansetron is a better prophylactic antiemetic than droperidol for tonsillectomy in children. <i>Canadian Journal of Anaesthesia</i> , 1995, 42, 848-851. | 1.6 | 53 |
| 10 | Oral ondansetron decreases vomiting after tonsillectomy in children. <i>Canadian Journal of Anaesthesia</i> , 1995, 42, 277-280. | 1.6 | 37 |
| 11 | The impact of electronic consultation on a Canadian tertiary care pediatric specialty referral system: A prospective single-center observational study. <i>PLoS ONE</i> , 2018, 13, e0190247. | 2.5 | 36 |
| 12 | Vomiting after strabismus surgery in children: ondansetron vs propofol. <i>Canadian Journal of Anaesthesia</i> , 1997, 44, 825-829. | 1.6 | 28 |
| 13 | Somatic paravertebral block decreases opioid requirements in children undergoing appendectomy. <i>Canadian Journal of Anaesthesia</i> , 2010, 57, 206-210. | 1.6 | 25 |
| 14 | Prophylactic antiemetics in children undergoing tonsillectomy: high-dose vs low-dose ondansetron. <i>Paediatric Anaesthesia</i> , 1997, 7, 125-129. | 1.1 | 23 |
| 15 | Preoperative Fasting in Children. <i>Anesthesia and Analgesia</i> , 1999, 89, 80-89. | 2.2 | 23 |
| 16 | Amethocaine or ketorolac eyedrops provide inadequate analgesia in pediatric strabismus surgery. <i>Canadian Journal of Anaesthesia</i> , 2003, 50, 819-823. | 1.6 | 23 |
| 17 | Perphenazine decreases vomiting by children after tonsillectomy. <i>Canadian Journal of Anaesthesia</i> , 1997, 44, 1308-1310. | 1.6 | 21 |
| 18 | Anti-NMDA receptor antibodies encephalitis. <i>Paediatric Anaesthesia</i> , 2009, 19, 911-913. | 1.1 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Remifentanyl decreases sevoflurane requirements in children. Canadian Journal of Anaesthesia, 2005, 52, 1064-1070. | 1.6 | 17 |
| 20 | Effect of anesthesia for hypospadias repair on perioperative complications. Paediatric Anaesthesia, 2019, 29, 760-767. | 1.1 | 17 |
| 21 | Efficacy of Malignant Hyperthermia Association of the United Statesâ€“Recommended Methods of Preparation for Malignant Hyperthermia-Susceptible Patients Using DrÄger Zeus Anesthesia Workstations and Associated Costs. Anesthesia and Analgesia, 2019, 129, 74-83. | 2.2 | 10 |
| 22 | Novel Approaches for Treating Pain in Children. Current Oncology Reports, 2019, 21, 11. | 4.0 | 10 |
| 23 | Intraoperative neurophysiologic monitoring in idiopathic scoliosis surgery: a retrospective observational study of new neurologic deficits. Canadian Journal of Anaesthesia, 2021, 68, 477-484. | 1.6 | 8 |
| 24 | The Pharmacoeconomics of Neuromuscular Blocking Drugs: A Perioperative Cost-Minimization Strategy in Children. Anesthesia and Analgesia, 2001, 93, 339-344. | 2.2 | 7 |
| 25 | From the Journal archives: Gastric fluid volume and pH in elective patients following unrestricted oral fluid until three hours before surgery. Canadian Journal of Anaesthesia, 2014, 61, 1126-1129. | 1.6 | 6 |
| 26 | Cerebral Blood Flow Velocity During Occlusive Manipulation of Patent Ductus Arteriosus in Children. Journal of Neuroimaging, 1999, 9, 23-29. | 2.0 | 5 |
| 27 | Can Modern Anesthesia Practice Harm the Developing Brain?. Paediatric Drugs, 2007, 9, 213-214. | 3.1 | 4 |
| 28 | Commentaries on â€“Nonâ€“pharmacological interventions for assisting the induction of anaesthesia in childrenâ€“ with a response by the review authors. Evidence-Based Child Health: A Cochrane Review Journal, 2011, 6, 137-140. | 2.0 | 3 |
| 29 | ???Needle-Free??? Delivery of Local Anesthesia. Paediatric Drugs, 2002, 4, 349-352. | 3.1 | 2 |
| 30 | Is Halothane the End of an Era?. Anesthesia and Analgesia, 2003, 97, 602. | 2.2 | 1 |
| 31 | Pediatric Palliative Care. Current Anesthesiology Reports, 2017, 7, 164-167. | 2.0 | 0 |