Clive M Gray

List of Publications by Citations

Source: https://exaly.com/author-pdf/6842488/clive-m-gray-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

109 2,777 28 49 g-index

118 3,206 5.4 4.48 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
109	Hierarchical targeting of subtype C human immunodeficiency virus type 1 proteins by CD8+ T cells: correlation with viral load. <i>Journal of Virology</i> , 2004 , 78, 3233-43	6.6	193
108	Standardization of cytokine flow cytometry assays. <i>BMC Immunology</i> , 2005 , 6, 13	3.7	172
107	Establishing a cohort at high risk of HIV infection in South Africa: challenges and experiences of the CAPRISA 002 acute infection study. <i>PLoS ONE</i> , 2008 , 3, e1954	3.7	150
106	Vertical T cell immunodominance and epitope entropy determine HIV-1 escape. <i>Journal of Clinical Investigation</i> , 2013 , 123, 380-93	15.9	141
105	Transmission of HIV-1 CTL escape variants provides HLA-mismatched recipients with a survival advantage. <i>PLoS Pathogens</i> , 2008 , 4, e1000033	7.6	118
104	Incidence of HIV-1 dual infection and its association with increased viral load set point in a cohort of HIV-1 subtype C-infected female sex workers. <i>Journal of Infectious Diseases</i> , 2004 , 190, 1355-9	7	98
103	Relationship between functional profile of HIV-1 specific CD8 T cells and epitope variability with the selection of escape mutants in acute HIV-1 infection. <i>PLoS Pathogens</i> , 2011 , 7, e1001273	7.6	78
102	S03-05 OA. A less differentiated memory phenotype of Gag-specific CD4+ T-cells during primary HIV infection associates with viral control at 12 months. <i>Retrovirology</i> , 2009 , 6,	3.6	78
101	Association of HIV-specific and total CD8+ T memory phenotypes in subtype C HIV-1 infection with viral set point. <i>Journal of Immunology</i> , 2009 , 182, 4751-61	5.3	68
100	Effect of standard tuberculosis treatment on plasma cytokine levels in patients with active pulmonary tuberculosis. <i>PLoS ONE</i> , 2012 , 7, e36886	3.7	66
99	Association of TRIM22 with the type 1 interferon response and viral control during primary HIV-1 infection. <i>Journal of Virology</i> , 2011 , 85, 208-16	6.6	62
98	Impact of mucosal inflammation on cervical human immunodeficiency virus (HIV-1)-specific CD8 T-cell responses in the female genital tract during chronic HIV infection. <i>Journal of Virology</i> , 2008 , 82, 8529-36	6.6	60
97	In-utero exposure to maternal HIV infection alters T-cell immune responses to vaccination in HIV-uninfected infants. <i>Aids</i> , 2014 , 28, 1421-30	3.5	58
96	Changes in CD4+ and CD8+ T cell subsets in response to highly active antiretroviral therapy in HIV type 1-infected patients with prior protease inhibitor experience. <i>AIDS Research and Human Retroviruses</i> , 1998 , 14, 561-9	1.6	58
95	Human immunodeficiency virus-specific gamma interferon enzyme-linked immunospot assay responses targeting specific regions of the proteome during primary subtype C infection are poor predictors of the course of viremia and set point. <i>Journal of Virology</i> , 2009 , 83, 470-8	6.6	54
94	Human leukocyte antigen class I (A, B, C) and II (DRB1) diversity in the black and Caucasian South African population. <i>Human Immunology</i> , 2012 , 73, 80-92	2.3	48
93	FOXP3 expression is upregulated in CD4T cells in progressive HIV-1 infection and is a marker of disease severity. <i>PLoS ONE</i> , 2010 , 5, e11762	3.7	47

(2015-2004)

92	Novel and promiscuous CTL epitopes in conserved regions of Gag targeted by individuals with early subtype C HIV type 1 infection from southern Africa. <i>Journal of Immunology</i> , 2004 , 173, 4607-17	5.3	47
91	The ELISPOT assay: an easily transferable method for measuring cellular responses and identifying T cell epitopes. <i>Clinical Chemistry and Laboratory Medicine</i> , 2002 , 40, 903-10	5.9	47
90	Genetic characteristics of HIV-1 subtype C envelopes inducing cross-neutralizing antibodies. <i>Virology</i> , 2007 , 368, 172-81	3.6	42
89	Is obesity a risk factor for vaccine non-responsiveness?. <i>PLoS ONE</i> , 2013 , 8, e82779	3.7	41
88	The Elusive Role of Placental Macrophages: The Hofbauer Cell. <i>Journal of Innate Immunity</i> , 2019 , 11, 44	7 <i>6</i> 4 5 6	37
87	Rapid disease progression in HIV-1 subtype C-infected South African women. <i>Clinical Infectious Diseases</i> , 2014 , 59, 1322-31	11.6	35
86	Converging epidemics of sexually transmitted infections and bacterial vaginosis in southern African female adolescents at risk of HIV. <i>International Journal of STD and AIDS</i> , 2018 , 29, 531-539	1.4	35
85	Broad, high-magnitude and multifunctional CD4+ and CD8+ T-cell responses elicited by a DNA and modified vaccinia Ankara vaccine containing human immunodeficiency virus type 1 subtype C genes in baboons. <i>Journal of General Virology</i> , 2009 , 90, 468-480	4.9	33
84	Enrolling adolescents in research on HIV and other sensitive issues: lessons from South Africa. <i>PLoS Medicine</i> , 2006 , 3, e180	11.6	33
83	Differential impact of magnitude, polyfunctional capacity, and specificity of HIV-specific CD8+ T cell responses on HIV set point. <i>Journal of Virology</i> , 2014 , 88, 1819-24	6.6	32
82	Antigen-specific T-cell-mediated immunity after HIV-1 infection: implications for vaccine control of HIV development. <i>Expert Review of Vaccines</i> , 2006 , 5, 505-16	5.2	29
81	Passively transmitted gp41 antibodies in babies born from HIV-1 subtype C-seropositive women: correlation between fine specificity and protection. <i>Journal of Virology</i> , 2012 , 86, 4129-38	6.6	26
80	A prime-boost immunisation regimen using recombinant BCG and Pr55(gag) virus-like particle vaccines based on HIV type 1 subtype C successfully elicits Gag-specific responses in baboons. <i>Vaccine</i> , 2009 , 27, 4857-66	4.1	26
79	Adaptive changes in HIV-1 subtype C proteins during early infection are driven by changes in HLA-associated immune pressure. <i>Virology</i> , 2010 , 396, 213-25	3.6	25
78	Distinct kinetics of Gag-specific CD4+ and CD8+ T cell responses during acute HIV-1 infection. Journal of Immunology, 2012 , 188, 2198-206	5.3	24
77	Viral dynamics and CD4+ T cell counts in subtype C human immunodeficiency virus type 1-infected individuals from southern Africa. <i>AIDS Research and Human Retroviruses</i> , 2005 , 21, 285-91	1.6	24
76	A subset of circulating blood mycobacteria-specific CD4 T cells can predict the time to Mycobacterium tuberculosis sputum culture conversion. <i>PLoS ONE</i> , 2014 , 9, e102178	3.7	23
75	Delaying BCG vaccination until 8 weeks of age results in robust BCG-specific T-cell responses in HIV-exposed infants. <i>Journal of Infectious Diseases</i> , 2015 , 211, 338-46	7	22

74	Fluidity of HIV-1-specific T-cell responses during acute and early subtype C HIV-1 infection and associations with early disease progression. <i>Journal of Virology</i> , 2010 , 84, 12018-29	6.6	22
73	HIV-1 subtype C Pr55gag virus-like particle vaccine efficiently boosts baboons primed with a matched DNA vaccine. <i>Journal of General Virology</i> , 2008 , 89, 2214-2227	4.9	22
72	Peptide impurities in commercial synthetic peptides and their implications for vaccine trial assessment. <i>Vaccine Journal</i> , 2008 , 15, 267-76		22
71	Highly active antiretroviral therapy results in HIV type 1 suppression in lymph nodes, increased pools of naive T cells, decreased pools of activated T cells, and diminished frequencies of peripheral activated HIV type 1-specific CD8+ T cells. <i>AIDS Research and Human Retroviruses</i> , 2000 , 16, 1357-69	1.6	22
70	A steady state of CD4+ T cell memory maturation and activation is established during primary subtype C HIV-1 infection. <i>Journal of Immunology</i> , 2010 , 184, 4926-35	5.3	21
69	Virological and immunological factors associated with HIV-1 differential disease progression in HLA-B 58:01-positive individuals. <i>Journal of Virology</i> , 2011 , 85, 7070-80	6.6	21
68	Role of semen in altering the balance between inflammation and tolerance in the female genital tract: does it contribute to HIV risk?. <i>Viral Immunology</i> , 2014 , 27, 200-6	1.7	20
67	Conserved domains of subtype C nef from South African HIV type 1-infected individuals include cytotoxic T lymphocyte epitope-rich regions. <i>AIDS Research and Human Retroviruses</i> , 2001 , 17, 1681-7	1.6	20
66	In a mixed subtype epidemic, the HIV-1 Gag-specific T-cell response is biased towards the infecting subtype. <i>Aids</i> , 2007 , 21, 135-43	3.5	19
65	T cell activation but not polyfunctionality after primary HIV infection predicts control of viral load and length of the time without therapy. <i>PLoS ONE</i> , 2012 , 7, e50728	3.7	18
64	HIV type 1 subtype C gag and nef diversity in Southern Africa. <i>AIDS Research and Human Retroviruses</i> , 2007 , 23, 477-81	1.6	18
63	Metabolic Syndrome After HIV Acquisition in South African Women. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016 , 73, 438-445	3.1	17
62	The Center for HIV/AIDS Vaccine Immunology (CHAVI) multi-site quality assurance program for cryopreserved human peripheral blood mononuclear cells. <i>Journal of Immunological Methods</i> , 2014 , 409, 21-30	2.5	17
61	Increased memory differentiation is associated with decreased polyfunctionality for HIV but not for cytomegalovirus-specific CD8+ T cells. <i>Journal of Immunology</i> , 2012 , 189, 3838-47	5.3	17
60	Temporal association of HLA-B*81:01- and HLA-B*39:10-mediated HIV-1 p24 sequence evolution with disease progression. <i>Journal of Virology</i> , 2012 , 86, 12013-24	6.6	16
59	Killer-cell immunoglobulin-like receptor genotyping and HLA killer-cell immunoglobulin-like receptor-ligand identification by real-time polymerase chain reaction. <i>Tissue Antigens</i> , 2011 , 78, 185-94		15
58	Heterologous vaccination against human tuberculosis modulates antigen-specific CD4+ T-cell function. <i>European Journal of Immunology</i> , 2013 , 43, 2409-20	6.1	13
57	A high viral burden predicts the loss of CD8 T-cell responses specific for subdominant gag epitopes during chronic human immunodeficiency virus infection. <i>Journal of Virology</i> , 2007 , 81, 13809-15	6.6	13

(2018-2021)

56	Immuno-informatics design of a multimeric epitope peptide based vaccine targeting SARS-CoV-2 spike glycoprotein. <i>PLoS ONE</i> , 2021 , 16, e0248061	3.7	13	
55	Does HIV Exploit the Inflammatory Milieu of the Male Genital Tract for Successful Infection?. <i>Frontiers in Immunology</i> , 2016 , 7, 245	8.4	13	
54	Laboratory expansion to large-scale international HIV preventive vaccine trials. <i>Current Opinion in HIV and AIDS</i> , 2007 , 2, 201-6	4.2	12	
53	A combination of baseline plasma immune markers can predict therapeutic response in multidrug resistant tuberculosis. <i>PLoS ONE</i> , 2017 , 12, e0176660	3.7	11	
52	Human Leukocyte Antigen (HLA) Class II -DRB1 and -DQB1 Alleles and the Association with Cervical Cancer in HIV/HPV Co-Infected Women in South Africa. <i>Journal of Cancer</i> , 2019 , 10, 2145-2152	4.5	11	
51	Rapid, complex adaptation of transmitted HIV-1 full-length genomes in subtype C-infected individuals with differing disease progression. <i>Aids</i> , 2013 , 27, 507-18	3.5	11	
50	Diversity in immunogenomics: the value and the challenge. <i>Nature Methods</i> , 2021 , 18, 588-591	21.6	11	
49	Maternal T Cells in the Human Placental Villi Support an Allograft Response during Noninfectious Villitis. <i>Journal of Immunology</i> , 2020 , 204, 2931-2939	5.3	10	
48	Bacille Calmette-Gufin Vaccine Strain Modulates the Ontogeny of Both Mycobacterial-Specific and Heterologous T Cell Immunity to Vaccination in Infants. <i>Frontiers in Immunology</i> , 2019 , 10, 2307	8.4	10	
47	Killer-cell Immunoglobulin-like Receptor (KIR) gene profiles modify HIV disease course, not HIV acquisition in South African women. <i>BMC Infectious Diseases</i> , 2016 , 16, 27	4	10	
46	HIV disease progression in seroconvertors from the CAPRISA 004 tenofovir gel pre-exposure prophylaxis trial. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2015 , 68, 55-61	3.1	10	
45	Intra- and inter-clade cross-reactivity by HIV-1 Gag specific T-cells reveals exclusive and commonly targeted regions: implications for current vaccine trials. <i>PLoS ONE</i> , 2011 , 6, e26096	3.7	10	
44	Methods of gestational age assessment influence the observed association between antiretroviral therapy exposure, preterm delivery, and small-for-gestational age infants: a prospective study in Cape Town, South Africa. <i>Annals of Epidemiology</i> , 2018 , 28, 893-900	6.4	10	
43	Delayed BCG vaccination results in minimal alterations in T cell immunogenicity of acellular pertussis and tetanus immunizations in HIV-exposed infants. <i>Vaccine</i> , 2015 , 33, 4782-9	4.1	9	
42	Plasma interferon-gamma-inducible protein 10 can be used to predict viral load in HIV-1-infected individuals. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013 , 63, e115-6	3.1	9	
41	Intersubtype differences in the effect of a rare p24 gag mutation on HIV-1 replicative fitness. <i>Journal of Virology</i> , 2012 , 86, 13423-33	6.6	9	
40	The PTAP sequence duplication in HIV-1 subtype C Gag p6 in drug-naive subjects of India and South Africa. <i>BMC Infectious Diseases</i> , 2017 , 17, 95	4	8	
39	Breastfeeding mitigates the effects of maternal HIV on infant infectious morbidity in the Option B+ era. <i>Aids</i> , 2018 , 32, 2383-2391	3.5	8	

38	CTL response to HIV type 1 subtype C is poorly predicted by known epitope motifs. <i>AIDS Research and Human Retroviruses</i> , 2007 , 23, 1033-41	1.6	7
37	European Union and EDCTP strategy in the global context: recommendations for preventive HIV/AIDS vaccines research. <i>Vaccine</i> , 2005 , 23, 5551-6	4.1	7
36	Differential impact of antiretroviral therapy initiated before or during pregnancy on placenta pathology in HIV-positive women. <i>Aids</i> , 2021 , 35, 717-726	3.5	6
35	Impact of Host Molecular Genetic Variations and HIV/HPV Co-infection on Cervical Cancer Progression: A Systematic review. <i>Oncomedicine</i> , 2018 , 3, 82-93	1	6
34	Frequency of Circulating CD4Ki67HLA-DR T Regulatory Cells Prior to Treatment for Multidrug Resistant Tuberculosis Can Differentiate the Severity of Disease and Predict Time to Culture Conversion. <i>Frontiers in Immunology</i> , 2018 , 9, 2438	8.4	6
33	Age, absolute CD4 count, and CD4 percentage in relation to HPV infection and the stage of cervical disease in HIV-1-positive women. <i>Medicine (United States)</i> , 2020 , 99, e19273	1.8	5
32	Immunology Education Without Borders. Frontiers in Immunology, 2019, 10, 2012	8.4	5
31	SPORE series winner. Immunology for clinicians: a "Trojan Horse" approach. <i>Science</i> , 2010 , 329, 1613-4	33.3	5
30	Combined HIV Adolescent Prevention Study (CHAPS): comparison of HIV pre-exposure prophylaxis regimens for adolescents in sub-Saharan Africa-study protocol for a mixed-methods study including a randomised controlled trial. <i>Trials</i> , 2020 , 21, 900	2.8	5
29	Environment-dependent alterations of immune mediators in urban and rural south African children with atopic dermatitis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 ,	9.3	5
28	Investigation of Cervical Tumor Biopsies for Chromosomal Loss of Heterozygosity (LOH) and Microsatellite Instability (MSI) at the II Locus in HIV-1/HPV Co-infected Women. <i>Frontiers in Oncology</i> , 2019 , 9, 951	5.3	5
27	DNA-MVA-protein vaccination of rhesus macaques induces HIV-specific immunity in mucosal-associated lymph nodes and functional antibodies. <i>Vaccine</i> , 2017 , 35, 929-937	4.1	4
26	HLA typing: Conventional techniques v. next-generation sequencing. <i>South African Medical Journal</i> , 2015 , 106, 88-91	1.5	4
25	Impact of maternal HIV exposure, feeding status, and microbiome on infant cellular immunity. Journal of Leukocyte Biology, 2019 , 105, 281-289	6.5	4
24	Characterization of the novel HLA-DQB1*05:272 allele in a South African patient by next-generation sequencing. <i>Hla</i> , 2021 , 97, 173-174	1.9	3
23	Cohort profile: Prematurity Immunology in Mothers living with HIV and their infants Study (PIMS). <i>BMJ Open</i> , 2021 , 11, e047133	3	3
22	Afri-Can Forum 2 : Johannesburg, South Africa. 16-18 February 2015. <i>BMC Infectious Diseases</i> , 2016 , 16 Suppl 2, 315	4	2
21	Cohort Profile: Prematurity Immunology in HIV-infected Mothers and their infants Study (PIMS)		2

20	crAssphage abundance and genomic selective pressure correlate with altered bacterial abundance in the fecal microbiota of South African mother-infant dyads		2
19	T-Cell Homeostatic Imbalance in Placentas From Women With Human Immunodeficiency Virus in the Absence of Vertical Transmission. <i>Journal of Infectious Diseases</i> , 2021 , 224, S670-S682	7	2
18	Impact of chemokine C-C ligand 27, foreskin anatomy and sexually transmitted infections on HIV-1 target cell availability in adolescent South African males. <i>Mucosal Immunology</i> , 2020 , 13, 118-127	9.2	2
17	crAssphage genomes identified in fecal samples of an adult and infants with evidence of positive genomic selective pressure within tail protein genes. <i>Virus Research</i> , 2021 , 292, 198219	6.4	2
16	Placental pathology in women with HIV. <i>Placenta</i> , 2021 , 115, 27-36	3.4	2
15	Frequencies of immune hypersensitivity reaction-associated HLA class I alleles in healthy South African Indian and mixed ancestry populations determined by a novel real-time PCR assay. <i>Tissue Antigens</i> , 2014 , 84, 389-97		1
14	Early evolution of human leucocyte antigen-associated escape mutations in variable Gag proteins predicts CD4+ decline in HIV-1 subtype C-infected women. <i>Aids</i> , 2017 , 31, 191-197	3.5	1
13	Associating antiretroviral therapy initiated before or during pregnancy with placenta pathology in HIV infected women		1
12	Immuno-informatics Design of a Multimeric Epitope Peptide Based Vaccine Targeting SARS-CoV-2 Spike Glycoprotein		1
11	Factors influencing maternal microchimerism throughout infancy and its impact on infant T cell immuni	ty	1
10	An IRF1-IRF4 Toggle-Switch Controls Tolerogenic and Immunogenic Transcriptional Programming in Human Langerhans Cells. <i>Frontiers in Immunology</i> , 2021 , 12, 665312	8.4	1
9	T cell Homeostatic Imbalance in Placentae from Women with HIV in the absence of Vertical Transmissic	חס	1
8	Low immune activation in early pregnancy is associated with preterm but not small-for-gestational age delivery in HIV infected women initiating antiretroviral therapy in pregnancy: a PIMS case-control study in Cape Town, South Africa. <i>Clinical Infectious Diseases</i> , 2021 ,	11.6	1
7	Turning Discoveries into Treatments: Immunology in Africa. <i>Trends in Immunology</i> , 2020 , 41, 1051-1053	14.4	О
6	Teaching advanced flow cytometry in Africa: 10 years of lessons learned. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2016 , 89, 971-974	4.6	О
5	A dead-end host: is there a way out? A position piece on the ebola virus outbreak by the international union of immunology societies. <i>Frontiers in Immunology</i> , 2014 , 5, 562	8.4	
4	The immune response to HIV 2012 , 45-57		
3	Cellular immunity in HIV: a synthesis of responses to preserve self127-154		_

- The Immune Response to HIV **2008**, 39-49
- The Use of Peptide/MHC Tetramers to Visualize, Track, and Characterize Class I-Restricted Anti-HIV T-Cell Responses313-331