

Clive M Gray

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6842488/clive-m-gray-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

109
papers

2,777
citations

28
h-index

49
g-index

118
ext. papers

3,206
ext. citations

5.4
avg, IF

4.48
L-index

#	Paper	IF	Citations
109	Immuno-informatics design of a multimeric epitope peptide based vaccine targeting SARS-CoV-2 spike glycoprotein. <i>PLoS ONE</i> , 2021 , 16, e0248061	3.7	13
108	T-Cell Homeostatic Imbalance in Placentas From Women With Human Immunodeficiency Virus in the Absence of Vertical Transmission. <i>Journal of Infectious Diseases</i> , 2021 , 224, S670-S682	7	2
107	Diversity in immunogenomics: the value and the challenge. <i>Nature Methods</i> , 2021 , 18, 588-591	21.6	11
106	An IRF1-IRF4 Toggle-Switch Controls Tolerogenic and Immunogenic Transcriptional Programming in Human Langerhans Cells. <i>Frontiers in Immunology</i> , 2021 , 12, 665312	8.4	1
105	Environment-dependent alterations of immune mediators in urban and rural south African children with atopic dermatitis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 ,	9.3	5
104	crAssphage genomes identified in fecal samples of an adult and infants with evidence of positive genomic selective pressure within tail protein genes. <i>Virus Research</i> , 2021 , 292, 198219	6.4	2
103	Characterization of the novel HLA-DQB1*05:272 allele in a South African patient by next-generation sequencing. <i>Hla</i> , 2021 , 97, 173-174	1.9	3
102	Low immune activation in early pregnancy is associated with preterm but not small-for-gestational age delivery in HIV infected women initiating antiretroviral therapy in pregnancy: a PIMS case-control study in Cape Town, South Africa. <i>Clinical Infectious Diseases</i> , 2021 ,	11.6	1
101	Differential impact of antiretroviral therapy initiated before or during pregnancy on placenta pathology in HIV-positive women. <i>Aids</i> , 2021 , 35, 717-726	3.5	6
100	Cohort profile: Prematurity Immunology in Mothers living with HIV and their infants Study (PIMS). <i>BMJ Open</i> , 2021 , 11, e047133	3	3
99	Placental pathology in women with HIV. <i>Placenta</i> , 2021 , 115, 27-36	3.4	2
98	Turning Discoveries into Treatments: Immunology in Africa. <i>Trends in Immunology</i> , 2020 , 41, 1051-1053	14.4	0
97	Age, absolute CD4 count, and CD4 percentage in relation to HPV infection and the stage of cervical disease in HIV-1-positive women. <i>Medicine (United States)</i> , 2020 , 99, e19273	1.8	5
96	Maternal T Cells in the Human Placental Villi Support an Allograft Response during Noninfectious Villitis. <i>Journal of Immunology</i> , 2020 , 204, 2931-2939	5.3	10
95	Combined HIV Adolescent Prevention Study (CHAPS): comparison of HIV pre-exposure prophylaxis regimens for adolescents in sub-Saharan Africa-study protocol for a mixed-methods study including a randomised controlled trial. <i>Trials</i> , 2020 , 21, 900	2.8	5
94	Impact of chemokine C-C ligand 27, foreskin anatomy and sexually transmitted infections on HIV-1 target cell availability in adolescent South African males. <i>Mucosal Immunology</i> , 2020 , 13, 118-127	9.2	2
93	The Elusive Role of Placental Macrophages: The Hofbauer Cell. <i>Journal of Innate Immunity</i> , 2019 , 11, 447-456	5.6	37

92	Human Leukocyte Antigen (HLA) Class II -DRB1 and -DQB1 Alleles and the Association with Cervical Cancer in HIV/HPV Co-Infected Women in South Africa. <i>Journal of Cancer</i> , 2019 , 10, 2145-2152	4.5	11
91	Bacille Calmette-Guérin Vaccine Strain Modulates the Ontogeny of Both Mycobacterial-Specific and Heterologous T Cell Immunity to Vaccination in Infants. <i>Frontiers in Immunology</i> , 2019 , 10, 2307	8.4	10
90	Immunology Education Without Borders. <i>Frontiers in Immunology</i> , 2019 , 10, 2012	8.4	5
89	Investigation of Cervical Tumor Biopsies for Chromosomal Loss of Heterozygosity (LOH) and Microsatellite Instability (MSI) at the II Locus in HIV-1/HPV Co-infected Women. <i>Frontiers in Oncology</i> , 2019 , 9, 951	5.3	5
88	Impact of maternal HIV exposure, feeding status, and microbiome on infant cellular immunity. <i>Journal of Leukocyte Biology</i> , 2019 , 105, 281-289	6.5	4
87	Converging epidemics of sexually transmitted infections and bacterial vaginosis in southern African female adolescents at risk of HIV. <i>International Journal of STD and AIDS</i> , 2018 , 29, 531-539	1.4	35
86	Impact of Host Molecular Genetic Variations and HIV/HPV Co-infection on Cervical Cancer Progression: A Systematic review. <i>Oncomedicine</i> , 2018 , 3, 82-93	1	6
85	Methods of gestational age assessment influence the observed association between antiretroviral therapy exposure, preterm delivery, and small-for-gestational age infants: a prospective study in Cape Town, South Africa. <i>Annals of Epidemiology</i> , 2018 , 28, 893-900	6.4	10
84	Frequency of Circulating CD4Ki67HLA-DR T Regulatory Cells Prior to Treatment for Multidrug Resistant Tuberculosis Can Differentiate the Severity of Disease and Predict Time to Culture Conversion. <i>Frontiers in Immunology</i> , 2018 , 9, 2438	8.4	6
83	Breastfeeding mitigates the effects of maternal HIV on infant infectious morbidity in the Option B+ era. <i>Aids</i> , 2018 , 32, 2383-2391	3.5	8
82	DNA-MVA-protein vaccination of rhesus macaques induces HIV-specific immunity in mucosal-associated lymph nodes and functional antibodies. <i>Vaccine</i> , 2017 , 35, 929-937	4.1	4
81	The PTAP sequence duplication in HIV-1 subtype C Gag p6 in drug-naive subjects of India and South Africa. <i>BMC Infectious Diseases</i> , 2017 , 17, 95	4	8
80	A combination of baseline plasma immune markers can predict therapeutic response in multidrug resistant tuberculosis. <i>PLoS ONE</i> , 2017 , 12, e0176660	3.7	11
79	Early evolution of human leucocyte antigen-associated escape mutations in variable Gag proteins predicts CD4+ decline in HIV-1 subtype C-infected women. <i>Aids</i> , 2017 , 31, 191-197	3.5	1
78	Teaching advanced flow cytometry in Africa: 10 years of lessons learned. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2016 , 89, 971-974	4.6	0
77	Metabolic Syndrome After HIV Acquisition in South African Women. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016 , 73, 438-445	3.1	17
76	Afri-Can Forum 2 : Johannesburg, South Africa. 16-18 February 2015. <i>BMC Infectious Diseases</i> , 2016 , 16 Suppl 2, 315	4	2
75	Killer-cell Immunoglobulin-like Receptor (KIR) gene profiles modify HIV disease course, not HIV acquisition in South African women. <i>BMC Infectious Diseases</i> , 2016 , 16, 27	4	10

74	Does HIV Exploit the Inflammatory Milieu of the Male Genital Tract for Successful Infection?. <i>Frontiers in Immunology</i> , 2016 , 7, 245	8.4	13
73	Delaying BCG vaccination until 8 weeks of age results in robust BCG-specific T-cell responses in HIV-exposed infants. <i>Journal of Infectious Diseases</i> , 2015 , 211, 338-46	7	22
72	Delayed BCG vaccination results in minimal alterations in T cell immunogenicity of acellular pertussis and tetanus immunizations in HIV-exposed infants. <i>Vaccine</i> , 2015 , 33, 4782-9	4.1	9
71	HLA typing: Conventional techniques v. next-generation sequencing. <i>South African Medical Journal</i> , 2015 , 106, 88-91	1.5	4
70	HIV disease progression in seroconvertors from the CAPRISA 004 tenofovir gel pre-exposure prophylaxis trial. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2015 , 68, 55-61	3.1	10
69	Frequencies of immune hypersensitivity reaction-associated HLA class I alleles in healthy South African Indian and mixed ancestry populations determined by a novel real-time PCR assay. <i>Tissue Antigens</i> , 2014 , 84, 389-97		1
68	The Center for HIV/AIDS Vaccine Immunology (CHAVI) multi-site quality assurance program for cryopreserved human peripheral blood mononuclear cells. <i>Journal of Immunological Methods</i> , 2014 , 409, 21-30	2.5	17
67	Role of semen in altering the balance between inflammation and tolerance in the female genital tract: does it contribute to HIV risk?. <i>Viral Immunology</i> , 2014 , 27, 200-6	1.7	20
66	Differential impact of magnitude, polyfunctional capacity, and specificity of HIV-specific CD8+ T cell responses on HIV set point. <i>Journal of Virology</i> , 2014 , 88, 1819-24	6.6	32
65	In-utero exposure to maternal HIV infection alters T-cell immune responses to vaccination in HIV-uninfected infants. <i>Aids</i> , 2014 , 28, 1421-30	3.5	58
64	Rapid disease progression in HIV-1 subtype C-infected South African women. <i>Clinical Infectious Diseases</i> , 2014 , 59, 1322-31	11.6	35
63	A dead-end host: is there a way out? A position piece on the ebola virus outbreak by the international union of immunology societies. <i>Frontiers in Immunology</i> , 2014 , 5, 562	8.4	
62	A subset of circulating blood mycobacteria-specific CD4 T cells can predict the time to Mycobacterium tuberculosis sputum culture conversion. <i>PLoS ONE</i> , 2014 , 9, e102178	3.7	23
61	Heterologous vaccination against human tuberculosis modulates antigen-specific CD4+ T-cell function. <i>European Journal of Immunology</i> , 2013 , 43, 2409-20	6.1	13
60	Plasma interferon-gamma-inducible protein 10 can be used to predict viral load in HIV-1-infected individuals. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013 , 63, e115-6	3.1	9
59	Rapid, complex adaptation of transmitted HIV-1 full-length genomes in subtype C-infected individuals with differing disease progression. <i>Aids</i> , 2013 , 27, 507-18	3.5	11
58	Is obesity a risk factor for vaccine non-responsiveness?. <i>PLoS ONE</i> , 2013 , 8, e82779	3.7	41
57	Vertical T cell immunodominance and epitope entropy determine HIV-1 escape. <i>Journal of Clinical Investigation</i> , 2013 , 123, 380-93	15.9	141

56	Human leukocyte antigen class I (A, B, C) and II (DRB1) diversity in the black and Caucasian South African population. <i>Human Immunology</i> , 2012 , 73, 80-92	2.3	48
55	The immune response to HIV 2012 , 45-57		
54	Effect of standard tuberculosis treatment on plasma cytokine levels in patients with active pulmonary tuberculosis. <i>PLoS ONE</i> , 2012 , 7, e36886	3.7	66
53	T cell activation but not polyfunctionality after primary HIV infection predicts control of viral load and length of the time without therapy. <i>PLoS ONE</i> , 2012 , 7, e50728	3.7	18
52	Temporal association of HLA-B*81:01- and HLA-B*39:10-mediated HIV-1 p24 sequence evolution with disease progression. <i>Journal of Virology</i> , 2012 , 86, 12013-24	6.6	16
51	Intersubtype differences in the effect of a rare p24 gag mutation on HIV-1 replicative fitness. <i>Journal of Virology</i> , 2012 , 86, 13423-33	6.6	9
50	Passively transmitted gp41 antibodies in babies born from HIV-1 subtype C-seropositive women: correlation between fine specificity and protection. <i>Journal of Virology</i> , 2012 , 86, 4129-38	6.6	26
49	Distinct kinetics of Gag-specific CD4+ and CD8+ T cell responses during acute HIV-1 infection. <i>Journal of Immunology</i> , 2012 , 188, 2198-206	5.3	24
48	Increased memory differentiation is associated with decreased polyfunctionality for HIV but not for cytomegalovirus-specific CD8+ T cells. <i>Journal of Immunology</i> , 2012 , 189, 3838-47	5.3	17
47	Intra- and inter-clade cross-reactivity by HIV-1 Gag specific T-cells reveals exclusive and commonly targeted regions: implications for current vaccine trials. <i>PLoS ONE</i> , 2011 , 6, e26096	3.7	10
46	Killer-cell immunoglobulin-like receptor genotyping and HLA killer-cell immunoglobulin-like receptor-ligand identification by real-time polymerase chain reaction. <i>Tissue Antigens</i> , 2011 , 78, 185-94		15
45	Virological and immunological factors associated with HIV-1 differential disease progression in HLA-B 58:01-positive individuals. <i>Journal of Virology</i> , 2011 , 85, 7070-80	6.6	21
44	Association of TRIM22 with the type 1 interferon response and viral control during primary HIV-1 infection. <i>Journal of Virology</i> , 2011 , 85, 208-16	6.6	62
43	Relationship between functional profile of HIV-1 specific CD8 T cells and epitope variability with the selection of escape mutants in acute HIV-1 infection. <i>PLoS Pathogens</i> , 2011 , 7, e1001273	7.6	78
42	FOXP3 expression is upregulated in CD4T cells in progressive HIV-1 infection and is a marker of disease severity. <i>PLoS ONE</i> , 2010 , 5, e11762	3.7	47
41	SPORE series winner. Immunology for clinicians: a "Trojan Horse" approach. <i>Science</i> , 2010 , 329, 1613-4	33.3	5
40	Fluidity of HIV-1-specific T-cell responses during acute and early subtype C HIV-1 infection and associations with early disease progression. <i>Journal of Virology</i> , 2010 , 84, 12018-29	6.6	22
39	A steady state of CD4+ T cell memory maturation and activation is established during primary subtype C HIV-1 infection. <i>Journal of Immunology</i> , 2010 , 184, 4926-35	5.3	21

38	Adaptive changes in HIV-1 subtype C proteins during early infection are driven by changes in HLA-associated immune pressure. <i>Virology</i> , 2010 , 396, 213-25	3.6	25
37	Association of HIV-specific and total CD8+ T memory phenotypes in subtype C HIV-1 infection with viral set point. <i>Journal of Immunology</i> , 2009 , 182, 4751-61	5.3	68
36	Broad, high-magnitude and multifunctional CD4+ and CD8+ T-cell responses elicited by a DNA and modified vaccinia Ankara vaccine containing human immunodeficiency virus type 1 subtype C genes in baboons. <i>Journal of General Virology</i> , 2009 , 90, 468-480	4.9	33
35	Human immunodeficiency virus-specific gamma interferon enzyme-linked immunospot assay responses targeting specific regions of the proteome during primary subtype C infection are poor predictors of the course of viremia and set point. <i>Journal of Virology</i> , 2009 , 83, 470-8	6.6	54
34	A prime-boost immunisation regimen using recombinant BCG and Pr55(gag) virus-like particle vaccines based on HIV type 1 subtype C successfully elicits Gag-specific responses in baboons. <i>Vaccine</i> , 2009 , 27, 4857-66	4.1	26
33	S03-05 OA. A less differentiated memory phenotype of Gag-specific CD4+ T-cells during primary HIV infection associates with viral control at 12 months. <i>Retrovirology</i> , 2009 , 6,	3.6	78
32	Impact of mucosal inflammation on cervical human immunodeficiency virus (HIV-1)-specific CD8 T-cell responses in the female genital tract during chronic HIV infection. <i>Journal of Virology</i> , 2008 , 82, 8529-36	6.6	60
31	Transmission of HIV-1 CTL escape variants provides HLA-mismatched recipients with a survival advantage. <i>PLoS Pathogens</i> , 2008 , 4, e1000033	7.6	118
30	HIV-1 subtype C Pr55gag virus-like particle vaccine efficiently boosts baboons primed with a matched DNA vaccine. <i>Journal of General Virology</i> , 2008 , 89, 2214-2227	4.9	22
29	Peptide impurities in commercial synthetic peptides and their implications for vaccine trial assessment. <i>Vaccine Journal</i> , 2008 , 15, 267-76		22
28	The Immune Response to HIV 2008 , 39-49		
27	Establishing a cohort at high risk of HIV infection in South Africa: challenges and experiences of the CAPRISA 002 acute infection study. <i>PLoS ONE</i> , 2008 , 3, e1954	3.7	150
26	Genetic characteristics of HIV-1 subtype C envelopes inducing cross-neutralizing antibodies. <i>Virology</i> , 2007 , 368, 172-81	3.6	42
25	In a mixed subtype epidemic, the HIV-1 Gag-specific T-cell response is biased towards the infecting subtype. <i>Aids</i> , 2007 , 21, 135-43	3.5	19
24	CTL response to HIV type 1 subtype C is poorly predicted by known epitope motifs. <i>AIDS Research and Human Retroviruses</i> , 2007 , 23, 1033-41	1.6	7
23	A high viral burden predicts the loss of CD8 T-cell responses specific for subdominant gag epitopes during chronic human immunodeficiency virus infection. <i>Journal of Virology</i> , 2007 , 81, 13809-15	6.6	13
22	Laboratory expansion to large-scale international HIV preventive vaccine trials. <i>Current Opinion in HIV and AIDS</i> , 2007 , 2, 201-6	4.2	12
21	HIV type 1 subtype C gag and nef diversity in Southern Africa. <i>AIDS Research and Human Retroviruses</i> , 2007 , 23, 477-81	1.6	18

20	Antigen-specific T-cell-mediated immunity after HIV-1 infection: implications for vaccine control of HIV development. <i>Expert Review of Vaccines</i> , 2006 , 5, 505-16	5.2	29
19	Enrolling adolescents in research on HIV and other sensitive issues: lessons from South Africa. <i>PLoS Medicine</i> , 2006 , 3, e180	11.6	33
18	Viral dynamics and CD4+ T cell counts in subtype C human immunodeficiency virus type 1-infected individuals from southern Africa. <i>AIDS Research and Human Retroviruses</i> , 2005 , 21, 285-91	1.6	24
17	European Union and EDCTP strategy in the global context: recommendations for preventive HIV/AIDS vaccines research. <i>Vaccine</i> , 2005 , 23, 5551-6	4.1	7
16	Standardization of cytokine flow cytometry assays. <i>BMC Immunology</i> , 2005 , 6, 13	3.7	172
15	Incidence of HIV-1 dual infection and its association with increased viral load set point in a cohort of HIV-1 subtype C-infected female sex workers. <i>Journal of Infectious Diseases</i> , 2004 , 190, 1355-9	7	98
14	Hierarchical targeting of subtype C human immunodeficiency virus type 1 proteins by CD8+ T cells: correlation with viral load. <i>Journal of Virology</i> , 2004 , 78, 3233-43	6.6	193
13	Novel and promiscuous CTL epitopes in conserved regions of Gag targeted by individuals with early subtype C HIV type 1 infection from southern Africa. <i>Journal of Immunology</i> , 2004 , 173, 4607-17	5.3	47
12	The ELISPOT assay: an easily transferable method for measuring cellular responses and identifying T cell epitopes. <i>Clinical Chemistry and Laboratory Medicine</i> , 2002 , 40, 903-10	5.9	47
11	Conserved domains of subtype C nef from South African HIV type 1-infected individuals include cytotoxic T lymphocyte epitope-rich regions. <i>AIDS Research and Human Retroviruses</i> , 2001 , 17, 1681-7	1.6	20
10	Highly active antiretroviral therapy results in HIV type 1 suppression in lymph nodes, increased pools of naive T cells, decreased pools of activated T cells, and diminished frequencies of peripheral activated HIV type 1-specific CD8+ T cells. <i>AIDS Research and Human Retroviruses</i> , 2000 , 16, 1357-69	1.6	22
9	Changes in CD4+ and CD8+ T cell subsets in response to highly active antiretroviral therapy in HIV type 1-infected patients with prior protease inhibitor experience. <i>AIDS Research and Human Retroviruses</i> , 1998 , 14, 561-9	1.6	58
8	Cellular immunity in HIV: a synthesis of responses to preserve self	127-154	
7	The Use of Peptide/MHC Tetramers to Visualize, Track, and Characterize Class I-Restricted Anti-HIV T-Cell Responses	313-331	
6	Associating antiretroviral therapy initiated before or during pregnancy with placenta pathology in HIV infected women		1
5	Cohort Profile: Prematurity Immunology in HIV-infected Mothers and their infants Study (PIMS)		2
4	Immuno-informatics Design of a Multimeric Epitope Peptide Based Vaccine Targeting SARS-CoV-2 Spike Glycoprotein		1
3	crAssphage abundance and genomic selective pressure correlate with altered bacterial abundance in the fecal microbiota of South African mother-infant dyads		2

2	Factors influencing maternal microchimerism throughout infancy and its impact on infant T cell immunity	1
1	T cell Homeostatic Imbalance in Placentae from Women with HIV in the absence of Vertical Transmission	1