

Scott W Menzies

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/684418/scott-w-menzies-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

75
papers

5,319
citations

34
h-index

72
g-index

77
ext. papers

6,258
ext. citations

3.6
avg, IF

5.27
L-index

#	Paper	IF	Citations
75	Efficiency of Detecting New Primary Melanoma Among Individuals Treated in a High-risk Clinic for Skin Surveillance. <i>JAMA Dermatology</i> , 2021 , 157, 521-530	5.1	4
74	Identifying the 'Active Ingredients' of an Effective Psychological Intervention to Reduce Fear of Cancer Recurrence: A Process Evaluation. <i>Frontiers in Psychology</i> , 2021 , 12, 661190	3.4	1
73	Melanomas of the scalp: is hair coverage preventing early diagnosis?. <i>International Journal of Dermatology</i> , 2021 , 60, 340-346	1.7	3
72	Short-Term Lesion Change Detection for Melanoma Screening With Novel Siamese Neural Network. <i>IEEE Transactions on Medical Imaging</i> , 2021 , 40, 840-851	11.7	6
71	Reproducible Naevus Counts Using 3D Total Body Photography and Convolutional Neural Networks. <i>Dermatology</i> , 2021 , 1-8	4.4	3
70	The Additive Value of 3D Total Body Imaging for Sequential Monitoring of Skin Lesions: A Case Series. <i>Dermatology</i> , 2021 , 1-6	4.4	0
69	Estimated risk of progression of lentigo maligna to lentigo maligna melanoma. <i>Melanoma Research</i> , 2020 , 30, 193-197	3.3	13
68	Benefits of a brief psychological intervention targeting fear of cancer recurrence in people at high risk of developing another melanoma: 12-month follow-up results of a randomized controlled trial. <i>British Journal of Dermatology</i> , 2020 , 182, 860-868	4	7
67	Cost-Effectiveness of a Psycho-Educational Intervention Targeting Fear of Cancer Recurrence in People Treated for Early-Stage Melanoma. <i>Applied Health Economics and Health Policy</i> , 2019 , 17, 669-681	3.4	8
66	Comparison of the accuracy of human readers versus machine-learning algorithms for pigmented skin lesion classification: an open, web-based, international, diagnostic study. <i>Lancet Oncology</i> , 2019 , 20, 938-947	21.7	160
65	A prospective observational study of pigmented naevi changes in psoriasis patients on biologic therapy. <i>Australasian Journal of Dermatology</i> , 2019 , 60, e14-e19	1.3	1
64	Expert-Level Diagnosis of Nonpigmented Skin Cancer by Combined Convolutional Neural Networks. <i>JAMA Dermatology</i> , 2019 , 155, 58-65	5.1	104
63	The steadily growing problem of lentigo maligna and lentigo maligna melanoma in Australia: Population-based data on diagnosis and management. <i>Australasian Journal of Dermatology</i> , 2019 , 60, 118-125	1.3	11
62	Methods of melanoma detection and of skin monitoring for individuals at high risk of melanoma: new Australian clinical practice. <i>Medical Journal of Australia</i> , 2019 , 210, 41-47	4	15
61	Follow-Up Recommendations after Diagnosis of Primary Cutaneous Melanoma: A Population-Based Study in New South Wales, Australia. <i>Annals of Surgical Oncology</i> , 2018 , 25, 617-625	3.1	11
60	A National Budget Impact Analysis of a Specialised Surveillance Programme for Individuals at Very High Risk of Melanoma in Australia. <i>Applied Health Economics and Health Policy</i> , 2018 , 16, 235-242	3.4	3
59	Clinical Perspective of 3D Total Body Photography for Early Detection and Screening of Melanoma. <i>Frontiers in Medicine</i> , 2018 , 5, 152	4.9	30

58	Sustained long-term benefits of a psycho-educational intervention targeting fear of cancer recurrence in people at high risk of developing another melanoma: A randomised controlled trial.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 10082-10082	2.2	1
57	Sensitivity of Preference-Based Quality-of-Life Measures for Economic Evaluations in Early-Stage Melanoma. <i>JAMA Dermatology</i> , 2018 , 154, 52-59	5.1	8
56	Punch 'scoring': a technique that facilitates melanoma diagnosis of clinically suspicious pigmented lesions. <i>Histopathology</i> , 2018 , 72, 294-304	7.3	5
55	'Mind your Moles' study: protocol of a prospective cohort study of melanocytic naevi. <i>BMJ Open</i> , 2018 , 8, e025857	3	8
54	Analysis of an electrical impedance spectroscopy system in short-term digital dermoscopy imaging of melanocytic lesions. <i>British Journal of Dermatology</i> , 2017 , 177, 1432-1438	4	20
53	Cost-Effectiveness of Skin Surveillance Through a Specialized Clinic for Patients at High Risk of Melanoma. <i>Journal of Clinical Oncology</i> , 2017 , 35, 63-71	2.2	44
52	Accuracy of dermoscopy for the diagnosis of nonpigmented cancers of the skin. <i>Journal of the American Academy of Dermatology</i> , 2017 , 77, 1100-1109	4.5	47
51	Clinical Features Associated With Individuals at Higher Risk of Melanoma: A Population-Based Study. <i>JAMA Dermatology</i> , 2017 , 153, 23-29	5.1	26
50	Diagnosis and clinical management of melanoma patients at higher risk of a new primary melanoma: A population-based study in New South Wales, Australia. <i>Australasian Journal of Dermatology</i> , 2017 , 58, 278-285	1.3	8
49	Psychoeducational intervention for people at high risk of developing another melanoma: a pilot randomised controlled trial. <i>BMJ Open</i> , 2017 , 7, e015195	3	7
48	In Vivo Reflectance Confocal Microscopy for the Diagnosis of Melanoma and Melanotic Macules of the Lip. <i>JAMA Dermatology</i> , 2017 , 153, 882-891	5.1	19
47	"Melanoma: Questions and Answers." Development and evaluation of a psycho-educational resource for people with a history of melanoma. <i>Supportive Care in Cancer</i> , 2016 , 24, 4849-4859	3.9	16
46	Standardization of terminology in dermoscopy/dermatology: Results of the third consensus conference of the International Society of Dermoscopy. <i>Journal of the American Academy of Dermatology</i> , 2016 , 74, 1093-106	4.5	140
45	Randomised controlled trial of a psycho-educational intervention to reduce fear of cancer recurrence in people at high risk of developing another primary melanoma.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 10068-10068	2.2	1
44	Dermoscopy and in vivo confocal microscopy are complementary techniques for diagnosis of difficult amelanotic and light-coloured skin lesions. <i>British Journal of Dermatology</i> , 2016 , 175, 1311-1319 ⁴		47
43	Validity and Reliability of Dermoscopic Criteria Used to Differentiate Nevi From Melanoma: A Web-Based International Dermoscopy Society Study. <i>JAMA Dermatology</i> , 2016 , 152, 798-806	5.1	75
42	Psychoeducational Intervention to Reduce Fear of Cancer Recurrence in People at High Risk of Developing Another Primary Melanoma: Results of a Randomized Controlled Trial. <i>Journal of Clinical Oncology</i> , 2016 , 34, 4405-4414	2.2	72
41	The Melanoma care study: protocol of a randomised controlled trial of a psycho-educational intervention for melanoma survivors at high risk of developing new primary disease. <i>BMC Psychology</i> , 2015 , 3, 23	2.8	13

40	Clinical practice guidelines for identification, screening and follow-up of individuals at high risk of primary cutaneous melanoma: a systematic review. <i>British Journal of Dermatology</i> , 2015 , 172, 33-47	4	83
39	Specialized surveillance for individuals at high risk for melanoma: a cost analysis of a high-risk clinic. <i>JAMA Dermatology</i> , 2015 , 151, 178-86	5.1	21
38	Surveillance for treatment failure of lentigo maligna with dermoscopy and in vivo confocal microscopy: new descriptors. <i>British Journal of Dermatology</i> , 2014 , 170, 1305-12	4	49
37	Detection of primary melanoma in individuals at extreme high risk: a prospective 5-year follow-up study. <i>JAMA Dermatology</i> , 2014 , 150, 819-27	5.1	88
36	A clinico-dermoscopic approach for skin cancer screening: recommendations involving a survey of the International Dermoscopy Society. <i>Dermatologic Clinics</i> , 2013 , 31, 525-34, vii	4.2	30
35	Negative pigment network: an additional dermoscopic feature for the diagnosis of melanoma. <i>Journal of the American Academy of Dermatology</i> , 2013 , 68, 552-559	4.5	39
34	Evidence-based dermoscopy. <i>Dermatologic Clinics</i> , 2013 , 31, 521-4, vii	4.2	22
33	Dermoscopic evaluation of nodular melanoma. <i>JAMA Dermatology</i> , 2013 , 149, 699-709	5.1	79
32	Accuracy in melanoma detection: a 10-year multicenter survey. <i>Journal of the American Academy of Dermatology</i> , 2012 , 67, 54-9	4.5	131
31	In vivo confocal microscopy for diagnosis of melanoma and basal cell carcinoma using a two-step method: analysis of 710 consecutive clinically equivocal cases. <i>Journal of Investigative Dermatology</i> , 2012 , 132, 2386-2394	4.3	213
30	State of the art of diagnostic technology for early-stage melanoma. <i>Expert Review of Anticancer Therapy</i> , 2011 , 11, 715-23	3.5	15
29	Results of a nationwide dermoscopy survey investigating the prevalence, advantages and disadvantages of dermoscopy use among Australian dermatologists. <i>Australasian Journal of Dermatology</i> , 2011 , 52, 14-8	1.3	30
28	Update on melanoma and non-melanoma skin cancer. Annual Skin Cancer Conference 2011, Hamilton Island, Australia, 5 th August 2011. <i>Expert Review of Anticancer Therapy</i> , 2011 , 11, 1829-32	3.5	8
27	On reducing the need to excise nevi. <i>Archives of Dermatology</i> , 2011 , 147, 105-6		1
26	Variables predicting change in benign melanocytic nevi undergoing short-term dermoscopic imaging. <i>Archives of Dermatology</i> , 2011 , 147, 655-9		23
25	Wem nutzt die prophylaktische Entfernung dysplastischer Nävi?. <i>JDDG - Journal of the German Society of Dermatology</i> , 2010 , 8, 279-280	1.2	1
24	Slow-growing melanoma: a dermoscopy follow-up study. <i>British Journal of Dermatology</i> , 2010 , 162, 267-73		81
23	The impact of in vivo reflectance confocal microscopy on the diagnostic accuracy of lentigo maligna and equivocal pigmented and nonpigmented macules of the face. <i>Journal of Investigative Dermatology</i> , 2010 , 130, 2080-91	4.3	213

22	Dermoscopy of basal cell carcinoma: morphologic variability of global and local features and accuracy of diagnosis. <i>Journal of the American Academy of Dermatology</i> , 2010 , 62, 67-75	4.5	216
21	Impact of dermoscopy and short-term sequential digital dermoscopy imaging for the management of pigmented lesions in primary care: a sequential intervention trial. <i>British Journal of Dermatology</i> , 2009 , 161, 1270-7	4	131
20	In vivo reflectance confocal microscopy enhances secondary evaluation of melanocytic lesions. <i>Journal of Investigative Dermatology</i> , 2009 , 129, 131-8	4.3	146
19	Melanoma histological Breslow thickness predicted by 75-MHz ultrasonography. <i>British Journal of Dermatology</i> , 2008 , 159, 364-9	4	71
18	Dermoscopy compared with naked eye examination for the diagnosis of primary melanoma: a meta-analysis of studies performed in a clinical setting. <i>British Journal of Dermatology</i> , 2008 , 159, 669-76 ⁴		447
17	Dermoscopic evaluation of amelanotic and hypomelanotic melanoma. <i>Archives of Dermatology</i> , 2008 , 144, 1120-7		193
16	Assessment of the optimal interval for and sensitivity of short-term sequential digital dermoscopy monitoring for the diagnosis of melanoma. <i>Archives of Dermatology</i> , 2008 , 144, 502-6		97
15	Is sun exposure a major cause of melanoma? Yes. <i>BMJ, The</i> , 2008 , 337, a763	5.9	12
14	Identification of clinically featureless incipient melanoma using sequential dermoscopy imaging. <i>Archives of Dermatology</i> , 2006 , 142, 1113-9		138
13	Cutaneous melanoma: making a clinical diagnosis, present and future. <i>Dermatologic Therapy</i> , 2006 , 19, 32-9	2.2	34
12	Three-point checklist of dermoscopy: an open internet study. <i>British Journal of Dermatology</i> , 2006 , 154, 431-7	4	67
11	The performance of SolarScan: an automated dermoscopy image analysis instrument for the diagnosis of primary melanoma. <i>Archives of Dermatology</i> , 2005 , 141, 1388-96		100
10	UV light from 290 to 325 nm, but not broad-band UVA or visible light, augments the formation of melanocytic nevi in a guinea-pig model for human nevi. <i>Journal of Investigative Dermatology</i> , 2004 , 123, 354-60	4.3	12
9	Dermoscopy of pigmented skin lesions: results of a consensus meeting via the Internet. <i>Journal of the American Academy of Dermatology</i> , 2003 , 48, 679-93	4.5	882
8	A randomised trial of skin photography as an aid to screening skin lesions in older males. <i>Journal of Medical Screening</i> , 2002 , 9, 128-32	1.4	17
7	Dermoscopy of pigmented basal cell carcinoma. <i>Clinics in Dermatology</i> , 2002 , 20, 268-9	3	61
6	Primary melanoma tumour regression associated with an immune response to the tumour-associated antigen melan-A/MART-1. <i>International Journal of Cancer</i> , 2001 , 94, 551-7	7.5	62
5	Short-term digital surface microscopic monitoring of atypical or changing melanocytic lesions. <i>Archives of Dermatology</i> , 2001 , 137, 1583-9		173

4	Increase in the sensitivity for melanoma diagnosis by primary care physicians using skin surface microscopy. <i>British Journal of Dermatology</i> , 2000 , 143, 1016-20	4	126
3	Participation of older males in a study on photography as an aid to early detection of melanoma. <i>Australian and New Zealand Journal of Public Health</i> , 2000 , 24, 615-8	2-3	5
2	Surface microscopy of pigmented skin tumours. <i>Australasian Journal of Dermatology</i> , 1997 , 38 Suppl 1, S40-3	1-3	14
1	Frequency and Morphologic Characteristics of Invasive Melanomas Lacking Specific Surface Microscopic Features. <i>Archives of Dermatology</i> , 1996 , 132, 1178		215