## Lesley G Ellies

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6844608/publications.pdf Version: 2024-02-01



LESIEV C. FILIES

#	Article	IF	CITATIONS
1	Hepatocyte Deletion of IGF2 Prevents DNA Damage and Tumor Formation in Hepatocellular Carcinoma. Advanced Science, 2022, 9, .	11.2	9
2	Time-restricted feeding normalizes hyperinsulinemia to inhibit breast cancer in obese postmenopausal mouse models. Nature Communications, 2021, 12, 565.	12.8	51
3	Induced Tumor Heterogeneity Reveals Factors Informing Radiation and Immunotherapy Combinations. Clinical Cancer Research, 2020, 26, 2972-2985.	7.0	9
4	Blockade of insulin-like growth factors increases efficacy of paclitaxel in metastatic breast cancer. Oncogene, 2018, 37, 2022-2036.	5.9	70
5	Impact of MMP-2 and MMP-9 enzyme activity on wound healing, tumor growth and RACPP cleavage. PLoS ONE, 2018, 13, e0198464.	2.5	38
6	Immunosurveillance and immunoediting in MMTV-PyMT-induced mammary oncogenesis. OncoImmunology, 2017, 6, e1268310.	4.6	11
7	Leveraging model-based study designs and serial micro-sampling techniques to understand the oral pharmacokinetics of the potent LTB4 inhibitor, CP-105696, for mouse pharmacology studies. Xenobiotica, 2017, 47, 600-606.	1.1	0
8	Reprogramming the immunological microenvironment through radiation and targeting Axl. Nature Communications, 2016, 7, 13898.	12.8	150
9	Time-restricted feeding improves insulin resistance and hepatic steatosis in a mouse model of postmenopausal obesity. Metabolism: Clinical and Experimental, 2016, 65, 1743-1754.	3.4	120
10	Collagen and fibronectin: threads linking obesity and breast cancer. Annals of Translational Medicine, 2016, 4, S50-S50.	1.7	0
11	Multipotent luminal mammary cancer stem cells model tumor heterogeneity. Breast Cancer Research, 2015, 17, 137.	5.0	41
12	Dual Targeting of Integrin αvβ3 and Matrix Metalloproteinase-2 for Optical Imaging of Tumors and Chemotherapeutic Delivery. Molecular Cancer Therapeutics, 2014, 13, 1514-1525.	4.1	92
13	Attenuation of TGF-Î <sup>2</sup> signaling supports tumor progression of a mesenchymal-like mammary tumor cell line in a syngeneic murine model. Cancer Letters, 2014, 346, 129-138.	7.2	39
14	Real-time <i>In Vivo</i> Molecular Detection of Primary Tumors and Metastases with Ratiometric Activatable Cell-Penetrating Peptides. Cancer Research, 2013, 73, 855-864.	0.9	158
15	Surgery with molecular fluorescence imaging using activatable cell-penetrating peptides decreases residual cancer and improves survival. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 4317-4322.	7.1	454
16	<i>In vivo</i> characterization of activatable cell penetrating peptides for targeting protease activity in cancer. Integrative Biology (United Kingdom), 2009, 1, 382-393.	1.3	245
17	Effects of FVB/NJ and C57Bl/6J strain backgrounds on mammary tumor phenotype in inducible nitric oxide synthase deficient mice. Transgenic Research, 2007, 16, 193-201.	2.4	131
18	Mammary tumor latency is increased in mice lacking the inducible nitric oxide synthase. International Journal of Cancer, 2003, 106, 1-7.	5.1	47

#	Article	IF	CITATIONS
19	Sialyltransferase ST3Gal-IV operates as a dominant modifier of hemostasis by concealing asialoglycoprotein receptor ligands. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 10042-10047.	7.1	170