

Zhu-Lin Yang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6847179/publications.pdf>

Version: 2024-02-01

25
papers

396
citations

759233

12
h-index

752698

20
g-index

25
all docs

25
docs citations

25
times ranked

902
citing authors

#	ARTICLE	IF	CITATIONS
1	CFL1 and Arp3 are Biomarkers for Metastasis and Poor Prognosis of Squamous Cell/Adenosquamous Carcinomas and Adenocarcinomas of Gallbladder. <i>Cancer Investigation</i> , 2013, 31, 132-139.	1.3	49
2	Positive ALDH1A3 and Negative GPX3 Expressions Are Biomarkers for Poor Prognosis of Gallbladder Cancer. <i>Disease Markers</i> , 2013, 35, 163-172.	1.3	42
3	MTDH and EphA7 are markers for metastasis and poor prognosis of gallbladder adenocarcinoma. <i>Diagnostic Cytopathology</i> , 2013, 41, 199-205.	1.0	37
4	N-cadherin and P-cadherin are biomarkers for invasion, metastasis, and poor prognosis of gallbladder carcinomas. <i>Pathology Research and Practice</i> , 2014, 210, 363-368.	2.3	34
5	Waterborne exposure to BPS causes thyroid endocrine disruption in zebrafish larvae. <i>PLoS ONE</i> , 2017, 12, e0176927.	2.5	30
6	Overexpression of Thy1 and ITGA6 is associated with invasion, metastasis and poor prognosis in human gallbladder carcinoma. <i>Oncology Letters</i> , 2016, 12, 5136-5144.	1.8	29
7	circSFBMT1 promotes pancreatic cancer growth and metastasis via targeting miR-330-5p/PAK1 axis. <i>Cancer Gene Therapy</i> , 2021, 28, 234-249.	4.6	28
8	Expression levels of HMGA2 and CD9 and its clinicopathological significances in the benign and malignant lesions of the gallbladder. <i>World Journal of Surgical Oncology</i> , 2012, 10, 92.	1.9	26
9	SHP2 and UGP2 are Biomarkers for Progression and Poor Prognosis of Gallbladder Cancer. <i>Cancer Investigation</i> , 2016, 34, 255-264.	1.3	22
10	The Expression of Notch 1 and Notch 3 in Gallbladder Cancer and Their Clinicopathological Significance. <i>Pathology and Oncology Research</i> , 2016, 22, 483-492.	1.9	16
11	AQP1 and AQP3 Expression are Associated With Severe Symptoms and Poor-prognosis of the Pancreatic Ductal Adenocarcinoma. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2019, 27, 40-47.	1.2	14
12	Comparative study of ROR2 and WNT5a expression in squamous/adenosquamous carcinoma and adenocarcinoma of the gallbladder. <i>World Journal of Gastroenterology</i> , 2017, 23, 2601.	3.3	13
13	The expressions of HMGA2 and Thy1 in extrahepatic cholangiocarcinoma and their clinicopathological significances. <i>Surgical Oncology</i> , 2019, 29, 41-47.	1.6	7
14	<p>Roles Of EAAT1, DHFR, And Fetuin-A In The Pathogenesis, Progression And Prognosis Of Chondrosarcoma</p>. <i>OncoTargets and Therapy</i> , 2019, Volume 12, 8411-8420.	2.0	6
15	<p>Expression of FOXP1 and FOXO3a in extrahepatic cholangiocarcinoma and the implications in clinicopathological significance and prognosis</p>. <i>OncoTargets and Therapy</i> , 2019, Volume 12, 2955-2965.	2.0	6
16	Negative Expression of DSG1 and DSG2, as Prognostic Biomarkers, Impacts on the Overall Survival in Patients with Extrahepatic Cholangiocarcinoma. <i>Analytical Cellular Pathology</i> , 2020, 2020, 1-10.	1.4	6
17	The Clinicopathological Significance of Jagged1 and DLL4 in Gallbladder Cancer. <i>Tumori</i> , 2017, 103, 557-565.	1.1	5
18	Increased expression of cystathionine beta-synthase and chemokine ligand 21 is closely associated with poor prognosis in extrahepatic cholangiocarcinoma. <i>Medicine (United States)</i> , 2020, 99, e22255.	1.0	5

#	ARTICLE	IF	CITATIONS
19	<p>Prognostic and Clinicopathological Significance of EphB3 and Dysadherin Expression in Extrahepatic Cholangiocarcinoma</p>. Cancer Management and Research, 2020, Volume 12, 221-232.	1.9	5
20	ACO2 and ANPEP as novel prognostic markers for gallbladder squamous cell/adenosquamous carcinomas and adenocarcinomas. International Journal of Clinical Oncology, 2020, 25, 1346-1355.	2.2	5
21	Expression of FXR and HRC and their clinicopathological significance in benign and malignant pancreatic lesions. International Journal of Clinical and Experimental Pathology, 2019, 12, 2111-2120.	0.5	5
22	Expression of DNA-repair proteins and their significance in pancreatic cancer and non-cancerous pancreatic tissues of Spragueâ€™Dawley rats. World Journal of Surgical Oncology, 2014, 12, 32.	1.9	4
23	EphA10 and EphB3 are prognostic markers in gallbladder squamous cell/adenosquamous carcinomas and adenocarcinomas. International Journal of Clinical and Experimental Pathology, 2018, 11, 512-525.	0.5	2
24	Comparison of ADAM19 and CUEDC2 expression in EHCC and their clinicopathological significance. Biomarkers in Medicine, 2020, 14, 1573-1584.	1.4	0
25	The Expression of Aquaporin-1 and Aquaporin-3 in Extrahepatic Cholangiocarcinoma and their Clinicopathological Significance. American Journal of the Medical Sciences, 2021, , .	1.1	0