Hailin Zhang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6848245/publications.pdf

Version: 2024-02-01

		257450	175258
75	2,965 citations	24	52
papers	citations	h-index	g-index
76	76	76	3014
70	70	70	3014
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Zafirlukast inhibits the growth of lung adenocarcinoma via inhibiting TMEM16A channel activity. Journal of Biological Chemistry, 2022, 298, 101731.	3.4	14
2	Sintering characteristic, structure, microwave dielectric properties, and compatibility with Ag of novel 3MgO-B ₂ O ₃ - <i>x</i> wt% BaCu(B ₂ O ₅)- <i>y</i> wt% H ₃ BO ₃ ceramics. Journal of Asian Ceramic Societies, 2022, 10, 346-355.	2.3	4
3	Multistage pH-responsive codelivery liposomal platform for synergistic cancer therapy. Journal of Nanobiotechnology, 2022, 20, 177.	9.1	22
4	Protein disulfide isomerase modulation of TRPV1 controls heat hyperalgesia in chronic pain. Cell Reports, 2022, 39, 110625.	6.4	4
5	Adjusting the Energy-Storage Characteristics of 0.95NaNbO ₃ –0.05Bi(Mg _{0.5} Sn _{0.5})O ₃ Ceramics by Doping Linear Perovskite Materials. ACS Applied Materials & Samp; Interfaces, 2022, 14, 25609-25619.	8.0	28
6	Piezo2 channel in nodose ganglia neurons is essential in controlling hypertension in a pathway regulated directly by Nedd4-2. Pharmacological Research, 2021, 164, 105391.	7.1	10
7	Excellent energy storage properties and stability of NaNbO ₃ êeramics by introducing NaNbO _{0.5} êeramics by introducing (Bi _{0.5} Na _{0.5}) _{)_{Sr_{0.3}TiO₃. Journal of Materials Chemistry A. 2021. 9. 4789-4799.}}	10.3	92
8	Opposing roles of E3 ligases TRIM23 and TRIM21 in regulation of ion channel ANO1 protein levels. Journal of Biological Chemistry, 2021, 296, 100738.	3.4	2
9	Phase structure and microwave dielectric properties of 0.85(0.74CaTiO3–0.26SmAlO3)–0.15Ca1.15Sm0.85Al0.85Ti0.15O4 composite ceramics prepared by reaction-sintering process. Journal of Materials Science: Materials in Electronics, 2021, 32, 8863-8871.	2.2	5
10	Photothermal Modulation of Depressionâ€Related Ion Channel Function through Conjugated Polymer Nanoparticles. Advanced Functional Materials, 2021, 31, 2010757.	14.9	22
11	Sensorineural Hearing Loss and Mitochondrial Apoptosis of Cochlear Spiral Ganglion Neurons in Fibroblast Growth Factor 13 Knockout Mice. Frontiers in Cellular Neuroscience, 2021, 15, 658586.	3.7	5
12	Fibroblast growth factor 13 stabilizes microtubules to promote Na+ channel function in nociceptive DRG neurons and modulates inflammatory pain. Journal of Advanced Research, 2021, 31, 97-111.	9.5	17
13	Neuropathic Injury–Induced Plasticity of GABAergic System in Peripheral Sensory Ganglia. Frontiers in Pharmacology, 2021, 12, 702218.	3.5	10
14	Smooth muscle 22 alpha protein inhibits VSMC foam cell formation by supporting normal LXRα signaling, ameliorating atherosclerosis. Cell Death and Disease, 2021, 12, 982.	6.3	9
15	Activation of parabrachial nucleus - ventral tegmental area pathway underlies the comorbid depression in chronic neuropathic pain in mice. Cell Reports, 2021, 37, 109936.	6.4	24
16	The Role of Hyperthermia in Methamphetamine-Induced Depression-Like Behaviors: Protective Effects of Coral Calcium Hydride. Frontiers in Molecular Neuroscience, 2021, 14, 808807.	2.9	3
17	Activation of TMEM16A by natural product canthaxanthin promotes gastrointestinal contraction. FASEB Journal, 2020, 34, 13430-13444.	0.5	11
18	TMEM16A-inhibitor loaded pH-responsive nanoparticles: A novel dual-targeting antitumor therapy for lung adenocarcinoma. Biochemical Pharmacology, 2020, 178, 114062.	4.4	15

#	Article	IF	CITATIONS
19	LRRCA8A and ANO1 contribute to serum-induced VRAC in a Ca2+-dependent manners. Journal of Pharmacological Sciences, 2020, 143, 176-181.	2.5	7
20	Procyanidin B1, a novel and specific inhibitor of Kv10.1 channel, suppresses the evolution of hepatoma. Biochemical Pharmacology, 2020, 178, 114089.	4.4	33
21	Delineating an extracellular redox-sensitive module in T-type Ca2+ channels. Journal of Biological Chemistry, 2020, 295, 6177-6186.	3.4	6
22	Molecular Mechanisms and Structural Basis of Retigabine Analogues in Regulating KCNQ2 Channel. Journal of Membrane Biology, 2020, 253, 167-181.	2.1	15
23	Inhibition of M/Kv7 Currents Contributes to Chloroquine-Induced Itch in Mice. Frontiers in Molecular Neuroscience, 2020, 13, 105.	2.9	2
24	Arctigenin, a novel TMEM16A inhibitor for lung adenocarcinoma therapy. Pharmacological Research, 2020, 155, 104721.	7.1	43
25	Volume-regulated Cl ^{â^'} current: contributions of distinct Cl ^{â^'} channels and localized Ca ²⁺ signals. American Journal of Physiology - Cell Physiology, 2019, 317, C466-C480.	4.6	20
26	Entering the spotlight: Chitosan oligosaccharides as novel activators of CaCCs/TMEM16A. Pharmacological Research, 2019, 146, 104323.	7.1	22
27	Electrophysiological and pharmacological characterization of a novel and potent neuronal Kv7 channel opener SCR2682 for antiepilepsy. FASEB Journal, 2019, 33, 9154-9166.	0.5	21
28	Transcriptional Regulation of Voltage-Gated Sodium Channels Contributes to GM-CSF-Induced Pain. Journal of Neuroscience, 2019, 39, 5222-5233.	3.6	29
29	Phase Structure, Raman Spectra, Microstructure, and Dielectric Properties of (K0.5) Tj ETQq1 1 0.784314 rgBT /C	verlock 10 2.2	O Tf 50 342
30	Kv7.4 Channel Contribute to Projection-Specific Auto-Inhibition of Dopamine Neurons in the Ventral Tegmental Area. Frontiers in Cellular Neuroscience, 2019, 13, 557.	3.7	15
31	Repressor element 1–silencing transcription factor drives the development of chronic pain states. Pain, 2019, 160, 2398-2408.	4.2	26
32	Transient Receptor Potential Cation Channel Subfamily Vanilloid 4 and 3 in the Inner Ear Protect Hearing in Mice. Frontiers in Molecular Neuroscience, 2019, 12, 296.	2.9	7
33	Tetrandrine, a novel inhibitor of etherâ€Ãâ€goâ€goâ€1 (Eag1), targeted to cervical cancer development. Journal of Cellular Physiology, 2019, 234, 7161-7173.	4.1	27
34	Matrine is a novel inhibitor of the TMEM16A chloride channel with antilung adenocarcinoma effects. Journal of Cellular Physiology, 2019, 234, 8698-8708.	4.1	80
35	Exploring in vivo metabolism and excretion of QO-58L using ultra-high-performance liquid chromatography coupled with tandem mass spectrometry. European Journal of Pharmaceutical Sciences, 2018, 117, 379-391.	4.0	1
36	Good electrical performances and impedance analysis of (1Ââ^'Âx)KNNâ€"xBMM lead-free ceramics. Journal of Materials Science: Materials in Electronics, 2018, 29, 4538-4546.	2.2	11

#	Article	IF	Citations
37	A systematic data acquisition and mining strategy for chemical profiling of Aster tataricus rhizoma (Ziwan) by UHPLC-Q-TOF-MS and the corresponding anti-depressive activity screening. Journal of Pharmaceutical and Biomedical Analysis, 2018, 154, 216-226.	2.8	19
38	Mâ€type K ⁺ channels in peripheral nociceptive pathways. British Journal of Pharmacology, 2018, 175, 2158-2172.	5.4	53
39	Adjustable microwave dielectric properties of ZnO–TiO2–ZrO2–Nb2O5 composite ceramics via controlling the raw ZrO2 content and sintering temperature. Journal of Materials Science: Materials in Electronics, 2018, 29, 12055-12060.	2.2	3
40	Ginsenoside Rb1, a novel activator of the TMEM16A chloride channel, augments the contraction of guinea pig ileum. Pflugers Archiv European Journal of Physiology, 2017, 469, 681-692.	2.8	42
41	Conditional knockout of Fgf13 in murine hearts increases arrhythmia susceptibility and reveals novel ion channel modulatory roles. Journal of Molecular and Cellular Cardiology, 2017, 104, 63-74.	1.9	39
42	Inducible <i>Fgf13</i> ablation enhances caveolae-mediated cardioprotection during cardiac pressure overload. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, E4010-E4019.	7.1	22
43	Fusion of Ssm6a with a protein scaffold retains selectivity on Na _V 1.7 and improves its therapeutic potential againstÂchronic pain. Chemical Biology and Drug Design, 2017, 89, 825-833.	3.2	7
44	Selective targeting of Mâ€type potassium K _v 7.4 channels demonstrates their key role in the regulation of dopaminergic neuronal excitability and depressionâ€like behaviour. British Journal of Pharmacology, 2017, 174, 4277-4294.	5.4	32
45	Role of GABA _B receptors and p38MAPK/NF-ΰB pathway in paclitaxel-induced apoptosis of hippocampal neurons. Pharmaceutical Biology, 2017, 55, 2188-2195.	2.9	18
46	Selective Modulation of K+ Channel Kv7.4 Significantly Affects the Excitability of DRN 5-HT Neurons. Frontiers in Cellular Neuroscience, 2017, 11, 405.	3.7	13
47	Identification of Resveratrol, an Herbal Compound, as an Activator of the Calcium-Activated Chloride Channel, TMEM16A. Journal of Membrane Biology, 2017, 250, 483-492.	2.1	26
48	Activation of Ca ²⁺ â€activated Cl ^{â^'} channel ANO1 by localized Ca ²⁺ signals. Journal of Physiology, 2016, 594, 19-30.	2.9	59
49	Two Ca2+-Binding Sites Cooperatively Couple Together in TMEM16A Channel. Journal of Membrane Biology, 2016, 249, 57-63.	2.1	3
50	Selective activation of vascular K _v 7.4/K _v 7.5 K ⁺ channels by fasudil contributes to its vasorelaxant effect. British Journal of Pharmacology, 2016, 173, 3480-3491.	5.4	18
51	Suppression of KV7/KCNQ potassium channel enhances neuronal differentiation of PC12 cells. Neuroscience, 2016, 333, 356-367.	2.3	12
52	Three pairs of weak interactions precisely regulate the G-loop gate of Kir2.1 channel. Proteins: Structure, Function and Bioinformatics, 2016, 84, 1929-1937.	2.6	5
53	Redox-Dependent Modulation of T-Type Ca ²⁺ Channels in Sensory Neurons Contributes to Acute Anti-Nociceptive Effect of Substance P. Antioxidants and Redox Signaling, 2016, 25, 233-251.	5.4	17
54	FGF13 modulates the gating properties of the cardiac sodium channel Na _v 1.5 in an isoform-specific manner. Channels, 2016, 10, 410-420.	2.8	33

#	Article	IF	CITATIONS
55	Inflammatory mediator bradykinin increases population of sensory neurons expressing functional T-type Ca2+ channels. Biochemical and Biophysical Research Communications, 2016, 473, 396-402.	2.1	14
56	Structural Basis for Differences in Dynamics Induced by Leu Versus Ile Residues in the CD Loop of Kir Channels. Molecular Neurobiology, 2016, 53, 5948-5961.	4.0	7
57	Identification of the Conformational transition pathway in PIP2 Opening Kir Channels. Scientific Reports, 2015, 5, 11289.	3.3	24
58	Pre-treatment of a single high-dose of atorvastatin provided cardioprotection in different ischaemia/reperfusion models via activating mitochondrial KATP channel. European Journal of Pharmacology, 2015, 751, 89-98.	3.5	21
59	GABAB receptors inhibit low-voltage activated and high-voltage activated Ca2+ channels in sensory neurons via distinct mechanisms. Biochemical and Biophysical Research Communications, 2015, 465, 188-193.	2.1	23
60	Tannic acid modulates excitability of sensory neurons and nociceptive behavior and the lonic mechanism. European Journal of Pharmacology, 2015, 764, 633-642.	3.5	28
61	Characterization of the effects of Clâ ⁻ channel modulators on TMEM16A and bestrophin-1 Ca2+ activated Clâ ⁻ channels. Pflugers Archiv European Journal of Physiology, 2015, 467, 1417-1430.	2.8	78
62	Carbon monoxide inhibits inward rectifier potassium channels in cardiomyocytes. Nature Communications, 2014, 5, 4676.	12.8	19
63	Control of somatic membrane potential in nociceptive neurons and its implications for peripheral nociceptive transmission. Pain, 2014, 155, 2306-2322.	4.2	108
64	Voltage-gated sodium channels were differentially expressed in human normal prostate, benign prostatic hyperplasia and prostate cancer cells. Oncology Letters, 2014, 8, 345-350.	1.8	25
65	Lack of Negatively Charged Residues at the External Mouth of Kir2.2 Channels Enable the Voltage-Dependent Block by External Mg2+. PLoS ONE, 2014, 9, e111372.	2.5	8
66	Activation of the Cl ^{â^'} Channel ANO1 by Localized Calcium Signals in Nociceptive Sensory Neurons Requires Coupling with the IP ₃ Receptor. Science Signaling, 2013, 6, ra73.	3.6	168
67	GW24-e1806â€Atorvastatin attenuates oxygen-glucose deprivation/recovery-induced mitochondrial dysfunction in neonatal rat cardiac myocytes. Heart, 2013, 99, A93.3-A94.	2.9	0
68	Ag2O–Bi2O3 composites: synthesis, characterization and high efficient photocatalytic activities. CrystEngComm, 2012, 14, 5705.	2.6	44
69	Design, synthesis and biological activity of pyrazolo[1,5-a]pyrimidin-7(4H)-ones as novel Kv7/KCNQ potassium channel activators. European Journal of Medicinal Chemistry, 2011, 46, 934-943.	5.5	45
70	Activation of KCNQ2/3 Potassium Channels by Novel Pyrazolo[1,5-a]pyrimidin-7(4H)-One Derivatives. Pharmacology, 2011, 87, 297-310.	2.2	18
71	Depolarization Increases Phosphatidylinositol (PI) 4,5-Bisphosphate Level and KCNQ Currents through PI 4-Kinase Mechanisms. Journal of Biological Chemistry, 2010, 285, 9402-9409.	3.4	18
72	The acute nociceptive signals induced by bradykinin in rat sensory neurons are mediated by inhibition of M-type K+ channels and activation of Ca2+-activated Cl– channels. Journal of Clinical Investigation, 2010, 120, 1240-1252.	8.2	264

HAILIN ZHANG

#	Article	IF	CITATIONS
73	PIP2 Activates KCNQ Channels, and Its Hydrolysis Underlies Receptor-Mediated Inhibition of M Currents. Neuron, 2003, 37, 963-975.	8.1	474
74	Activation of inwardly rectifying K+ channels by distinct PtdIns(4,5)P2 interactions. Nature Cell Biology, 1999, 1, 183-188.	10.3	444
75	Gating of G protein-sensitive inwardly rectifying K+channels through phosphatidylinositol 4,5-bisphosphate. Journal of Physiology, 1999, 520, 630-630.	2.9	33