

Jordi Gargallo-Albiol

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6849136/jordi-gargallo-albiol-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

15
papers

191
citations

8
h-index

13
g-index

17
ext. papers

318
ext. citations

3.9
avg, IF

3.46
L-index

| # | Paper | IF | Citations |
|----|---|-----|-----------|
| 15 | Accuracy of static fully guided implant placement in the posterior area of partially edentulous jaws: a cohort prospective study. <i>Clinical Oral Investigations</i> , 2021 , 1 | 4.2 | 0 |
| 14 | Clinical sequelae and patients' perception of dental implant removal: A cross-sectional study. <i>Journal of Periodontology</i> , 2021 , 92, 823-832 | 4.6 | 8 |
| 13 | Mid-Term outcomes and periodontal prognostic factors Of autotransplanted third molars: A Retrospective Cohort Study. <i>Journal of Periodontology</i> , 2021 , 92, 1776 | 4.6 | 2 |
| 12 | Hard tissue dimensional changes following implant removal due to peri-implantitis: A retrospective study. <i>Clinical Implant Dentistry and Related Research</i> , 2021 , 23, 432-443 | 3.9 | 2 |
| 11 | Influence of bone density, drill diameter, drilling speed, and irrigation on temperature changes during implant osteotomies: an in vitro study. <i>Clinical Oral Investigations</i> , 2021 , 25, 1047-1053 | 4.2 | 5 |
| 10 | Intra-osseous heat generation during implant bed preparation with static navigation: Multi-factor in vitro study. <i>Clinical Oral Implants Research</i> , 2021 , 32, 590-597 | 4.8 | 1 |
| 9 | Fully Guided Versus Half-Guided and Freehand Implant Placement: Systematic Review and Meta-analysis. <i>International Journal of Oral and Maxillofacial Implants</i> , 2020 , 35, 1159-1169 | 2.8 | 6 |
| 8 | Advantages and disadvantages of implant navigation surgery. A systematic review. <i>Annals of Anatomy</i> , 2019 , 225, 1-10 | 2.9 | 51 |
| 7 | Microscope and micro-camera assessment of Schneiderian membrane perforation via transcresal sinus floor elevation: A randomized ex vivo study. <i>Clinical Oral Implants Research</i> , 2019 , 30, 682-690 | 4.8 | 3 |
| 6 | Schneiderian membrane perforation via transcresal sinus floor elevation: A randomized ex vivo study with endoscopic validation. <i>Clinical Oral Implants Research</i> , 2019 , 30, 11-19 | 4.8 | 8 |
| 5 | Meta-analysis of randomized clinical trials comparing clinical and patient-reported outcomes between extra-short (8mm) and longer (10mm) implants. <i>Journal of Clinical Periodontology</i> , 2019 , 46, 118-142 | 7.7 | 27 |
| 4 | Do Penicillin-Allergic Patients Present a Higher Rate of Implant Failure?. <i>International Journal of Oral and Maxillofacial Implants</i> , 2018 , 33, 1390-1395 | 2.8 | 13 |
| 3 | Clinical outcomes and cost effectiveness of computer-guided versus conventional implant-retained hybrid prostheses: A long-term retrospective analysis of treatment protocols. <i>Journal of Periodontology</i> , 2018 , 89, 1015-1024 | 4.6 | 18 |
| 2 | Zirconia Implants as an Alternative to Titanium: A Systematic Review and Meta-Analysis. <i>International Journal of Oral and Maxillofacial Implants</i> , 2017 , 32, e125-e134 | 2.8 | 17 |
| 1 | Effect of implant macro-design on primary stability: A prospective clinical study. <i>Medicina Oral, Patología Oral Y Cirugía Bucal</i> , 2016 , 21, e214-21 | 2.6 | 30 |