

# Eduardo Lr Cancado

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6849766/publications.pdf>

Version: 2024-02-01

66  
papers

5,021  
citations

257450  
24  
h-index

123424  
61  
g-index

66  
all docs

66  
docs citations

66  
times ranked

3202  
citing authors

#	ARTICLE	IF	CITATIONS
1	International Autoimmune Hepatitis Group Report: review of criteria for diagnosis of autoimmune hepatitis. <i>Journal of Hepatology</i> , 1999, 31, 929-938.	3.7	2,681
2	Liver autoimmune serology: a consensus statement from the committee for autoimmune serology of the International Autoimmune Hepatitis Group. <i>Journal of Hepatology</i> , 2004, 41, 677-683.	3.7	395
3	Neurological manifestations in Wilson's disease: Report of 119 cases. <i>Movement Disorders</i> , 2006, 21, 2192-2196.	3.9	231
4	Establishment of standardised SLA/LP immunoassays: specificity for autoimmune hepatitis, worldwide occurrence, and clinical characteristics. <i>Gut</i> , 2002, 51, 259-264.	12.1	158
5	Genetic Heterogeneity in Susceptibility To Autoimmune Hepatitis Types 1 and 2. <i>American Journal of Gastroenterology</i> , 1999, 94, 1906-1913.	0.4	133
6	Clinical distinctions and pathogenic implications of type 1 autoimmune hepatitis in Brazil and the United States. <i>Journal of Hepatology</i> , 2002, 37, 302-308.	3.7	114
7	Follow-up of Pregnant Women With Autoimmune Hepatitis. <i>Journal of Clinical Gastroenterology</i> , 2009, 43, 350-356.	2.2	93
8	Wilson disease: Novel mutations in the ATP7B gene and clinical correlation in Brazilian patients. <i>Human Mutation</i> , 2004, 23, 398-398.	2.5	91
9	Unexpected Clinical Remission of Cholestasis After Rifampicin Therapy in Patients With Normal or Slightly Increased Levels of Î³-Glutamyl Transpeptidase. <i>American Journal of Gastroenterology</i> , 1998, 93, 1510-1517.	0.4	82
10	Analysis of HLA haplotypes in autoimmune hepatitis type 1: identifying the major susceptibility locus. <i>Human Immunology</i> , 2001, 62, 165-169.	2.4	74
11	Antismooth muscle and antiactin antibodies are indirect markers of histological and biochemical activity of autoimmune hepatitis. <i>Hepatology</i> , 2014, 59, 592-600.	7.3	74
12	Frequency of Concurrent Autoimmune Disorders in Patients With Autoimmune Hepatitis. <i>Journal of Clinical Gastroenterology</i> , 2008, 42, 300-305.	2.2	58
13	Cytotoxic T Lymphocyte Antigen-4 Gene Polymorphisms Do Not Confer Susceptibility To Autoimmune Hepatitis Types 1 and 2 in Brazil. <i>American Journal of Gastroenterology</i> , 2003, 98, 1616-1620.	0.4	47
14	Autoimmune hepatitis in Brazilian patients is not linked to tumor necrosis factor Î± polymorphisms at position -308. <i>Journal of Hepatology</i> , 2001, 35, 24-28.	3.7	41
15	Serum Soluble Interleukin-2 Receptor, Interleukin-6, and Tumor Necrosis Factor-Î± Levels in Children with Celiac Disease: Response to Treatment. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2002, 35, 513-517.	1.8	41
16	Heat serum inactivation as a mandatory procedure for antiactin antibody detection in cell culture. <i>Hepatology</i> , 1996, 23, 1098-1104.	7.3	40
17	Anti-ribosomal P protein: a novel antibody in autoimmune hepatitis. <i>Liver International</i> , 2013, 33, 909-913.	3.9	40
18	Analysis of major histocompatibility complex and CTLA-4 alleles in Brazilian patients with primary biliary cirrhosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2003, 18, 1061-1066.	2.8	39

#	ARTICLE	IF	CITATIONS
19	Applicability of the IAHG scoring system to the diagnosis of antimitochondrial/anti-M2 seropositive variant form of autoimmune hepatitis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2006, 21, 887-893.	2.8	39
20	Clinical spectrum and therapeutic approach to hepatocellular injury in patients with hyperthyroidism. <i>Clinical and Experimental Gastroenterology</i> , 2013, 6, 9.	2.3	32
21	Celiac Disease in Brazilian Adults. <i>Journal of Clinical Gastroenterology</i> , 2002, 34, 430-434.	2.2	31
22	Copper deficiency myeloneuropathy in a patient with Wilson disease. <i>Neurology</i> , 2011, 76, 1673-1674.	1.1	29
23	Prevalence of celiac disease in Brazilian children of short stature. <i>Brazilian Journal of Medical and Biological Research</i> , 2004, 37, 55-60.	1.5	28
24	Different HLA Profiles Confer Susceptibility to Autoimmune Hepatitis Type 1 and 2. <i>American Journal of Gastroenterology</i> , 1998, 93, 1394-1395.	0.4	26
25	Thermolabile and Calcium-dependent Serum Factor Interferes with Polymerized Actin, and Impairs Anti-actin Antibody Detection. <i>Journal of Autoimmunity</i> , 2001, 17, 223-228.	6.5	23
26	Humoral autoimmune response heterogeneity in the spectrum of primary biliary cirrhosis. <i>Hepatology International</i> , 2013, 7, 775-784.	4.2	22
27	Celiac Disease Associated With Nodular Regenerative Hyperplasia, Pulmonary Abnormalities, and IgA Anticardiolipin Antibodies. <i>Journal of Clinical Gastroenterology</i> , 2006, 40, 135-139.	2.2	21
28	Prevalence of immune disturbances and chronic liver disease in family members of patients with primary biliary cirrhosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2004, 19, 873-878.	2.8	20
29	Detection of human parvovirus B19 in a patient with hepatitis. <i>Brazilian Journal of Medical and Biological Research</i> , 2001, 34, 1131-1138.	1.5	19
30	Wilson's disease in Southern Brazil: genotype-phenotype correlation and description of two novel mutations in ATP7B gene. <i>Arquivos De Neuro-Psiquiatria</i> , 2013, 71, 503-507.	0.8	19
31	Susceptibility to primary sclerosing cholangitis in Brazil is associated with HLA-DRB1*13 but not with tumour necrosis factor alpha -308 promoter polymorphism. <i>Gut</i> , 2002, 51, 609-610.	12.1	18
32	Ultra-sonografia abdominal na degeneração hepatolenticular: estudo de 33 casos. <i>Arquivos De Neuro-Psiquiatria</i> , 1987, 45, 131-136.	0.8	16
33	Neurological manifestations and ATP7B mutations in Wilson's disease. <i>Parkinsonism and Related Disorders</i> , 2008, 14, 246-249.	2.2	16
34	Analysis of HFE And Non-HFE Gene Mutations in Brazilian Patients with Hemochromatosis. <i>Clinics</i> , 2009, 64, 837-841.	1.5	16
35	Familial amyloidotic polyneuropathy type 1 in Brazil is associated with the transthyretin Val30Met variant. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 1999, 6, 289-291.	3.0	15
36	Chloroquine Is Effective for Maintenance of Remission in Autoimmune Hepatitis: Controlled, Double-blind, Randomized Trial. <i>Hepatology Communications</i> , 2019, 3, 116-128.	4.3	15

#	ARTICLE	IF	CITATIONS
37	Urinary copper excretion before and after oral intake of d-penicillamine in parents of patients with Wilson's disease. <i>Digestive and Liver Disease</i> , 2012, 44, 323-327.	0.9	14
38	The Importance of Autoantibody Detection in Primary Biliary Cirrhosis. <i>Frontiers in Immunology</i> , 2015, 6, 309.	4.8	14
39	The eye in Wilson's disease: sunflower cataract associated with Kayser-Fleischer ring. <i>Journal of Hepatology</i> , 2002, 37, 700.	3.7	13
40	Wilson's Disease: a case report and a historical review. <i>Arquivos De Neuro-Psiquiatria</i> , 2009, 67, 539-543.	0.8	13
41	Human polyclonal anti-hepatitis B surface antigen immunoglobulin reduces the frequency of acute rejection after liver transplantation for chronic hepatitis B. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2001, 43, 335-337.	1.1	13
42	Elastosis perforans serpiginosa secondary to D-penicillamine treatment in a Wilson's disease patient. <i>American Journal of Gastroenterology</i> , 2002, 97, 2153-2154.	0.4	12
43	Treatment by splenectomy of a portal vein aneurysm in hepatosplenic schistosomiasis. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2002, 44, 261-264.	1.1	11
44	Brazilian society of hepatology recommendations for the diagnosis and management of autoimmune diseases of the liver. <i>Arquivos De Gastroenterologia</i> , 2015, 52, 15-46.	0.8	11
45	The Importance of Autoantibody Detection in Autoimmune Hepatitis. <i>Frontiers in Immunology</i> , 2015, 6, 222.	4.8	10
46	HFE Genotyping in Patients with Elevated Serum Iron Indices and Liver Diseases. <i>BioMed Research International</i> , 2015, 2015, 1-8.	1.9	10
47	Anti-mitochondrial Antibody-Negative Primary Biliary Cholangitis Is Part of the Same Spectrum of Classical Primary Biliary Cholangitis. <i>Digestive Diseases and Sciences</i> , 2022, 67, 3305-3312.	2.3	9
48	Precipitating factors of porphyria cutanea tarda in Brazil with emphasis on hemochromatosis gene (HFE) mutations. Study of 60 patients. <i>Anais Brasileiros De Dermatologia</i> , 2013, 88, 530-540.	1.1	8
49	UPDATE OF THE BRAZILIAN SOCIETY OF HEPATOLOGY RECOMMENDATIONS FOR DIAGNOSIS AND MANAGEMENT OF AUTOIMMUNE DISEASES OF THE LIVER. <i>Arquivos De Gastroenterologia</i> , 2019, 56, 232-241.	0.8	8
50	Bone disease in primary biliary cirrhosis: Lack of association with distal renal tubular acidosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2005, 20, 147-152.	2.8	7
51	Cytotoxic T lymphocyte antigen-4 gene polymorphisms do not confer susceptibility to autoimmune hepatitis types 1 and 2 in Brazil. <i>American Journal of Gastroenterology</i> , 2003, 98, 1616-1620.	0.4	5
52	Early mortality in liver transplantation: bilirubin as predictor of outcome. <i>Transplantation Proceedings</i> , 2004, 36, 931-932.	0.6	5
53	DISTINCT PHENOTYPE OF NON-ALCOHOLIC FATTY LIVER DISEASE IN PATIENTS WITH LOW LEVELS OF FREE COPPER AND OF CERULOPLASMIN. <i>Arquivos De Gastroenterologia</i> , 2020, 57, 249-253.	0.8	5
54	A randomized crossover trial to assess therapeutic efficacy and cost reduction of acid ursodeoxycholic manufactured by the university hospital for the treatment of primary biliary cholangitis. <i>BMC Gastroenterology</i> , 2020, 20, 253.	2.0	4

#	ARTICLE	IF	CITATIONS
55	Hepatobiliary and pancreatic: Hepatic granulomas and hepatitis C. Journal of Gastroenterology and Hepatology (Australia), 2005, 20, 792-792.	2.8	2
56	Particularities of Autoimmune Hepatitis in Latin America. Clinical Liver Disease, 2020, 16, 101-107.	2.1	2
57	Histological remission of autoimmune hepatitis after the addition of allopurinol and azathioprine dose reduction. Autopsy and Case Reports, 2017, 7, 35-42.	0.6	2
58	Comprehensive analysis of <i>HFE</i> gene in hereditary hemochromatosis and in diseases associated with acquired iron overload. World Journal of Hepatology, 2019, 11, 186-198.	2.0	2
59	Clinical Features and Outcomes of Primary Sclerosing Cholangitis in the Highly Admixed Brazilian Population. Canadian Journal of Gastroenterology and Hepatology, 2021, 2021, 1-8.	1.9	2
60	Expansion and intensification of humoral autoimmune response in the transition from preclinical to full-blown primary biliary cholangitis. Hepatology, 2017, 66, 997-997.	7.3	1
61	Antineutrophil cytoplasmic antibody profiles differ according to type of primary sclerosing cholangitis and autoimmune hepatitis. Clinics, 2021, 76, e2228.	1.5	1
62	Risk factors for distal renal tubular acidosis in chronic liver diseases. Journal of Hepatology, 2002, 36, 46.	3.7	0
63	Lack of association of CTLA-4 polymorphisms with autoimmune hepatitis types 1 and 2 in Brazilian patients. Journal of Hepatology, 2002, 36, 261-262.	3.7	0
64	Bone disease in primary biliary cirrhosis and renal tubular acidosis. Alimentary Pharmacology and Therapeutics, 2007, 25, 1133-1134.	3.7	0
65	Wilson Disease in South America. , 2019, , 327-333.		0
66	A NEW AUTOANTIGEN IN AUTOIMMUNE LIVER DISEASE: ARGININOSUCCINATE LYASE. Journal of Pediatric Gastroenterology and Nutrition, 1997, 24, 486.	1.8	0