

# Eduardo Lr Cancado

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6849766/publications.pdf>

Version: 2024-02-01

66  
papers

5,021  
citations

257357

24  
h-index

123376

61  
g-index

66  
all docs

66  
docs citations

66  
times ranked

3202  
citing authors

#	ARTICLE	IF	CITATIONS
1	Anti-mitochondrial Antibody-Negative Primary Biliary Cholangitis Is Part of the Same Spectrum of Classical Primary Biliary Cholangitis. <i>Digestive Diseases and Sciences</i> , 2022, 67, 3305-3312.	1.1	9
2	Antineutrophil cytoplasmic antibody profiles differ according to type of primary sclerosing cholangitis and autoimmune hepatitis. <i>Clinics</i> , 2021, 76, e2228.	0.6	1
3	Clinical Features and Outcomes of Primary Sclerosing Cholangitis in the Highly Admixed Brazilian Population. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2021, 2021, 1-8.	0.8	2
4	A randomized crossover trial to assess therapeutic efficacy and cost reduction of acid ursodeoxycholic manufactured by the university hospital for the treatment of primary biliary cholangitis. <i>BMC Gastroenterology</i> , 2020, 20, 253.	0.8	4
5	Particularities of Autoimmune Hepatitis in Latin America. <i>Clinical Liver Disease</i> , 2020, 16, 101-107.	1.0	2
6	DISTINCT PHENOTYPE OF NON-ALCOHOLIC FATTY LIVER DISEASE IN PATIENTS WITH LOW LEVELS OF FREE COPPER AND OF CERULOPLASMIN. <i>Arquivos De Gastroenterologia</i> , 2020, 57, 249-253.	0.3	5
7	UPDATE OF THE BRAZILIAN SOCIETY OF HEPATOLOGY RECOMMENDATIONS FOR DIAGNOSIS AND MANAGEMENT OF AUTOIMMUNE DISEASES OF THE LIVER. <i>Arquivos De Gastroenterologia</i> , 2019, 56, 232-241.	0.3	8
8	Chloroquine Is Effective for Maintenance of Remission in Autoimmune Hepatitis: Controlled, Double-blind, Randomized Trial. <i>Hepatology Communications</i> , 2019, 3, 116-128.	2.0	15
9	Wilson Disease in South America. , 2019, , 327-333.		0
10	Comprehensive analysis of <i>HFE</i> gene in hereditary hemochromatosis and in diseases associated with acquired iron overload. <i>World Journal of Hepatology</i> , 2019, 11, 186-198.	0.8	2
11	Expansion and intensification of humoral autoimmune response in the transition from preclinical to full-blown primary biliary cholangitis. <i>Hepatology</i> , 2017, 66, 997-997.	3.6	1
12	Histological remission of autoimmune hepatitis after the addition of allopurinol and azathioprine dose reduction. <i>Autopsy and Case Reports</i> , 2017, 7, 35-42.	0.2	2
13	The Importance of Autoantibody Detection in Autoimmune Hepatitis. <i>Frontiers in Immunology</i> , 2015, 6, 222.	2.2	10
14	The Importance of Autoantibody Detection in Primary Biliary Cirrhosis. <i>Frontiers in Immunology</i> , 2015, 6, 309.	2.2	14
15	Brazilian society of hepatology recommendations for the diagnosis and management of autoimmune diseases of the liver. <i>Arquivos De Gastroenterologia</i> , 2015, 52, 15-46.	0.3	11
16	HFE Genotyping in Patients with Elevated Serum Iron Indices and Liver Diseases. <i>BioMed Research International</i> , 2015, 2015, 1-8.	0.9	10
17	Antismooth muscle and antiactin antibodies are indirect markers of histological and biochemical activity of autoimmune hepatitis. <i>Hepatology</i> , 2014, 59, 592-600.	3.6	74
18	Humoral autoimmune response heterogeneity in the spectrum of primary biliary cirrhosis. <i>Hepatology International</i> , 2013, 7, 775-784.	1.9	22

#	ARTICLE	IF	CITATIONS
19	Anti-ribosomal P protein: a novel antibody in autoimmune hepatitis. <i>Liver International</i> , 2013, 33, 909-913.	1.9	40
20	Wilson's disease in Southern Brazil: genotype-phenotype correlation and description of two novel mutations in ATP7B gene. <i>Arquivos De Neuro-Psiquiatria</i> , 2013, 71, 503-507.	0.3	19
21	Clinical spectrum and therapeutic approach to hepatocellular injury in patients with hyperthyroidism. <i>Clinical and Experimental Gastroenterology</i> , 2013, 6, 9.	1.0	32
22	Precipitating factors of porphyria cutanea tarda in Brazil with emphasis on hemochromatosis gene (HFE) mutations. Study of 60 patients. <i>Anais Brasileiros De Dermatologia</i> , 2013, 88, 530-540.	0.5	8
23	Urinary copper excretion before and after oral intake of d-penicillamine in parents of patients with Wilson's disease. <i>Digestive and Liver Disease</i> , 2012, 44, 323-327.	0.4	14
24	Copper deficiency myeloneuropathy in a patient with Wilson disease. <i>Neurology</i> , 2011, 76, 1673-1674.	1.5	29
25	Analysis of HFE And Non-HFE Gene Mutations in Brazilian Patients with Hemochromatosis. <i>Clinics</i> , 2009, 64, 837-841.	0.6	16
26	Follow-up of Pregnant Women With Autoimmune Hepatitis. <i>Journal of Clinical Gastroenterology</i> , 2009, 43, 350-356.	1.1	93
27	Wilson's Disease: a case report and a historical review. <i>Arquivos De Neuro-Psiquiatria</i> , 2009, 67, 539-543.	0.3	13
28	Neurological manifestations and ATP7B mutations in Wilson's disease. <i>Parkinsonism and Related Disorders</i> , 2008, 14, 246-249.	1.1	16
29	Frequency of Concurrent Autoimmune Disorders in Patients With Autoimmune Hepatitis. <i>Journal of Clinical Gastroenterology</i> , 2008, 42, 300-305.	1.1	58
30	Bone disease in primary biliary cirrhosis and renal tubular acidosis. <i>Alimentary Pharmacology and Therapeutics</i> , 2007, 25, 1133-1134.	1.9	0
31	Celiac Disease Associated With Nodular Regenerative Hyperplasia, Pulmonary Abnormalities, and IgA Anticardiolipin Antibodies. <i>Journal of Clinical Gastroenterology</i> , 2006, 40, 135-139.	1.1	21
32	Applicability of the IAHG scoring system to the diagnosis of antimitochondrial/anti-M2 seropositive variant form of autoimmune hepatitis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2006, 21, 887-893.	1.4	39
33	Neurological manifestations in Wilson's disease: Report of 119 cases. <i>Movement Disorders</i> , 2006, 21, 2192-2196.	2.2	231
34	Bone disease in primary biliary cirrhosis: Lack of association with distal renal tubular acidosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2005, 20, 147-152.	1.4	7
35	Hepatobiliary and pancreatic: Hepatic granulomas and hepatitis C. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2005, 20, 792-792.	1.4	2
36	Prevalence of celiac disease in Brazilian children of short stature. <i>Brazilian Journal of Medical and Biological Research</i> , 2004, 37, 55-60.	0.7	28

#	ARTICLE	IF	CITATIONS
37	Prevalence of immune disturbances and chronic liver disease in family members of patients with primary biliary cirrhosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2004, 19, 873-878.	1.4	20
38	Wilson disease: Novel mutations in the ATP7B gene and clinical correlation in Brazilian patients. <i>Human Mutation</i> , 2004, 23, 398-398.	1.1	91
39	Early mortality in liver transplantation: bilirubin as predictor of outcome. <i>Transplantation Proceedings</i> , 2004, 36, 931-932.	0.3	5
40	Liver autoimmune serology: a consensus statement from the committee for autoimmune serology of the International Autoimmune Hepatitis Group. <i>Journal of Hepatology</i> , 2004, 41, 677-683.	1.8	395
41	Analysis of major histocompatibility complex and CTLA-4 alleles in Brazilian patients with primary biliary cirrhosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2003, 18, 1061-1066.	1.4	39
42	Cytotoxic T lymphocyte antigen-4 gene polymorphisms do not confer susceptibility to autoimmune hepatitis types 1 and 2 in Brazil. <i>American Journal of Gastroenterology</i> , 2003, 98, 1616-1620.	0.2	5
43	Cytotoxic T Lymphocyte Antigen-4 Gene Polymorphisms Do Not Confer Susceptibility To Autoimmune Hepatitis Types 1 and 2 in Brazil. <i>American Journal of Gastroenterology</i> , 2003, 98, 1616-1620.	0.2	47
44	Elastosis perforans serpiginosa secondary to D-penicillamine treatment in a Wilson's disease patient. <i>American Journal of Gastroenterology</i> , 2002, 97, 2153-2154.	0.2	12
45	Susceptibility to primary sclerosing cholangitis in Brazil is associated with HLA-DRB1*13 but not with tumour necrosis factor alpha -308 promoter polymorphism. <i>Gut</i> , 2002, 51, 609-610.	6.1	18
46	Establishment of standardised SLA/LP immunoassays: specificity for autoimmune hepatitis, worldwide occurrence, and clinical characteristics. <i>Gut</i> , 2002, 51, 259-264.	6.1	158
47	Celiac Disease in Brazilian Adults. <i>Journal of Clinical Gastroenterology</i> , 2002, 34, 430-434.	1.1	31
48	Serum Soluble Interleukin-2 Receptor, Interleukin-6, and Tumor Necrosis Factor- $\alpha$ Levels in Children with Celiac Disease: Response to Treatment. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2002, 35, 513-517.	0.9	41
49	The eye in Wilson's disease: sunflower cataract associated with Kayser-Fleischer ring. <i>Journal of Hepatology</i> , 2002, 37, 700.	1.8	13
50	Clinical distinctions and pathogenic implications of type 1 autoimmune hepatitis in Brazil and the United States. <i>Journal of Hepatology</i> , 2002, 37, 302-308.	1.8	114
51	Risk factors for distal renal tubular acidosis in chronic liver diseases. <i>Journal of Hepatology</i> , 2002, 36, 46.	1.8	0
52	Lack of association of CTLA-4 polymorphisms with autoimmune hepatitis types 1 and 2 in Brazilian patients. <i>Journal of Hepatology</i> , 2002, 36, 261-262.	1.8	0
53	Treatment by splenectomy of a portal vein aneurysm in hepatosplenic schistosomiasis. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2002, 44, 261-264.	0.5	11
54	Autoimmune hepatitis in Brazilian patients is not linked to tumor necrosis factor $\alpha$ polymorphisms at position -308. <i>Journal of Hepatology</i> , 2001, 35, 24-28.	1.8	41

#	ARTICLE	IF	CITATIONS
55	Thermolabile and Calcium-dependent Serum Factor Interferes with Polymerized Actin, and Impairs Anti-actin Antibody Detection. <i>Journal of Autoimmunity</i> , 2001, 17, 223-228.	3.0	23
56	Analysis of HLA haplotypes in autoimmune hepatitis type 1: identifying the major susceptibility locus. <i>Human Immunology</i> , 2001, 62, 165-169.	1.2	74
57	Detection of human parvovirus B19 in a patient with hepatitis. <i>Brazilian Journal of Medical and Biological Research</i> , 2001, 34, 1131-1138.	0.7	19
58	Human polyclonal anti-hepatitis B surface antigen immunoglobulin reduces the frequency of acute rejection after liver transplantation for chronic hepatitis B. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2001, 43, 335-337.	0.5	13
59	Genetic Heterogeneity in Susceptibility To Autoimmune Hepatitis Types 1 and 2. <i>American Journal of Gastroenterology</i> , 1999, 94, 1906-1913.	0.2	133
60	Familial amyloidotic polyneuropathy type 1 in Brazil is associated with the transthyretin Val30Met variant. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 1999, 6, 289-291.	1.4	15
61	International Autoimmune Hepatitis Group Report: review of criteria for diagnosis of autoimmune hepatitis. <i>Journal of Hepatology</i> , 1999, 31, 929-938.	1.8	2,681
62	Unexpected Clinical Remission of Cholestasis After Rifampicin Therapy in Patients With Normal or Slightly Increased Levels of $\gamma$ -Glutamyl Transpeptidase. <i>American Journal of Gastroenterology</i> , 1998, 93, 1510-1517.	0.2	82
63	Different HLA Profiles Confer Susceptibility to Autoimmune Hepatitis Type 1 and 2. <i>American Journal of Gastroenterology</i> , 1998, 93, 1394-1395.	0.2	26
64	A NEW AUTOANTIGEN IN AUTOIMMUNE LIVER DISEASE: ARGININOSUCCINATE LYASE. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 1997, 24, 486.	0.9	0
65	Heat serum inactivation as a mandatory procedure for antiactin antibody detection in cell culture. <i>Hepatology</i> , 1996, 23, 1098-1104.	3.6	40
66	Ultra-sonografia abdominal na degeneraÃ§Ã£o hepatolenticular: estudo de 33 casos. <i>Arquivos De Neuro-Psiquiatria</i> , 1987, 45, 131-136.	0.3	16