

# Talal Mallah

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6850854/publications.pdf>

Version: 2024-02-01

192  
papers

12,425  
citations

20759

60  
h-index

29081

104  
g-index

206  
all docs

206  
docs citations

206  
times ranked

7279  
citing authors

#	ARTICLE	IF	CITATIONS
1	A room-temperature organometallic magnet based on Prussian blue. <i>Nature</i> , 1995, 378, 701-703.	13.7	1,504
2	High-Tc Molecular-Based Magnets: Ferrimagnetic Mixed-Valence Chromium(III)-Chromium(II) Cyanides with Tc at 240 and 190 Kelvin. <i>Science</i> , 1993, 262, 1554-1557.	6.0	803
3	High-TC molecular-based magnets: a ferromagnetic bimetallic chromium(III)-nickel(II) cyanide with TC = 90 K. <i>Journal of the American Chemical Society</i> , 1992, 114, 9213-9214.	6.6	386
4	Spin-Crossover Coordination Nanoparticles. <i>Inorganic Chemistry</i> , 2008, 47, 6584-6586.	1.9	293
5	Universal Theoretical Approach to Extract Anisotropic Spin Hamiltonians. <i>Journal of Chemical Theory and Computation</i> , 2009, 5, 2977-2984.	2.3	270
6	Phosphonate Ligands Stabilize Mixed-Valent {Mn <sup>III</sup> 2O <sup>2-</sup> xMn <sup>II</sup> x} Clusters with Large Spin and Coercivity. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 5044-5048.	7.2	233
7	Structure and properties of tris[bis(ethylenedithio)tetrathiafulvalenium]tetrachlorocopper(II) hydrate, (BEDT-TTF) <sub>3</sub> CuCl <sub>4</sub> .H <sub>2</sub> O: first evidence for coexistence of localized and conduction electrons in a metallic charge-transfer salt. <i>Journal of the American Chemical Society</i> , 1992, 114, 10722-10729.	6.6	197
8	Structural and Luminescent Properties of Micro- and Nanosized Particles of Lanthanide Terephthalate Coordination Polymers. <i>Inorganic Chemistry</i> , 2008, 47, 3700-3708.	1.9	177
9	A Chromium <sup>III</sup> -Vanadyl Ferrimagnetic Molecule-Based Magnet: Structure, Magnetism, and Orbital Interpretation. <i>Inorganic Chemistry</i> , 1999, 38, 229-234.	1.9	165
10	Structural Analyses and Magnetic Properties of 3D Coordination Polymeric Networks of Nickel(II) Maleate and Manganese(II) Adipate with the Flexible 1,2-Bis(4-pyridyl)ethane Ligand. <i>Inorganic Chemistry</i> , 2003, 42, 2695-2703.	1.9	160
11	Nanoparticles of Prussian blue analogs and related coordination polymers: From information storage to biomedical applications. <i>Coordination Chemistry Reviews</i> , 2017, 346, 32-61.	9.5	158
12	A heptanuclear Cr <sup>III</sup> Ni <sup>II</sup> 6 complex with a low-lying S= 15/2 ground state. <i>Journal of the Chemical Society Chemical Communications</i> , 1995, , 61.	2.0	154
13	Synthesis of Single-molecule Magnets Using Metalloacyanates. , 0, , 103-131.		154
14	An Ni <sub>4</sub> Single-Molecule Magnet: Synthesis, Structure and Low-Temperature Magnetic Behavior. <i>European Journal of Inorganic Chemistry</i> , 2004, 2004, 2219-2222.	1.0	152
15	Cyanide-Bridged Cr <sup>III</sup> Ni <sup>II</sup> Superparamagnetic Nanoparticles. <i>Advanced Materials</i> , 2003, 15, 826-829.	11.1	149
16	Ising-type magnetic anisotropy and single molecule magnet behaviour in mononuclear trigonal bipyramidal Co(II) complexes. <i>Chemical Science</i> , 2014, 5, 3418.	3.7	146
17	Origin of the Magnetic Anisotropy in Heptacoordinate Ni <sup>II</sup> and Co <sup>II</sup> Complexes. <i>Chemistry - A European Journal</i> , 2013, 19, 950-956.	1.7	145
18	Assessing the Slow Magnetic Relaxation Behavior of Ln <sup>III</sup> 4Mn <sup>III</sup> 6 Metallocrowns. <i>Inorganic Chemistry</i> , 2007, 46, 1954-1956.	1.9	139

#	ARTICLE	IF	CITATIONS
19	Giant Ising-Type Magnetic Anisotropy in Trigonal Bipyramidal Ni(II) Complexes: Experiment and Theory. <i>Journal of the American Chemical Society</i> , 2013, 135, 3017-3026.	6.6	135
20	Core-Shell Multishell Magnetic Coordination Nanoparticles: Toward Multifunctionality on the Nanoscale. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 183-187.	7.2	133
21	Matrix-dependent cooperativity in spin crossover Fe(pyrazine)Pt(CN) <sub>4</sub> nanoparticles. <i>Chemical Communications</i> , 2011, 47, 11501.	2.2	133
22	First observation of a ferromagnetic interaction through an end-to-end azido bridging pathway in a 1D copper(II) system. <i>Chemical Communications</i> , 2001, 1012-1013.	2.2	127
23	Solvothermal Synthesis of a Tetradecametallic Fe(III) Cluster. <i>Angewandte Chemie - International Edition</i> , 2003, 42, 3781-3784.	7.2	127
24	Molecular-scale dynamics of light-induced spin cross-over in a two-dimensional layer. <i>Nature Communications</i> , 2016, 7, 12212.	5.8	125
25	Magneto-Structural Correlations: Synthesis of a Family of End-On Azido-Bridged Manganese(II) Dinuclear Compounds with S = 5 Spin Ground State. <i>Inorganic Chemistry</i> , 2005, 44, 2391-2399.	1.9	117
26	Assessing the exchange coupling in binuclear lanthanide(III) complexes and the slow relaxation of the magnetization in the antiferromagnetically coupled Dy <sub>2</sub> derivative. <i>Chemical Science</i> , 2015, 6, 4148-4159.	3.7	114
27	Very Large Ising-Type Magnetic Anisotropy in a Mononuclear Ni(II) Complex. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 1876-1879.	7.2	109
28	The First Structurally Alternating Copper(II) Chain with Alternate Single End-on and End-to-End Azido Bridging: A Synthesis, Crystal Structure, and Low-Temperature Magnetic Study. <i>Inorganic Chemistry</i> , 2000, 39, 5147-5150.	1.9	108
29	A chromium(III) nickel(II) cyanide-bridged ferromagnetic layered structure with corrugated sheets. <i>Chemical Communications</i> , 1996, 2481-2482.	2.2	106
30	Structural and Magnetic Properties of Carboxylato-Bridged Manganese(II) Complexes Involving Tetradentate Ligands: A Discrete Complex and 1D Polymers. Dependence on the Nature of the Carboxylato Bridge. <i>Inorganic Chemistry</i> , 2003, 42, 8072-8080.	1.9	105
31	Octametallic and Hexadecametallic Ferric Wheels. <i>Angewandte Chemie - International Edition</i> , 2002, 41, 4318-4321.	7.2	104
32	Synthesis and Characterization of Mixed-Valent Manganese Phosphonate Cage Complexes. <i>Chemistry - A European Journal</i> , 2006, 12, 8777-8785.	1.7	104
33	Magnetic Bistability of Individual Single-Molecule Magnets Grafted on Single-Wall Carbon Nanotubes. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 4949-4952.	7.2	97
34	Charge transfer driven by ultrafast spin transition in a CoFe Prussian blue analogue. <i>Nature Chemistry</i> , 2021, 13, 10-14.	6.6	96
35	Photomagnetic nanorods of the Mo(CN) <sub>8</sub> Cu <sub>2</sub> coordination network. <i>Chemical Communications</i> , 2005, 746-748.	2.2	94
36	Crystal structures and magnetic properties of .mu.-phenolato copper(II) binuclear complexes with hydroxo, azido, and cyanato-O exogenous bridges. <i>Inorganic Chemistry</i> , 1986, 25, 3058-3065.	1.9	87

#	ARTICLE	IF	CITATIONS
37	Building Molecular Minerals: All Ferric Pieces of Molecular Magnetite. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 5772-5775.	7.2	87
38	Functional Coordination Nanoparticles. <i>Inorganic Chemistry</i> , 2009, 48, 3360-3370.	1.9	86
39	Photoinduced Superparamagnetism in Trimetallic Coordination Nanoparticles. <i>Journal of the American Chemical Society</i> , 2007, 129, 3778-3779.	6.6	85
40	Crystal structures and magnetic properties of dinuclear copper(II) complexes of 2,6-bis(N-(2-pyridylmethyl)formimidoyl)-4-methylphenolate with azido and cyanato-O exogenous ligands. <i>Inorganic Chemistry</i> , 1987, 26, 1375-1380.	1.9	80
41	Resonant Quantum Tunneling in a New Tetranuclear Iron(III)-Based Single-Molecule Magnet. <i>Advanced Materials</i> , 2004, 16, 1101-1105.	11.1	80
42	Syntheses, Structural Analyses, and Magneto-Structural Correlations of Three Polymeric Fe(II) Complexes with Azide Ligand. <i>Inorganic Chemistry</i> , 2003, 42, 5966-5973.	1.9	79
43	Ferromagnetic Cobalt Metalloclusters. <i>Inorganic Chemistry</i> , 2006, 45, 7038-7040.	1.9	79
44	Superparamagnetic bimetallic cyanide-bridged coordination nanoparticles with TB = 9 K. <i>Chemical Communications</i> , 2006, , 1018.	2.2	78
45	Spontaneous stabilization and isolation of dispersible bimetallic coordination nanoparticles of $Cs_xNi[Cr(CN)_6]_y$ . <i>Journal of Materials Chemistry</i> , 2006, 16, 2593-2599.	6.7	76
46	A new approach to grafting a monolayer of oriented Mn <sub>12</sub> nanomagnets on silicon. <i>Chemical Communications</i> , 2005, , 2020.	2.2	75
47	Large Magnetic Anisotropy in Pentacoordinate Ni(II) Complexes. <i>Chemistry - A European Journal</i> , 2008, 14, 1169-1177.	1.7	75
48	Tailored magnetic properties in trinuclear copper(II) complexes: synthesis, structure, and magnetic properties of complexes derived from [1,3-propanediylbis(oxamato)]cuprate(II) ([Cu(pba)] <sub>2</sub> ). <i>Inorganic Chemistry</i> , 1993, 32, 3733-3742.	1.9	74
49	Crystal structures and physical properties of bis(ethylenedithio)-tetrathiafulvalene charge-transfer salts with FeX <sub>4</sub> <sup>2-</sup> (X = Cl or Br) anions. <i>Journal of the Chemical Society Dalton Transactions</i> , 1990, , 859-865.	1.1	73
50	Tuning the Ising-type anisotropy in trigonal bipyramidal Co(II) complexes. <i>Chemical Communications</i> , 2015, 51, 16475-16478.	2.2	73
51	An Fe(III) wheel with a zwitterionic ligand: the structure and magnetic properties of [Fe(OMe) <sub>2</sub> (proline)] <sub>12</sub> [ClO <sub>4</sub> ] <sub>12</sub> . <i>Chemical Communications</i> , 2004, , 314.	2.2	68
52	Structure, Magnetic Properties and Magnetic Phase Diagram of a Layered, Bimetallic, Cyanide-Bridged Cr(III)-Ni(II) Metamagnet. <i>European Journal of Inorganic Chemistry</i> , 2001, 2001, 1287-1293.	1.0	67
53	Low-lying electronic states in $\mu$ -phenolato copper(II) binuclear compounds with hydroxo, ethanolato, azido, and cyanato exogenous bridges: crystal structures, magnetic properties, and interpretations. <i>Journal of the Chemical Society Dalton Transactions</i> , 1989, , 1117-1126.	1.1	66
54	Characterization of Chemical Bonds in Bimetallic Cyanides Using X-ray Absorption Spectroscopy at L <sub>2,3</sub> Edges. <i>Journal of the American Chemical Society</i> , 1996, 118, 6422-6427.	6.6	66

#	ARTICLE	IF	CITATIONS
55	Structural and Magnetic Properties of Two Carboxylato-Bridged Manganese(II) Complexes with N-Donor Coligands. <i>European Journal of Inorganic Chemistry</i> , 2004, 2004, 4202-4208.	1.0	66
56	Pentanuclear Cyanide-Bridged Complexes Based on Highly Anisotropic Co <sup>II</sup> Seven-Coordinate Building Blocks: Synthesis, Structure, and Magnetic Behavior. <i>Inorganic Chemistry</i> , 2011, 50, 12045-12052.	1.9	66
57	A Novel Undecametallic Iron(III) Cluster with an S=11/2 Spin Ground State. <i>Inorganic Chemistry</i> , 2003, 42, 6601-6603.	1.9	65
58	A three component fully interlocked 3-D network: crystal structure and magnetic properties. <i>Chemical Communications</i> , 2001, , 1346-1347.	2.2	64
59	Metal-radical approach to high spin molecules: a pentanuclear 1/4-cyano Cr <sup>III</sup> Ni <sup>(radical)2</sup> complex with a low-lying S = 9 ground state. <i>Chemical Communications</i> , 1999, , 1951-1952.	2.2	63
60	Monomeric, Tetrameric, and Polymeric Copper Di-tert-butyl Phosphate Complexes Containing Pyridine Ancillary Ligands. <i>Inorganic Chemistry</i> , 2004, 43, 945-953.	1.9	63
61	Subcomponent Self-Assembly of Rare-Earth Single-Molecule Magnets. <i>Inorganic Chemistry</i> , 2013, 52, 5194-5200.	1.9	63
62	Soft X-ray Magnetic Circular Dichroism in Paramagnetic Systems: Element-Specific Magnetization of Two Heptanuclear Cr <sup>III</sup> High-Spin Molecules. <i>Journal of the American Chemical Society</i> , 1999, 121, 6414-6420.	6.6	57
63	A Mixed-Valence Mixed-Spin Prussian-Blue-Like Heptanuclear Complex. <i>Angewandte Chemie - International Edition</i> , 2000, 39, 2885-2887.	7.2	56
64	Synthesis, Crystal Structures, and Magnetic Properties of Two New 1D Copper(II) Coordination Polymers Containing Fumarate <sup>2-</sup> and Chelating N,N'-Donor as Ligands. <i>European Journal of Inorganic Chemistry</i> , 2002, 2002, 3292-3297.	1.0	56
65	Luminescent coordination nanoparticles. <i>New Journal of Chemistry</i> , 2008, 32, 584.	1.4	56
66	Single Molecule Magnet Behavior of a Pentanuclear Mn-Based Metallocrown Complex: Solid State and Solution Magnetic Studies. <i>Inorganic Chemistry</i> , 2011, 50, 11348-11352.	1.9	56
67	Magnetic Nanocomposites Built by Controlled Incorporation of Magnetic Clusters into Mesoporous Silicates. <i>Advanced Materials</i> , 2002, 14, 896.	11.1	54
68	Structural Dependence of the Ising-type Magnetic Anisotropy and of the Relaxation Time in Mononuclear Trigonal Bipyramidal Co(II) Single Molecule Magnets. <i>Inorganic Chemistry</i> , 2017, 56, 1104-1111.	1.9	53
69	Molecular Spintronics in Mixed-Valence Magnetic Dimers: The Double-Exchange Blockade Mechanism. <i>Journal of the American Chemical Society</i> , 2010, 132, 8106-8114.	6.6	51
70	Hexacyanometalates: Molecular Precursors for High-Spin Molecules and High-T <sub>C</sub> Molecule-Based Magnets. <i>Molecular Crystals and Liquid Crystals</i> , 1995, 273, 141-151.	0.3	50
71	Assembly of a magnetic polyoxometalate on SWNTs. <i>Nanoscale</i> , 2010, 2, 139-144.	2.8	50
72	Unexpected diversity and novel features within a family of new azide-bridged Mn <sup>III</sup> complexes of pyridyl/imineligands. <i>Journal of Materials Chemistry</i> , 2006, 16, 278-285.	6.7	49

#	ARTICLE	IF	CITATIONS
73	Investigation of the Photoinduced Magnetization of Copper Octacyanomolybdates Nanoparticles by X-ray Magnetic Circular Dichroism. <i>Journal of the American Chemical Society</i> , 2012, 134, 222-228.	6.6	49
74	Structural and Electronic Dependence of the Single-Molecule-Magnet Behavior of Dysprosium(III) Complexes. <i>Inorganic Chemistry</i> , 2014, 53, 2598-2605.	1.9	49
75	A novel bimetallic alternating chain: synthesis, crystal structure and magnetic study. <i>Inorganica Chimica Acta</i> , 2001, 315, 249-253.	1.2	48
76	A doubly end-to-end azido bridged 1D ferromagnetic chain. <i>Inorganic Chemistry Communication</i> , 2002, 5, 472-474.	1.8	48
77	Hexacyanidometalate molecular chemistry, part III: di-, tri-, tetra-, hexa- and hepta-nuclear chromium-nickel complexes: Control of spin, structural anisotropy, intra- and inter-molecular exchange couplings. <i>Inorganica Chimica Acta</i> , 2008, 361, 3505-3518.	1.2	46
78	Minor changes in phosphonate ligands lead to new hexa- and dodeca-nuclear Mn clusters. <i>Journal of Materials Chemistry</i> , 2006, 16, 2576.	6.7	45
79	Chemical tuning of the magnetic relaxation in dysprosium(III) mononuclear complexes. <i>Dalton Transactions</i> , 2014, 43, 12146-12149.	1.6	45
80	Understanding Spin Structure in Metallocrown Single-Molecule Magnets using Magnetic Compton Scattering. <i>Journal of the American Chemical Society</i> , 2014, 136, 4889-4892.	6.6	45
81	Magnetic Anisotropy in Pentacoordinate Ni <sup>II</sup> and Co <sup>II</sup> Complexes: Unraveling Electronic and Geometrical Contributions. <i>Chemistry - A European Journal</i> , 2017, 23, 3648-3657.	1.7	45
82	Synergy in Photomagnetic/Ferromagnetic <i>Sub</i> -50 nm Core-Multishell Nanoparticles. <i>Inorganic Chemistry</i> , 2013, 52, 10264-10274.	1.9	44
83	The disentangling of hysteretic spin transition, polymorphism and metastability in bistable thin films formed by sublimation of bis(scorpionate) Fe <sup>II</sup> molecules. <i>Journal of Materials Chemistry C</i> , 2017, 5, 11067-11075.	2.7	44
84	A Prussian Blue Nanomolecule: Crystal Structure and Low-Temperature Magnetism. <i>Inorganic Chemistry</i> , 2001, 40, 3836-3837.	1.9	42
85	Engineering the magnetic coupling and anisotropy at the molecule-magnetic surface interface in molecular spintronic devices. <i>Nature Communications</i> , 2016, 7, 13646.	5.8	41
86	Surfaces, thin films and patterning of spin crossover compounds. <i>Comptes Rendus Chimie</i> , 2018, 21, 1270-1286.	0.2	41
87	Substituted versus Naked Thiourea Ligand Containing Pseudotetrahedral Cobalt(II) Complexes: A Comparative Study on Its Magnetization Relaxation Dynamics Phenomenon. <i>Inorganic Chemistry</i> , 2018, 57, 3371-3386.	1.9	40
88	Electrical read-out of light-induced spin transition in thin film spin crossover/graphene heterostructures. <i>Journal of Materials Chemistry C</i> , 2021, 9, 2712-2720.	2.7	40
89	Tailored coordination nanoparticles: assessing the magnetic single-domain critical size. <i>Chemical Communications</i> , 2011, 47, 1051-1053.	2.2	39
90	Importance of Epitaxial Strain at a Spin-Crossover Molecule-Metal Interface. <i>Journal of Physical Chemistry Letters</i> , 2019, 10, 4103-4109.	2.1	39

#	ARTICLE	IF	CITATIONS
91	Use of Different Unsaturated Dicarboxylates Toward the Design of New 3D and 2D Networks of Copper(II). <i>European Journal of Inorganic Chemistry</i> , 2004, 2004, 4675-4680.	1.0	38
92	Mn <sup>II</sup> -containing coordination nanoparticles as highly efficient T <sub>1</sub> contrast agents for magnetic resonance imaging. <i>Chemical Communications</i> , 2014, 50, 6740-6743.	2.2	38
93	Immobilisation of single molecule magnets in mesoporous silica hosts. <i>New Journal of Chemistry</i> , 2003, 27, 1533-1539.	1.4	37
94	Glycoligands Tuning the Magnetic Anisotropy of NiII Complexes. <i>Chemistry - A European Journal</i> , 2007, 13, 2774-2782.	1.7	37
95	Photo-induced magnetic bistability in a controlled assembly of anisotropic coordination nanoparticles. <i>Chemical Communications</i> , 2011, 47, 1985.	2.2	37
96	Magnetization Reversal in CsNi <sup>II</sup> Cr <sup>III</sup> (CN) <sub>6</sub> Coordination Nanoparticles: Unravelling Surface Anisotropy and Dipolar Interaction Effects. <i>Advanced Functional Materials</i> , 2014, 24, 5402-5411.	7.8	37
97	Tools for Predicting the Nature and Magnitude of Magnetic Anisotropy in Transition Metal Complexes: Application to Co(II) Complexes. <i>Magnetochemistry</i> , 2016, 2, 31.	1.0	37
98	A bird's eye view on the flat and conic band world of the honeycomb and Kagome lattices: towards an understanding of 2D metal-organic frameworks electronic structure. <i>Journal of Physics Condensed Matter</i> , 2017, 29, 465302.	0.7	37
99	A Tetranuclear CrIII NiII3 Cyano-Bridged Complex Based on M(tacn) Derivative Building Blocks. <i>Inorganic Chemistry</i> , 2005, 44, 8194-8196.	1.9	35
100	Temperature-, Light-, and Soft X-ray-Induced Spin Crossover in a Single Layer of Fe <sup>II</sup> -Pyrazolylborate Molecules in Direct Contact with Gold. <i>Journal of Physical Chemistry C</i> , 2018, 122, 727-731.	1.5	35
101	Single-Molecule Magnet Behavior of Individual Polyoxometalate Molecules Incorporated within Biopolymer or Metal-Organic Framework Matrices. <i>Chemistry - A European Journal</i> , 2016, 22, 6564-6574.	1.7	34
102	Anomalous Light-Induced Spin-State Switching for Iron(II) Spin-Crossover Molecules in Direct Contact with Metal Surfaces. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 13341-13346.	7.2	34
103	Tuning the magnetic anisotropy in coordination nanoparticles: random distribution versus core-shell architecture. <i>Chemical Communications</i> , 2012, 48, 11455.	2.2	33
104	Influence of a Counteranion on the Zero-Field Splitting of Tetrahedral Cobalt(II) Thiourea Complexes. <i>Inorganic Chemistry</i> , 2019, 58, 9085-9100.	1.9	33
105	From ferromagnets to high-spin molecules: the role of the organic ligands. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 1999, 357, 3139-3158.	1.6	32
106	Design and Magnetic Properties of a Mononuclear Co(II) Single Molecule Magnet and Its Antiferromagnetically Coupled Binuclear Derivative. <i>Inorganic Chemistry</i> , 2017, 56, 4601-4608.	1.9	32
107	Ferromagnetic order in a 1/4-cyano CrIII-MnII assembly with an unusual branched architecture. <i>Chemical Communications</i> , 1999, , 2217-2218.	2.2	31
108	Magnetic anisotropy of two trinuclear and tetranuclear CrIIINiIIcyanide-bridged complexes with spin ground states S = 4 and 5. <i>Dalton Transactions</i> , 2006, , 2818-2828.	1.6	30

#	ARTICLE	IF	CITATIONS
109	Derivation of Lanthanide Series Crystal Field Parameters From First Principles. <i>Chemistry - A European Journal</i> , 2019, 25, 15112-15122.	1.7	30
110	Star-Shaped Nanomolecules Based on p-Phenylene Sulfide Asterisks with a Persulfurated Coronene Core. <i>Chemistry - A European Journal</i> , 2004, 10, 2895-2904.	1.7	29
111	Synthesis of a metal-dicarboxylate hybrid with three dimensional Na-O-Cu connectivity: structure, magnetic property and controlled solid state thermolysis leading to CuO nanorod. <i>Inorganica Chimica Acta</i> , 2005, 358, 1027-1033.	1.2	29
112	Fe(III) clusters built with tripodal alcohol ligands. <i>Polyhedron</i> , 2006, 25, 325-333.	1.0	29
113	Magnetic Langmuir-Blodgett Films of Bimetallic Coordination Nanoparticles of $Cs_{0.4}Ni[Cr(CN)_6]_{0.9}$ . <i>Chemistry of Materials</i> , 2008, 20, 4642-4652.	3.2	29
114	Through-Bond Exchange Coupling and Triplet Excitons in a Dinuclear Copper(II) Macrocyclic Complex. <i>Inorganic Chemistry</i> , 1996, 35, 4170-4176.	1.9	28
115	Measurement of Magnetic Moment at the Atomic Scale in a High Temperature Molecular Based Magnet. <i>The Journal of Physical Chemistry</i> , 1996, 100, 4679-4684.	2.9	28
116	Patterning of Magnetic Bimetallic Coordination Nanoparticles of Prussian Blue Derivatives by the Langmuir-Blodgett Technique. <i>Langmuir</i> , 2012, 28, 4525-4533.	1.6	28
117	Assembly of heterobimetallic $Ni^{II}-Ln^{III}$ ( $Ln^{III} = Dy^{III}, Tj$ ) ETQq1 1 0.784314 rgBT a ferrocene ligand: slow relaxation of the magnetization in $Dy^{III}$ , $Tb^{III}$ and $Ho^{III}$ analogues. <i>Dalton Transactions</i> , 2014, 43, 8921-8932.	1.6	28
118	Synthesis and Magnetic Characterization of Fe(III)-Based 9-Metallacrown-3 Complexes Which Exhibit Magnetorefrigerant Properties. <i>Inorganic Chemistry</i> , 2016, 55, 10238-10247.	1.9	28
119	Nonlinear magnetic susceptibility of molecular magnets: Tunneling of high-spin molecules. <i>Physical Review B</i> , 1997, 56, 75-78.	1.1	27
120	New method for the growth of single-walled carbon nanotubes from bimetallic nanoalloy catalysts based on Prussian blue analog precursors. <i>Carbon</i> , 2017, 123, 583-592.	5.4	26
121	Thermal Bistability of an Ultrathin Film of Iron(II) Spin-Crossover Molecules Directly Adsorbed on a Metal Surface. <i>Journal of Physical Chemistry Letters</i> , 2021, 12, 6152-6158.	2.1	26
122	A Unique Heterotopic Ligand for Sequential Synthesis of Polymetallic Complexes. <i>European Journal of Inorganic Chemistry</i> , 2002, 2002, 323-325.	1.0	25
123	New routes to high nuclearity cages: dimerisation of a manganese triangle via solvothermal synthesis. <i>Chemical Communications</i> , 2003, , 2330-2331.	2.2	25
124	A new $(\sqrt{3}/3)$ -carbonato)tricopper(II) complex with symmetry related equilateral triangular array of metal centers; structure and magnetism. <i>Inorganica Chimica Acta</i> , 2005, 358, 2711-2717.	1.2	25
125	Charge Transfer and Tunable Ambipolar Effect Induced by Assembly of Cu(II) Binuclear Complexes on Carbon Nanotube Field Effect Transistor Devices. <i>Journal of the American Chemical Society</i> , 2012, 134, 7896-7901.	6.6	24
126	Probing Transient Photoinduced Charge Transfer in Prussian Blue Analogues with Time-Resolved XANES and Optical Spectroscopy. <i>European Journal of Inorganic Chemistry</i> , 2018, 2018, 272-277.	1.0	24



#	ARTICLE	IF	CITATIONS
127	Photoswitchable 11 nm CsCoFe Prussian Blue Analogue Nanocrystals with High Relaxation Temperature. <i>Inorganic Chemistry</i> , 2020, 59, 13153-13161.	1.9	24
128	Theoretical Study of the Magnetic Behavior of [Fe8] and [Fe16] Wheels. <i>Inorganic Chemistry</i> , 2004, 43, 5410-5415.	1.9	22
129	Grafting a Monolayer of Superparamagnetic Cyanide-Bridged Coordination Nanoparticles on Si(100). <i>Inorganic Chemistry</i> , 2008, 47, 1898-1900.	1.9	21
130	One step assembly of a nonanuclear Cr <sup>III</sup> <sub>2</sub> Ni <sup>II</sup> <sub>7</sub> bimetallic cyanide bridged complex. <i>Chemical Communications</i> , 2006, , 735.	2.2	20
131	Magnetic Anisotropy of Cyanide-Bridged Core and Core-Shell Coordination Nanoparticles Probed by X-ray Magnetic Circular Dichroism. <i>Chemistry - A European Journal</i> , 2013, 19, 6685-6694.	1.7	20
132	Highly symmetric organic ligand-capped Lindqvist structures derived from 3d-elements. <i>Dalton Transactions</i> , 2010, 39, 7774.	1.6	19
133	BEDT-TTF salts containing magnetic anions FeCl <sub>4</sub> <sup>2-</sup> , FeBr <sub>4</sub> <sup>2-</sup> and CuCl <sub>4</sub> <sup>2-</sup> . <i>Synthetic Metals</i> , 1988, 27, A381-A386.	2.1	18
134	Phase transitions in [M <sup>II</sup> (-ET4N)ET4M(CN) <sub>6</sub> · 3 H <sub>2</sub> O; M = Fe <sup>III</sup> , Co <sup>III</sup> , Cr <sup>III</sup> ]. <i>Synthetic Metals</i> , 1997, 86, 1859-1860.	2.1	18
135	The synthesis, molecular structure and magnetic properties of [Cu <sub>2</sub> L(1/4-OH)CH <sub>3</sub> CN] <sub>2</sub> [Cu <sub>6</sub> I <sub>10</sub> ] and [Cu <sub>2</sub> L(1/4-Br)]Br <sub>2</sub> , where L = 2,6-Bis(N,N-dimethylethylenamineformimidoyl)-4-methylphenolato. <i>Inorganica Chimica Acta</i> , 1990, 172, 211-220.	1.2	16
136	Tuning the optical properties of Prussian blue-like complexes. <i>Chemical Communications</i> , 2002, , 1460-1461.	2.2	16
137	Sequential growth at the sub-10 nm scale of cyanide bridged coordination networks on inorganic surfaces. <i>Dalton Transactions</i> , 2013, 42, 15835.	1.6	16
138	Tuning bimetallic catalysts for a selective growth of SWCNTs. <i>Nanoscale</i> , 2019, 11, 4091-4100.	2.8	16
139	Imaging the Magnetic Reversal of Isolated and Organized Molecular-Based Nanoparticles using Magnetic Force Microscopy. <i>Particle and Particle Systems Characterization</i> , 2015, 32, 693-700.	1.2	15
140	Synthesis, X-ray structure and catecholase activity of an antiferromagnetically coupled trinuclear nickel(II) complex. <i>Polyhedron</i> , 2016, 110, 221-226.	1.0	15
141	Unraveling J <sub>f</sub> and J <sub>e</sub> Effects on Magnetic Anisotropy in <i>cis</i> -Ni <sub>4</sub> B <sub>2</sub> Complexes: Magnetization, HF-EPR Studies, First-Principles Calculations, and Orbital Modeling. <i>Chemistry - A European Journal</i> , 2016, 22, 16850-16862.	1.7	15
142	Magnetic Imaging of Cyanide-Bridged Coordination Nanoparticles Grafted on FIB-Patterned Si Substrates. <i>Small</i> , 2008, 4, 2240-2246.	5.2	14
143	Magnetic behaviour of negatively charged nickel(II) hexacyanoferrate(III) coordination nanoparticles. <i>Inorganica Chimica Acta</i> , 2008, 361, 3931-3936.	1.2	14
144	Sequential Growth in Solution of NiFe Prussian Blue coordination network nanolayers on Si(100) surfaces. <i>Dalton Transactions</i> , 2012, 41, 1582-1590.	1.6	14

#	ARTICLE	IF	CITATIONS
145	Voltage-Induced Bistability of Single Spin-Crossover Molecules in a Two-Dimensional Monolayer. <i>Journal of Physical Chemistry Letters</i> , 2021, 12, 11029-11034.	2.1	14
146	Chemical tuning of spin clock transitions in molecular monomers based on nuclear spin-free Ni( $\langle \text{sc} \rangle \text{ii} \langle \text{sc} \rangle$ ). <i>Chemical Science</i> , 2021, 12, 5123-5133.	3.7	13
147	K edge X-ray magnetic circular dichroism in molecule-based magnets. <i>Physica B: Condensed Matter</i> , 1995, 208-209, 765-767.	1.3	12
148	Insights into the mechanism of the gas-phase purification of HiPco SWNTs through a comprehensive multi-technique study. <i>New Journal of Chemistry</i> , 2009, 33, 1211.	1.4	12
149	Compact Hydrogen-Bonded Self-Assembly of Ni(II)â€“Salen Derivative Investigated Using Scanning Tunneling Microscopy. <i>Journal of Physical Chemistry C</i> , 2012, 116, 23404-23407.	1.5	12
150	Direct Synthesis and Integration of Individual, Diameter-Controlled Single-Walled Nanotubes (SWNTs). <i>Chemistry of Materials</i> , 2014, 26, 5074-5082.	3.2	12
151	Playing with Magnetic Anisotropy in Hexacoordinated Mononuclear Ni(II) Complexes, An Interplay Between Symmetry and Geometry. <i>Applied Magnetic Resonance</i> , 2020, 51, 1215-1231.	0.6	12
152	Growth and density control of nanometric nickelâ€“iron cyanide-bridged objects on functionalized Si(100) surface. <i>Chemical Communications</i> , 2010, 46, 4327.	2.2	11
153	Magnetic Relaxation Studies on Trigonal Bipyramidal Cobalt(II) Complexes. <i>Chemistry - an Asian Journal</i> , 2020, 15, 391-397.	1.7	11
154	Cyanide-bridged NiCr and alternate NiFeâ€“NiCr magnetic ultrathin films on functionalized Si(100) surface. <i>Dalton Transactions</i> , 2012, 41, 4445.	1.6	10
155	Click Chemistry as a Convenient Tool for the Incorporation of a Ruthenium Chromophore and a Nickelâ€“Salen Monomer into a Visibleâ€“Lightâ€“Active Assembly. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 494-499.	1.0	10
156	Synthesis, Crystal Structure and Properties of (BEDT-TTF) <sub>3</sub> CuCl <sub>4</sub> Â· H <sub>2</sub> O. <i>Springer Proceedings in Physics</i> , 1990, , 290-293.	0.1	10
157	Orientation of Mn <sub>12</sub> molecular nanomagnets in self-assembled monolayers. <i>CrystEngComm</i> , 2009, 11, 2192.	1.3	9
158	Electrical-field-induced structural change and charge transfer of lanthanideâ€“salophen complexes assembled on carbon nanotube field effect transistor devices. <i>Chemical Communications</i> , 2012, 48, 9071.	2.2	9
159	Design of a Binuclear Ni(II) Complex with Large Ising-type Anisotropy and Weak Anti-Ferromagnetic Coupling. <i>Inorganic Chemistry</i> , 2017, 56, 10655-10663.	1.9	9
160	Robust magnetic anisotropy of a monolayer of hexacoordinate Fe( $\langle \text{sc} \rangle \text{ii} \langle \text{sc} \rangle$ ) complexes assembled on Cu(111). <i>Inorganic Chemistry Frontiers</i> , 2021, 8, 2395-2404.	3.0	9
161	Sequential growth of bistable copperâ€“molybdenum coordination nanolayers on inorganic surfaces. <i>Dalton Transactions</i> , 2013, 42, 8034.	1.6	8
162	Hysteresis in a bimetallic holmium complex: A synergy between electronic and nuclear magnetic interactions. <i>Physical Review B</i> , 2017, 96, .	1.1	8

#	ARTICLE	IF	CITATIONS
163	Electronic and spin delocalization in a switchable trinuclear triphenylene trisemiquinone bridged Ni <sub>3</sub> complex. <i>Chemical Communications</i> , 2019, 55, 12336-12339.	2.2	8
164	Theoretical study of high-TC molecular-based cyanide magnets. <i>Journal of Magnetism and Magnetic Materials</i> , 1996, 157-158, 417-418.	1.0	7
165	Tuning the magnetic and electronic properties of polynuclear Prussian-blue-like complexes: the role of the organic ligand. <i>Comptes Rendus Chimie</i> , 2003, 6, 283-290.	0.2	7
166	Individual-collective crossover driven by particle size in dense assemblies of superparamagnetic nanoparticles. <i>European Physical Journal B</i> , 2017, 90, 1.	0.6	7
167	Tailoring the Structure of Two-Dimensional Self-Assembled Nanoarchitectures Based on Ni <sub>II</sub> Salen Building Blocks. <i>Chemistry - A European Journal</i> , 2014, 20, 13566-13575.	1.7	6
168	Magnetic properties of two Gd <sup>III</sup> Fe <sup>III</sup> <sub>4</sub> metallacrowns and strategies for optimizing the magnetocaloric effect of this topology. <i>Inorganic Chemistry Frontiers</i> , 2021, 8, 2611-2623.	3.0	6
169	The design of magneto-plasmonic nanostructures formed by magnetic Prussian Blue-type nanocrystals decorated with Au nanoparticles. <i>Chemical Communications</i> , 2021, 57, 1903-1906.	2.2	6
170	Strong cooperative protonation and copper(II)-assisted hydrolysis of the novel X-ray characterized polyoxamide cryptand 1,4,7,10,13,16,21,24-octaaza-bicyclo[8.8.8] hexacosan-5,6,14,15,22,23-hexone. <i>Inorganica Chimica Acta</i> , 1996, 246, 249-258.	1.2	5
171	A Bis-Binuclear Ni <sub>II</sub> Complex with Easy and Hard Axes of Magnetization: Complementary Experimental and Theoretical Insights. <i>European Journal of Inorganic Chemistry</i> , 2018, 2018, 469-476.	1.0	5
172	A high-frequency EPR study of magnetic anisotropy and intermolecular interactions of Co(II) ions. <i>Polyhedron</i> , 2021, 208, 115389.	1.0	5
173	A Rationale Molecular Approach to High-Spin Molecules and Molecular Magnets. , 1996, , 597-614.		5
174	Out-of-equilibrium dynamics driven by photoinduced charge transfer in CsCoFe Prussian blue analogue nanocrystals. <i>Faraday Discussions</i> , 0, 237, 224-236.	1.6	5
175	Pentanuclear Cyanide-Bridged Complexes with High Spin Ground States S=6 and 9: Characterization and Magnetic Properties. <i>Journal of Solid State Chemistry</i> , 2001, 159, 302-307.	1.4	4
176	Long-range electron transport in Prussian blue analog nanocrystals. <i>Nanoscale</i> , 2020, 12, 20374-20385.	2.8	4
177	XAS and XMCD Reveal a Cobalt(II) Imide Undergoes High-Pressure-Induced Spin Crossover. <i>Journal of Physical Chemistry C</i> , 2022, 126, 5784-5792.	1.5	4
178	Soft X-ray magnetic circular dichroism in molecular based magnet. <i>Physica B: Condensed Matter</i> , 1995, 208-209, 775-776.	1.3	3
179	XMCD measurements in a high TC molecular based magnet. <i>Journal of Electron Spectroscopy and Related Phenomena</i> , 1996, 78, 203-208.	0.8	3
180	Luminescence from Isolated Tb-based Metallacrown Molecular Complexes on h-BN. <i>Microscopy and Microanalysis</i> , 2019, 25, 604-605.	0.2	3

#	ARTICLE	IF	CITATIONS
181	Anomalous Light-Induced Spin-State Switching for Iron(II) Spin-Crossover Molecules in Direct Contact with Metal Surfaces. <i>Angewandte Chemie</i> , 2020, 132, 13443-13448.	1.6	3
182	Collective Magnetic Behavior of 11 nm Photo-Switchable CsCoFe Prussian Blue Analogue Nanocrystals: Effect of Dilution and Light Intensity. <i>Magnetochemistry</i> , 2021, 7, 99.	1.0	3
183	Soft X-ray magnetic circular dichroism in molecular based magnets. <i>Nuclear Instruments &amp; Methods in Physics Research B</i> , 1995, 97, 453-456.	0.6	2
184	Small-angle neutron scattering study of the short-range organization of dispersed CsNi[Cr(CN) <sub>6</sub> ] nanoparticles. <i>Journal of Applied Physics</i> , 2015, 118, 114304.	1.1	2
185	Coupling Nanostructured CsNiCr Prussian Blue Analogue to Resonant Microwave Fields. <i>Advanced Quantum Technologies</i> , 2020, 3, 1900101.	1.8	2
186	Terphenylthiazole-based self-assembled monolayers on cobalt with high conductance photo-switching ratio for spintronics. <i>Nanoscale</i> , 2022, 14, 5725-5742.	2.8	2
187	Assembly of Molecular Nanomagnets Into Nanogap Electrodes by Dielectrophoresis. <i>Journal of Nanoscience and Nanotechnology</i> , 2012, 12, 8710-8714.	0.9	1
188	Design, Synthesis and Processing of Molecular-Organic and Inorganic-Magnetic Materials. , 1996, , 571-582.		1
189	Soft XMCD in Molecule Based Magnets. <i>European Physical Journal Special Topics</i> , 1997, 7, C2-409-C2-413.	0.2	1
190	Visualizing the morphology of hybrid nanoparticles at the nanometer level using STEM-EELS spectro-microscopy. <i>Microscopy and Microanalysis</i> , 2012, 18, 1602-1603.	0.2	0
191	Magnetic Hysteresis in a Monolayer of Oriented 6 nm CsNiCr Prussian Blue Analogue Nanocrystals. <i>Inorganic Chemistry</i> , 2021, 60, 16388-16396.	1.9	0
192	XMCD Measurements in a high TC molecular based magnet. , 1996, , 203-208.		0