

Talal Mallah

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6850854/publications.pdf>

Version: 2024-02-01

192
papers

12,425
citations

20759

60
h-index

29081

104
g-index

206
all docs

206
docs citations

206
times ranked

7279
citing authors

#	ARTICLE	IF	CITATIONS
1	Terphenylthiazole-based self-assembled monolayers on cobalt with high conductance photo-switching ratio for spintronics. <i>Nanoscale</i> , 2022, 14, 5725-5742.	2.8	2
2	XAS and XMCD Reveal a Cobalt(II) Imide Undergoes High-Pressure-Induced Spin Crossover. <i>Journal of Physical Chemistry C</i> , 2022, 126, 5784-5792.	1.5	4
3	Charge transfer driven by ultrafast spin transition in a CoFe Prussian blue analogue. <i>Nature Chemistry</i> , 2021, 13, 10-14.	6.6	96
4	Magnetic properties of two Gd ^{III} /Fe ^{III} ₄ metallocrowns and strategies for optimizing the magnetocaloric effect of this topology. <i>Inorganic Chemistry Frontiers</i> , 2021, 8, 2611-2623.	3.0	6
5	Robust magnetic anisotropy of a monolayer of hexacoordinate Fe(II) complexes assembled on Cu(111). <i>Inorganic Chemistry Frontiers</i> , 2021, 8, 2395-2404.	3.0	9
6	Electrical read-out of light-induced spin transition in thin film spin crossover/graphene heterostructures. <i>Journal of Materials Chemistry C</i> , 2021, 9, 2712-2720.	2.7	40
7	Thermal Bistability of an Ultrathin Film of Iron(II) Spin-Crossover Molecules Directly Adsorbed on a Metal Surface. <i>Journal of Physical Chemistry Letters</i> , 2021, 12, 6152-6158.	2.1	26
8	Collective Magnetic Behavior of 11 nm Photo-Switchable CsCoFe Prussian Blue Analogue Nanocrystals: Effect of Dilution and Light Intensity. <i>Magnetochemistry</i> , 2021, 7, 99.	1.0	3
9	A high-frequency EPR study of magnetic anisotropy and intermolecular interactions of Co(II) ions. <i>Polyhedron</i> , 2021, 208, 115389.	1.0	5
10	Chemical tuning of spin clock transitions in molecular monomers based on nuclear spin-free Ni(II) complexes. <i>Chemical Science</i> , 2021, 12, 5123-5133.	3.7	13
11	The design of magneto-plasmonic nanostructures formed by magnetic Prussian Blue-type nanocrystals decorated with Au nanoparticles. <i>Chemical Communications</i> , 2021, 57, 1903-1906.	2.2	6
12	Magnetic Hysteresis in a Monolayer of Oriented 6 nm CsNiCr Prussian Blue Analogue Nanocrystals. <i>Inorganic Chemistry</i> , 2021, 60, 16388-16396.	1.9	0
13	Voltage-Induced Bistability of Single Spin-Crossover Molecules in a Two-Dimensional Monolayer. <i>Journal of Physical Chemistry Letters</i> , 2021, 12, 11029-11034.	2.1	14
14	Magnetic Relaxation Studies on Trigonal Bipyramidal Cobalt(II) Complexes. <i>Chemistry - an Asian Journal</i> , 2020, 15, 391-397.	1.7	11
15	Playing with Magnetic Anisotropy in Hexacoordinated Mononuclear Ni(II) Complexes, An Interplay Between Symmetry and Geometry. <i>Applied Magnetic Resonance</i> , 2020, 51, 1215-1231.	0.6	12
16	Long-range electron transport in Prussian blue analog nanocrystals. <i>Nanoscale</i> , 2020, 12, 20374-20385.	2.8	4
17	Photoswitchable 11 nm CsCoFe Prussian Blue Analogue Nanocrystals with High Relaxation Temperature. <i>Inorganic Chemistry</i> , 2020, 59, 13153-13161.	1.9	24
18	Coupling Nanostructured CsNiCr Prussian Blue Analogue to Resonant Microwave Fields. <i>Advanced Quantum Technologies</i> , 2020, 3, 1900101.	1.8	2

#	ARTICLE	IF	CITATIONS
19	Anomalous Light-Induced Spin-State Switching for Iron(II) Spin-Crossover Molecules in Direct Contact with Metal Surfaces. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 13341-13346.	7.2	34
20	Anomalous Light-Induced Spin-State Switching for Iron(II) Spin-Crossover Molecules in Direct Contact with Metal Surfaces. <i>Angewandte Chemie</i> , 2020, 132, 13443-13448.	1.6	3
21	Luminescence from Isolated Tb-based Metallacrown Molecular Complexes on h-BN. <i>Microscopy and Microanalysis</i> , 2019, 25, 604-605.	0.2	3
22	Importance of Epitaxial Strain at a Spin-Crossover Molecule-Metal Interface. <i>Journal of Physical Chemistry Letters</i> , 2019, 10, 4103-4109.	2.1	39
23	Derivation of Lanthanide Series Crystal Field Parameters From First Principles. <i>Chemistry - A European Journal</i> , 2019, 25, 15112-15122.	1.7	30
24	Influence of a Counteranion on the Zero-Field Splitting of Tetrahedral Cobalt(II) Thiourea Complexes. <i>Inorganic Chemistry</i> , 2019, 58, 9085-9100.	1.9	33
25	Tuning bimetallic catalysts for a selective growth of SWCNTs. <i>Nanoscale</i> , 2019, 11, 4091-4100.	2.8	16
26	Electronic and spin delocalization in a switchable trinuclear triphenylene trisemiquinone bridged Ni ₃ complex. <i>Chemical Communications</i> , 2019, 55, 12336-12339.	2.2	8
27	Substituted versus Naked Thiourea Ligand Containing Pseudotetrahedral Cobalt(II) Complexes: A Comparative Study on Its Magnetization Relaxation Dynamics Phenomenon. <i>Inorganic Chemistry</i> , 2018, 57, 3371-3386.	1.9	40
28	Surfaces, thin films and patterning of spin crossover compounds. <i>Comptes Rendus Chimie</i> , 2018, 21, 1270-1286.	0.2	41
29	A Bis-Binuclear Ni ^{II} Complex with Easy and Hard Axes of Magnetization: Complementary Experimental and Theoretical Insights. <i>European Journal of Inorganic Chemistry</i> , 2018, 2018, 469-476.	1.0	5
30	Temperature-, Light-, and Soft X-ray-Induced Spin Crossover in a Single Layer of Fe ^{II} -Pyrazolylborate Molecules in Direct Contact with Gold. <i>Journal of Physical Chemistry C</i> , 2018, 122, 727-731.	1.5	35
31	Probing Transient Photoinduced Charge Transfer in Prussian Blue Analogues with Time-Resolved XANES and Optical Spectroscopy. <i>European Journal of Inorganic Chemistry</i> , 2018, 2018, 272-277.	1.0	24
32	Structural Dependence of the Ising-type Magnetic Anisotropy and of the Relaxation Time in Mononuclear Trigonal Bipyramidal Co(II) Single Molecule Magnets. <i>Inorganic Chemistry</i> , 2017, 56, 1104-1111.	1.9	53
33	Nanoparticles of Prussian blue analogs and related coordination polymers: From information storage to biomedical applications. <i>Coordination Chemistry Reviews</i> , 2017, 346, 32-61.	9.5	158
34	Individual-collective crossover driven by particle size in dense assemblies of superparamagnetic nanoparticles. <i>European Physical Journal B</i> , 2017, 90, 1.	0.6	7
35	Design and Magnetic Properties of a Mononuclear Co(II) Single Molecule Magnet and Its Antiferromagnetically Coupled Binuclear Derivative. <i>Inorganic Chemistry</i> , 2017, 56, 4601-4608.	1.9	32
36	Magnetic Anisotropy in Pentacoordinate Ni ^{II} and Co ^{II} Complexes: Unraveling Electronic and Geometrical Contributions. <i>Chemistry - A European Journal</i> , 2017, 23, 3648-3657.	1.7	45

#	ARTICLE	IF	CITATIONS
37	A bird's eye view on the flat and conic band world of the honeycomb and Kagome lattices: towards an understanding of 2D metal-organic frameworks electronic structure. <i>Journal of Physics Condensed Matter</i> , 2017, 29, 465302.	0.7	37
38	Design of a Binuclear Ni(II) Complex with Large Ising-type Anisotropy and Weak Anti-Ferromagnetic Coupling. <i>Inorganic Chemistry</i> , 2017, 56, 10655-10663.	1.9	9
39	New method for the growth of single-walled carbon nanotubes from bimetallic nanoalloy catalysts based on Prussian blue analog precursors. <i>Carbon</i> , 2017, 123, 583-592.	5.4	26
40	The disentangling of hysteretic spin transition, polymorphism and metastability in bistable thin films formed by sublimation of bis(scorpionate) Fe(II) molecules. <i>Journal of Materials Chemistry C</i> , 2017, 5, 11067-11075.	2.7	44
41	Hysteresis in a bimetallic holmium complex: A synergy between electronic and nuclear magnetic interactions. <i>Physical Review B</i> , 2017, 96, .	1.1	8
42	Tools for Predicting the Nature and Magnitude of Magnetic Anisotropy in Transition Metal Complexes: Application to Co(II) Complexes. <i>Magnetochemistry</i> , 2016, 2, 31.	1.0	37
43	Engineering the magnetic coupling and anisotropy at the molecule-magnetic surface interface in molecular spintronic devices. <i>Nature Communications</i> , 2016, 7, 13646.	5.8	41
44	Synthesis, X-ray structure and catecholase activity of an antiferromagnetically coupled trinuclear nickel(II) complex. <i>Polyhedron</i> , 2016, 110, 221-226.	1.0	15
45	Unraveling J _f and J _e Effects on Magnetic Anisotropy in <i>cis</i> -Ni ₄ B ₂ Complexes: Magnetization, HF-EPR Studies, First-Principles Calculations, and Orbital Modeling. <i>Chemistry - A European Journal</i> , 2016, 22, 16850-16862.	1.7	15
46	Synthesis and Magnetic Characterization of Fe(III)-Based 9-Metallacrown-3 Complexes Which Exhibit Magnetorefrigerant Properties. <i>Inorganic Chemistry</i> , 2016, 55, 10238-10247.	1.9	28
47	Molecular-scale dynamics of light-induced spin cross-over in a two-dimensional layer. <i>Nature Communications</i> , 2016, 7, 12212.	5.8	125
48	Single-Molecule Magnet Behavior of Individual Polyoxometalate Molecules Incorporated within Biopolymer or Metal-Organic Framework Matrices. <i>Chemistry - A European Journal</i> , 2016, 22, 6564-6574.	1.7	34
49	Small-angle neutron scattering study of the short-range organization of dispersed CsNi[Cr(CN) ₆] nanoparticles. <i>Journal of Applied Physics</i> , 2015, 118, 114304.	1.1	2
50	Assessing the exchange coupling in binuclear lanthanide(III) complexes and the slow relaxation of the magnetization in the antiferromagnetically coupled Dy ₂ derivative. <i>Chemical Science</i> , 2015, 6, 4148-4159.	3.7	114
51	Imaging the Magnetic Reversal of Isolated and Organized Molecular-Based Nanoparticles using Magnetic Force Microscopy. <i>Particle and Particle Systems Characterization</i> , 2015, 32, 693-700.	1.2	15
52	Tuning the Ising-type anisotropy in trigonal bipyramidal Co(II) complexes. <i>Chemical Communications</i> , 2015, 51, 16475-16478.	2.2	73
53	Magnetization Reversal in CsNi ₂ Cr ₃ (CN) ₆ Coordination Nanoparticles: Unravelling Surface Anisotropy and Dipolar Interaction Effects. <i>Advanced Functional Materials</i> , 2014, 24, 5402-5411.	7.8	37
54	Structural and Electronic Dependence of the Single-Molecule-Magnet Behavior of Dysprosium(III) Complexes. <i>Inorganic Chemistry</i> , 2014, 53, 2598-2605.	1.9	49

#	ARTICLE	IF	CITATIONS
55	Chemical tuning of the magnetic relaxation in dysprosium(ⁱⁱⁱ) mononuclear complexes. Dalton Transactions, 2014, 43, 12146-12149.	1.6	45
56	Assembly of heterobimetallic Ni ^{II} –Ln ^{III} (Ln ^{III} = Dy ^{III}), Tj ETQqO 0 0 rgBT /Overlock a ferrocene ligand: slow relaxation of the magnetization in Dy ^{III} , Tb ^{III} and Ho ^{III} analogues. Dalton Transactions, 2014, 43, 8921-8932.	1.6	28
57	Tailoring the Structure of Two-Dimensional Self-Assembled Nanoarchitectures Based on Ni ^{II} –Salen Building Blocks. Chemistry - A European Journal, 2014, 20, 13566-13575.	1.7	6
58	Understanding Spin Structure in Metallocrown Single-Molecule Magnets using Magnetic Compton Scattering. Journal of the American Chemical Society, 2014, 136, 4889-4892.	6.6	45
59	Direct Synthesis and Integration of Individual, Diameter-Controlled Single-Walled Nanotubes (SWNTs). Chemistry of Materials, 2014, 26, 5074-5082.	3.2	12
60	Mn ^{II} -containing coordination nanoparticles as highly efficient T ₁ contrast agents for magnetic resonance imaging. Chemical Communications, 2014, 50, 6740-6743.	2.2	38
61	Ising-type magnetic anisotropy and single molecule magnet behaviour in mononuclear trigonal bipyramidal Co(ⁱⁱ) complexes. Chemical Science, 2014, 5, 3418.	3.7	146
62	Synergy in Photomagnetic/Ferromagnetic 50 nm Core-Multishell Nanoparticles. Inorganic Chemistry, 2013, 52, 10264-10274.	1.9	44
63	Sequential growth at the sub-10 nm scale of cyanide bridged coordination networks on inorganic surfaces. Dalton Transactions, 2013, 42, 15835.	1.6	16
64	Magnetic Anisotropy of Cyanide-Bridged Core and Core-Shell Coordination Nanoparticles Probed by X-ray Magnetic Circular Dichroism. Chemistry - A European Journal, 2013, 19, 6685-6694.	1.7	20
65	Origin of the Magnetic Anisotropy in Heptacoordinate Ni ^{II} and Co ^{II} Complexes. Chemistry - A European Journal, 2013, 19, 950-956.	1.7	145
66	Giant Ising-Type Magnetic Anisotropy in Trigonal Bipyramidal Ni(II) Complexes: Experiment and Theory. Journal of the American Chemical Society, 2013, 135, 3017-3026.	6.6	135
67	Click Chemistry as a Convenient Tool for the Incorporation of a Ruthenium Chromophore and a Nickel-Salen Monomer into a Visible-Light-Active Assembly. European Journal of Inorganic Chemistry, 2013, 2013, 494-499.	1.0	10
68	Subcomponent Self-Assembly of Rare-Earth Single-Molecule Magnets. Inorganic Chemistry, 2013, 52, 5194-5200.	1.9	63
69	Sequential growth of bistable copper-molybdenum coordination nanolayers on inorganic surfaces. Dalton Transactions, 2013, 42, 8034.	1.6	8
70	Assembly of Molecular Nanomagnets Into Nanogap Electrodes by Dielectrophoresis. Journal of Nanoscience and Nanotechnology, 2012, 12, 8710-8714.	0.9	1
71	Visualizing the morphology of hybrid nanoparticles at the nanometer level using STEM-EELS spectro-microscopy. Microscopy and Microanalysis, 2012, 18, 1602-1603.	0.2	0
72	Compact Hydrogen-Bonded Self-Assembly of Ni(II)-Salen Derivative Investigated Using Scanning Tunneling Microscopy. Journal of Physical Chemistry C, 2012, 116, 23404-23407.	1.5	12

#	ARTICLE	IF	CITATIONS
73	Tuning the magnetic anisotropy in coordination nanoparticles: random distribution versus core-shell architecture. <i>Chemical Communications</i> , 2012, 48, 11455.	2.2	33
74	Sequential Growth in Solution of NiFe Prussian Blue coordination network nanolayers on Si(100) surfaces. <i>Dalton Transactions</i> , 2012, 41, 1582-1590.	1.6	14
75	Electrical-field-induced structural change and charge transfer of lanthanide-salophen complexes assembled on carbon nanotube field effect transistor devices. <i>Chemical Communications</i> , 2012, 48, 9071.	2.2	9
76	Investigation of the Photoinduced Magnetization of Copper Octacyanomolybdates Nanoparticles by X-ray Magnetic Circular Dichroism. <i>Journal of the American Chemical Society</i> , 2012, 134, 222-228.	6.6	49
77	Charge Transfer and Tunable Ambipolar Effect Induced by Assembly of Cu(II) Binuclear Complexes on Carbon Nanotube Field Effect Transistor Devices. <i>Journal of the American Chemical Society</i> , 2012, 134, 7896-7901.	6.6	24
78	Patterning of Magnetic Bimetallic Coordination Nanoparticles of Prussian Blue Derivatives by the Langmuir-Blodgett Technique. <i>Langmuir</i> , 2012, 28, 4525-4533.	1.6	28
79	Cyanide-bridged NiCr and alternate NiFe-NiCr magnetic ultrathin films on functionalized Si(100) surface. <i>Dalton Transactions</i> , 2012, 41, 4445.	1.6	10
80	Matrix-dependent cooperativity in spin crossover Fe(pyrazine)Pt(CN) ₄ nanoparticles. <i>Chemical Communications</i> , 2011, 47, 11501.	2.2	133
81	Photo-induced magnetic bistability in a controlled assembly of anisotropic coordination nanoparticles. <i>Chemical Communications</i> , 2011, 47, 1985.	2.2	37
82	Tailored coordination nanoparticles: assessing the magnetic single-domain critical size. <i>Chemical Communications</i> , 2011, 47, 1051-1053.	2.2	39
83	Single Molecule Magnet Behavior of a Pentanuclear Mn-Based Metallocrown Complex: Solid State and Solution Magnetic Studies. <i>Inorganic Chemistry</i> , 2011, 50, 11348-11352.	1.9	56
84	Pentanuclear Cyanide-Bridged Complexes Based on Highly Anisotropic Co ^{II} Seven-Coordinate Building Blocks: Synthesis, Structure, and Magnetic Behavior. <i>Inorganic Chemistry</i> , 2011, 50, 12045-12052.	1.9	66
85	Highly symmetric organic ligand-capped Lindqvist structures derived from 3d-elements. <i>Dalton Transactions</i> , 2010, 39, 7774.	1.6	19
86	Molecular Spintronics in Mixed-Valence Magnetic Dimers: The Double-Exchange Blockade Mechanism. <i>Journal of the American Chemical Society</i> , 2010, 132, 8106-8114.	6.6	51
87	Growth and density control of nanometric nickel-iron cyanide-bridged objects on functionalized Si(100) surface. <i>Chemical Communications</i> , 2010, 46, 4327.	2.2	11
88	Assembly of a magnetic polyoxometalate on SWNTs. <i>Nanoscale</i> , 2010, 2, 139-144.	2.8	50
89	Core-Multishell Magnetic Coordination Nanoparticles: Toward Multifunctionality on the Nanoscale. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 183-187.	7.2	133
90	Magnetic Bistability of Individual Single-Molecule Magnets Grafted on Single-Wall Carbon Nanotubes. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 4949-4952.	7.2	97

#	ARTICLE	IF	CITATIONS
91	Functional Coordination Nanoparticles. <i>Inorganic Chemistry</i> , 2009, 48, 3360-3370.	1.9	86
92	Insights into the mechanism of the gas-phase purification of HiPco SWNTs through a comprehensive multi-technique study. <i>New Journal of Chemistry</i> , 2009, 33, 1211.	1.4	12
93	Orientation of Mn ₁₂ molecular nanomagnets in self-assembled monolayers. <i>CrystEngComm</i> , 2009, 11, 2192.	1.3	9
94	Universal Theoretical Approach to Extract Anisotropic Spin Hamiltonians. <i>Journal of Chemical Theory and Computation</i> , 2009, 5, 2977-2984.	2.3	270
95	Magnetic Imaging of Cyanide-Bridged Co Coordination Nanoparticles Grafted on FIB-Patterned Si Substrates. <i>Small</i> , 2008, 4, 2240-2246.	5.2	14
96	Large Magnetic Anisotropy in Pentacoordinate Ni(II) Complexes. <i>Chemistry - A European Journal</i> , 2008, 14, 1169-1177.	1.7	75
97	Hexacyanidometalate molecular chemistry, part III: di-, tri-, tetra-, hexa- and hepta-nuclear chromium-nickel complexes: Control of spin, structural anisotropy, intra- and inter-molecular exchange couplings. <i>Inorganica Chimica Acta</i> , 2008, 361, 3505-3518.	1.2	46
98	Magnetic behaviour of negatively charged nickel(II) hexacyanoferrate(III) coordination nanoparticles. <i>Inorganica Chimica Acta</i> , 2008, 361, 3931-3936.	1.2	14
99	Structural and Luminescent Properties of Micro- and Nanosized Particles of Lanthanide Terephthalate Coordination Polymers. <i>Inorganic Chemistry</i> , 2008, 47, 3700-3708.	1.9	177
100	Spin-Crossover Coordination Nanoparticles. <i>Inorganic Chemistry</i> , 2008, 47, 6584-6586.	1.9	293
101	Luminescent coordination nanoparticles. <i>New Journal of Chemistry</i> , 2008, 32, 584.	1.4	56
102	Grafting a Monolayer of Superparamagnetic Cyanide-Bridged Coordination Nanoparticles on Si(100). <i>Inorganic Chemistry</i> , 2008, 47, 1898-1900.	1.9	21
103	Magnetic Langmuir-Blodgett Films of Bimetallic Coordination Nanoparticles of Cs _{0.4} Ni[Cr(CN) ₆] _{0.9} . <i>Chemistry of Materials</i> , 2008, 20, 4642-4652.	3.2	29
104	Photoinduced Superparamagnetism in Trimetallic Coordination Nanoparticles. <i>Journal of the American Chemical Society</i> , 2007, 129, 3778-3779.	6.6	85
105	Assessing the Slow Magnetic Relaxation Behavior of Ln _{III} 4Mn _{III} 6Metallacrowns. <i>Inorganic Chemistry</i> , 2007, 46, 1954-1956.	1.9	139
106	Glycoligands Tuning the Magnetic Anisotropy of Ni(II) Complexes. <i>Chemistry - A European Journal</i> , 2007, 13, 2774-2782.	1.7	37
107	Ferromagnetic Cobalt Metallochromes. <i>Inorganic Chemistry</i> , 2006, 45, 7038-7040.	1.9	79
108	One step assembly of a nonanuclear Cr _{III} 2Ni _{III} 7 bimetallic cyanide bridged complex. <i>Chemical Communications</i> , 2006, , 735.	2.2	20

#	ARTICLE	IF	CITATIONS
109	Magnetic anisotropy of two trinuclear and tetranuclear CrIII NiII cyanide-bridged complexes with spin ground states $S = 4$ and 5 . Dalton Transactions, 2006, , 2818-2828.	1.6	30
110	Minor changes in phosphonate ligands lead to new hexa- and dodeca-nuclear Mn clusters. Journal of Materials Chemistry, 2006, 16, 2576.	6.7	45
111	Spontaneous stabilization and isolation of dispersible bimetallic coordination nanoparticles of $Cs_x Ni [Cr(CN)_6]_y$. Journal of Materials Chemistry, 2006, 16, 2593-2599.	6.7	76
112	Unexpected diversity and novel features within a family of new azide-bridged MnIII complexes of pyridyl/imineligands. Journal of Materials Chemistry, 2006, 16, 278-285.	6.7	49
113	Fe(III) clusters built with tripodal alcohol ligands. Polyhedron, 2006, 25, 325-333.	1.0	29
114	Superparamagnetic bimetallic cyanide-bridged coordination nanoparticles with $T_B = 9$ K. Chemical Communications, 2006, , 1018.	2.2	78
115	Synthesis and Characterization of Mixed-Valent Manganese Phosphonate Cage Complexes. Chemistry - A European Journal, 2006, 12, 8777-8785.	1.7	104
116	Synthesis of a metal-organic dicarboxylate hybrid with three dimensional Na-O-Cu connectivity: structure, magnetic property and controlled solid state thermolysis leading to CuO nanorod. Inorganica Chimica Acta, 2005, 358, 1027-1033.	1.2	29
117	A new (1/4 3-carbonato)tricopper(II) complex with symmetry related equilateral triangular array of metal centers; structure and magnetism. Inorganica Chimica Acta, 2005, 358, 2711-2717.	1.2	25
118	Magneto-Structural Correlations: Synthesis of a Family of End-On Azido-Bridged Manganese(II) Dinuclear Compounds with $S = 5$ Spin Ground State. Inorganic Chemistry, 2005, 44, 2391-2399.	1.9	117
119	Very Large Ising-Type Magnetic Anisotropy in a Mononuclear NiII Complex. Angewandte Chemie - International Edition, 2005, 44, 1876-1879.	7.2	109
120	Phosphonate Ligands Stabilize Mixed-Valent $\{Mn^{III} 2O \sim x Mn^{II}\}$ Clusters with Large Spin and Coercivity. Angewandte Chemie - International Edition, 2005, 44, 5044-5048.	7.2	233
121	Photomagnetic nanorods of the $Mo(CN)_8 Cu_2$ coordination network. Chemical Communications, 2005, , 746-748.	2.2	94
122	A Tetranuclear CrIII NiII 3Cyano-Bridged Complex Based on M(tacn) Derivative Building Blocks. Inorganic Chemistry, 2005, 44, 8194-8196.	1.9	35
123	A new approach to grafting a monolayer of oriented Mn12 nanomagnets on silicon. Chemical Communications, 2005, , 2020.	2.2	75
124	Building Molecular Minerals: All Ferric Pieces of Molecular Magnetite. Angewandte Chemie - International Edition, 2004, 43, 5772-5775.	7.2	87
125	Resonant Quantum Tunneling in a New Tetranuclear Iron(III)-Based Single-Molecule Magnet. Advanced Materials, 2004, 16, 1101-1105.	11.1	80
126	An Ni4 Single-Molecule Magnet: Synthesis, Structure and Low-Temperature Magnetic Behavior. European Journal of Inorganic Chemistry, 2004, 2004, 2219-2222.	1.0	152

#	ARTICLE	IF	CITATIONS
127	Structural and Magnetic Properties of Two Carboxylato-Bridged Manganese(II) Complexes with N-Donor Coligands. <i>European Journal of Inorganic Chemistry</i> , 2004, 2004, 4202-4208.	1.0	66
128	Use of Different Unsaturated Dicarboxylates Toward the Design of New 3D and 2D Networks of Copper(II). <i>European Journal of Inorganic Chemistry</i> , 2004, 2004, 4675-4680.	1.0	38
129	Star-Shaped Nanomolecules Based on p-Phenylene Sulfide Asterisks with a Persulfurated Coronene Core. <i>Chemistry - A European Journal</i> , 2004, 10, 2895-2904.	1.7	29
130	An Fe(III) wheel with a zwitterionic ligand: the structure and magnetic properties of [Fe(OMe) ₂ (proline)] ₁₂ [ClO ₄] ₁₂ . <i>Chemical Communications</i> , 2004, , 314.	2.2	68
131	Monomeric, Tetrameric, and Polymeric Copper Di-tert-butyl Phosphate Complexes Containing Pyridine Ancillary Ligands. <i>Inorganic Chemistry</i> , 2004, 43, 945-953.	1.9	63
132	Theoretical Study of the Magnetic Behavior of [Fe ₈] and [Fe ₁₆] Wheels. <i>Inorganic Chemistry</i> , 2004, 43, 5410-5415.	1.9	22
133	Cyanide-Bridged Cr(III) Nanoparticles. <i>Advanced Materials</i> , 2003, 15, 826-829.	11.1	149
134	Solvothermal Synthesis of a Tetradecametallic Fe(III) Cluster. <i>Angewandte Chemie - International Edition</i> , 2003, 42, 3781-3784.	7.2	127
135	Tuning the magnetic and electronic properties of polynuclear Prussian-blue-like complexes: the role of the organic ligand. <i>Comptes Rendus Chimie</i> , 2003, 6, 283-290.	0.2	7
136	Syntheses, Structural Analyses, and Magneto-Structural Correlations of Three Polymeric Fe(II) Complexes with Azide Ligand. <i>Inorganic Chemistry</i> , 2003, 42, 5966-5973.	1.9	79
137	A Novel Undecametallic Iron(III) Cluster with an S=11/2 Spin Ground State. <i>Inorganic Chemistry</i> , 2003, 42, 6601-6603.	1.9	65
138	Structural Analyses and Magnetic Properties of 3D Coordination Polymeric Networks of Nickel(II) Maleate and Manganese(II) Adipate with the Flexible 1,2-Bis(4-pyridyl)ethane Ligand. <i>Inorganic Chemistry</i> , 2003, 42, 2695-2703.	1.9	160
139	Structural and Magnetic Properties of Carboxylato-Bridged Manganese(II) Complexes Involving Tetradentate Ligands: A Discrete Complex and 1D Polymers. Dependence of on the Nature of the Carboxylato Bridge. <i>Inorganic Chemistry</i> , 2003, 42, 8072-8080.	1.9	105
140	New routes to high nuclearity cages: dimerisation of a manganese triangle via solvothermal synthesis. <i>Chemical Communications</i> , 2003, , 2330-2331.	2.2	25
141	Immobilisation of single molecule magnets in mesoporous silica hosts. <i>New Journal of Chemistry</i> , 2003, 27, 1533-1539.	1.4	37
142	Tuning the optical properties of Prussian blue-like complexes. <i>Chemical Communications</i> , 2002, , 1460-1461.	2.2	16
143	Octametallc and Hexadecametallic Ferric Wheels. <i>Angewandte Chemie - International Edition</i> , 2002, 41, 4318-4321.	7.2	104
144	Magnetic Nanocomposites Built by Controlled Incorporation of Magnetic Clusters into Mesoporous Silicates. <i>Advanced Materials</i> , 2002, 14, 896.	11.1	54

#	ARTICLE	IF	CITATIONS
145	Synthesis, Crystal Structures, and Magnetic Properties of Two New 1D Copper(II) Coordination Polymers Containing Fumarate(π^2) and Chelating N,N π^2 -Donor as Ligands. <i>European Journal of Inorganic Chemistry</i> , 2002, 2002, 3292-3297.	1.0	56
146	A Unique Heterotopic Ligand for Sequential Synthesis of Polymetallic Complexes. <i>European Journal of Inorganic Chemistry</i> , 2002, 2002, 323-325.	1.0	25
147	A doubly end-to-end azido bridged 1D ferromagnetic chain. <i>Inorganic Chemistry Communication</i> , 2002, 5, 472-474.	1.8	48
148	First observation of a ferromagnetic interaction through an end-to-end azido bridging pathway in a 1D copper(ii) system. <i>Chemical Communications</i> , 2001, , 1012-1013.	2.2	127
149	A three component fully interlocked 3-D network: crystal structure and magnetic properties. <i>Chemical Communications</i> , 2001, , 1346-1347.	2.2	64
150	A Prussian Blue Nanomolecule: Crystal Structure and Low-Temperature Magnetism. <i>Inorganic Chemistry</i> , 2001, 40, 3836-3837.	1.9	42
151	Pentanuclear Cyanide-Bridged Complexes with High Spin Ground States S=6 and 9: Characterization and Magnetic Properties. <i>Journal of Solid State Chemistry</i> , 2001, 159, 302-307.	1.4	4
152	Structure, Magnetic Properties and Magnetic Phase Diagram of a Layered, Bimetallic, Cyanide-Bridged CrIII-NiII Metamagnet. <i>European Journal of Inorganic Chemistry</i> , 2001, 2001, 1287-1293.	1.0	67
153	A novel bimetallic alternating chain: synthesis, crystal structure and magnetic study. <i>Inorganica Chimica Acta</i> , 2001, 315, 249-253.	1.2	48
154	A Mixed-Valence Mixed-Spin Prussian-Blue-Like Heptanuclear Complex. <i>Angewandte Chemie - International Edition</i> , 2000, 39, 2885-2887.	7.2	56
155	The First Structurally Alternating Copper(II) Chain with Alternate Single End-on and End-to-End Azido Bridging: A Synthesis, Crystal Structure, and Low-Temperature Magnetic Study. <i>Inorganic Chemistry</i> , 2000, 39, 5147-5150.	1.9	108
156	Metal π -radical approach to high spin molecules: a pentanuclear $\frac{1}{4}$ -cyano CrIIINiII(radical) ₂ complex with a low-lying S = 9 ground state. <i>Chemical Communications</i> , 1999, , 1951-1952.	2.2	63
157	Ferromagnetic order in a $\frac{1}{4}$ -cyano CrIII π -MnII assembly with an unusual branched architecture. <i>Chemical Communications</i> , 1999, , 2217-2218.	2.2	31
158	Soft X-ray Magnetic Circular Dichroism in Paramagnetic Systems: π Element-Specific Magnetization of Two Heptanuclear CrIII MnII ₆ High-Spin Molecules. <i>Journal of the American Chemical Society</i> , 1999, 121, 6414-6420.	6.6	57
159	A Chromium π -Vanadyl Ferrimagnetic Molecule-Based Magnet: Structure, Magnetism, and Orbital Interpretation. <i>Inorganic Chemistry</i> , 1999, 38, 229-234.	1.9	165
160	From ferromagnets to high-spin molecules: the role of the organic ligands. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 1999, 357, 3139-3158.	1.6	32
161	Nonlinear magnetic susceptibility of molecular magnets: Tunneling of high-spin molecules. <i>Physical Review B</i> , 1997, 56, 75-78.	1.1	27
162	Phase transitions in $[\text{M}(\text{ET4N})\text{ET4M}(\text{CN})_6, 3 \text{H}_2\text{O}; \text{M} = \text{FeIII}, \text{CoIII}, \text{CrIII}]$. <i>Synthetic Metals</i> , 1997, 86, 1859-1860.	2.1	18

#	ARTICLE	IF	CITATIONS
163	Soft XMCD in Molecule Based Magnets. European Physical Journal Special Topics, 1997, 7, C2-409-C2-413.	0.2	1
164	Characterization of Chemical Bonds in Bimetallic Cyanides Using X-ray Absorption Spectroscopy at L2,3 Edges. Journal of the American Chemical Society, 1996, 118, 6422-6427.	6.6	66
165	Through-Bond Exchange Coupling and Triplet Excitons in a Dinuclear Copper(II) Macrocyclic Complex. Inorganic Chemistry, 1996, 35, 4170-4176.	1.9	28
166	A chromium(III) nickel(II) cyanide-bridged ferromagnetic layered structure with corrugated sheets. Chemical Communications, 1996, , 2481-2482.	2.2	106
167	Theoretical study of high-TC molecular-based cyanide magnets. Journal of Magnetism and Magnetic Materials, 1996, 157-158, 417-418.	1.0	7
168	Strong cooperative protonation and copper(II)-assisted hydrolysis of the novel X-ray characterized polyoxamide cryptand 1,4,7,10,13,16,21,24-octaaza-bicyclo[8.8.8] hexacosan-5,6,14,15,22,23-hexone. Inorganica Chimica Acta, 1996, 246, 249-258.	1.2	5
169	XMCD measurements in a high TC molecular based magnet. Journal of Electron Spectroscopy and Related Phenomena, 1996, 78, 203-208.	0.8	3
170	Measurement of Magnetic Moment at the Atomic Scale in a HighTCMolecular Based Magnet. The Journal of Physical Chemistry, 1996, 100, 4679-4684.	2.9	28
171	A Rationale Molecular Approach to High-Spin Molecules and Molecular Magnets. , 1996, , 597-614.		5
172	Design, Synthesis and Processing of Molecular-Organic and Inorganic-Magnetic Materials. , 1996, , 571-582.		1
173	XMCD Measurements in a high TC molecular based magnet. , 1996, , 203-208.		0
174	A room-temperature organometallic magnet based on Prussian blue. Nature, 1995, 378, 701-703.	13.7	1,504
175	K edge X-ray magnetic circular dichroism in molecule-based magnets. Physica B: Condensed Matter, 1995, 208-209, 765-767.	1.3	12
176	Soft X-ray magnetic circular dichroism in molecular based magnet. Physica B: Condensed Matter, 1995, 208-209, 775-776.	1.3	3
177	Soft X-ray magnetic circular dichroism in molecular based magnets. Nuclear Instruments & Methods in Physics Research B, 1995, 97, 453-456.	0.6	2
178	Hexacyanometalates: Molecular Precursors for High-Spin Molecules and High-T _c Molecule-Based Magnets. Molecular Crystals and Liquid Crystals, 1995, 273, 141-151.	0.3	50
179	A heptanuclear Cr III Ni II 6 complex with a low-lying S= 15/2 ground state. Journal of the Chemical Society Chemical Communications, 1995, , 61.	2.0	154
180	High-T _c Molecular-Based Magnets: Ferrimagnetic Mixed-Valence Chromium(III)-Chromium(II) Cyanides with T _c at 240 and 190 Kelvin. Science, 1993, 262, 1554-1557.	6.0	803

#	ARTICLE	IF	CITATIONS
181	Tailored magnetic properties in trinuclear copper(II) complexes: synthesis, structure, and magnetic properties of complexes derived from [1,3-propanediylbis(oxamato)]cuprate(II) ([Cu(pba)] ₂ -). <i>Inorganic Chemistry</i> , 1993, 32, 3733-3742.	1.9	74
182	Structure and properties of tris[bis(ethylenedithio)tetrathiafulvalenium]tetrachlorocopper(II) hydrate, (BEDT-TTF) ₃ CuCl ₄ ·H ₂ O: first evidence for coexistence of localized and conduction electrons in a metallic charge-transfer salt. <i>Journal of the American Chemical Society</i> , 1992, 114, 10722-10729.	6.6	197
183	High-TC molecular-based magnets: a ferromagnetic bimetallic chromium(III)-nickel(II) cyanide with TC = 90 K. <i>Journal of the American Chemical Society</i> , 1992, 114, 9213-9214.	6.6	386
184	The synthesis, molecular structure and magnetic properties of [Cu ₂ L(1/4-OH)CH ₃ CN] ₂ [Cu ₆ I ₁₀] and [Cu ₂ L(1/4-Br)]Br ₂ , where L = 2,6-Bis(N,N-ε ² -dimethylethylenamineformimidoyl)-4-methylphenolato. <i>Inorganica Chimica Acta</i> , 1990, 172, 211-220.	1.2	16
185	Crystal structures and physical properties of bis(ethylenedithio)-tetrathiafulvalene charge-transfer salts with FeX ₄ ^ε (X = Cl or Br) anions. <i>Journal of the Chemical Society Dalton Transactions</i> , 1990, , 859-865.	1.1	73
186	Synthesis, Crystal Structure and Properties of (BEDT-TTF) ₃ CuCl ₄ · H ₂ O. <i>Springer Proceedings in Physics</i> , 1990, , 290-293.	0.1	10
187	Low-lying electronic states in μ-phenolato copper(II) binuclear compounds with hydroxo, ethanolato, azido, and cyanato exogenous bridges: crystal structures, magnetic properties, and interpretations. <i>Journal of the Chemical Society Dalton Transactions</i> , 1989, , 1117-1126.	1.1	66
188	BEDT-TTF salts containing magnetic anions FeCl ₄ ^ε , FeBr ₄ ^ε and CuCl ₄ ^ε . <i>Synthetic Metals</i> , 1988, 27, A381-A386.	2.1	18
189	Crystal structures and magnetic properties of dinuclear copper(II) complexes of 2,6-bis(N-(2-pyridylmethyl)formimidoyl)-4-methylphenolate with azido and cyanato-O exogenous ligands. <i>Inorganic Chemistry</i> , 1987, 26, 1375-1380.	1.9	80
190	Crystal structures and magnetic properties of μ-phenolato copper(II) binuclear complexes with hydroxo, azido, and cyanato-O exogenous bridges. <i>Inorganic Chemistry</i> , 1986, 25, 3058-3065.	1.9	87
191	Synthesis of Single-molecule Magnets Using Metalocyanates. , 0, , 103-131.		154
192	Out-of-equilibrium dynamics driven by photoinduced charge transfer in CsCoFe Prussian blue analogue nanocrystals. <i>Faraday Discussions</i> , 0, 237, 224-236.	1.6	5