

Munyaradzi Dimairo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6851016/publications.pdf>

Version: 2024-02-01

34
papers

2,000
citations

361045

20
h-index

395343

33
g-index

36
all docs

36
docs citations

36
times ranked

4038
citing authors

#	ARTICLE	IF	CITATIONS
1	The need for reporting guidelines for early phase dose-finding trials: Dose-Finding CONSORT Extension. <i>Nature Medicine</i> , 2022, 28, 6-7.	15.2	15
2	Endometrial scratch to increase live birth rates in women undergoing first-time in vitro fertilisation: RCT and systematic review. <i>Health Technology Assessment</i> , 2022, 26, 1-212.	1.3	6
3	Self-managed, computerised word finding therapy as an add-on to usual care for chronic aphasia post-stroke: An economic evaluation. <i>Clinical Rehabilitation</i> , 2021, 35, 703-717.	1.0	9
4	A randomised controlled trial to assess the clinical effectiveness and safety of the endometrial scratch procedure prior to first-time IVF, with or without ICSI. <i>Human Reproduction</i> , 2021, 36, 1841-1853.	0.4	10
5	Costs and staffing resource requirements for adaptive clinical trials: quantitative and qualitative results from the Costing Adaptive Trials project. <i>BMC Medicine</i> , 2021, 19, 251.	2.3	4
6	The adaptive designs CONSORT extension (ACE) statement: a checklist with explanation and elaboration guideline for reporting randomised trials that use an adaptive design. <i>Trials</i> , 2020, 21, 528.	0.7	10
7	The Adaptive designs CONSORT Extension (ACE) statement: a checklist with explanation and elaboration guideline for reporting randomised trials that use an adaptive design. <i>BMJ</i> , The, 2020, 369, m115.	3.0	57
8	Computerised speech and language therapy or attention control added to usual care for people with long-term post-stroke aphasia: the Big CACTUS three-arm RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-176.	1.3	24
9	Self-managed, computerised speech and language therapy for patients with chronic aphasia post-stroke compared with usual care or attention control (Big CACTUS): a multicentre, single-blinded, randomised controlled trial. <i>Lancet Neurology</i> , The, 2019, 18, 821-833.	4.9	116
10	Adaptive designs in clinical trials: why use them, and how to run and report them. <i>BMC Medicine</i> , 2018, 16, 29.	2.3	398
11	Development process of a consensus-driven CONSORT extension for randomised trials using an adaptive design. <i>BMC Medicine</i> , 2018, 16, 210.	2.3	28
12	Appropriate statistical methods for analysing partially nested randomised controlled trials with continuous outcomes: a simulation study. <i>BMC Medical Research Methodology</i> , 2018, 18, 105.	1.4	32
13	Informing efficient randomised controlled trials: exploration of challenges in developing progression criteria for internal pilot studies. <i>BMJ Open</i> , 2017, 7, e013537.	0.8	239
14	Physiotherapy for Patients with Sciatica Awaiting Lumbar Micro-discectomy Surgery: A Nested, Qualitative Study of Patients' Views and Experiences. <i>Physiotherapy Research International</i> , 2017, 22, e1665.	0.7	15
15	A cluster randomised trial, cost-effectiveness analysis and psychosocial evaluation of insulin pump therapy compared with multiple injections during flexible intensive insulin therapy for type 1 diabetes: the REPOSE Trial. <i>Health Technology Assessment</i> , 2017, 21, 1-278.	1.3	42
16	Recommendations for the analysis of individually randomised controlled trials with clustering in one arm – a case of continuous outcomes. <i>BMC Medical Research Methodology</i> , 2016, 16, 165.	1.4	28
17	Researching Complex Interventions in Health: The State of the Art. <i>BMC Health Services Research</i> , 2016, 16, 101.	0.9	17
18	Adaptive designs undertaken in clinical research: a review of registered clinical trials. <i>Trials</i> , 2016, 17, 150.	0.7	66

#	ARTICLE	IF	CITATIONS
19	Who gains clinical benefit from using insulin pump therapy? A qualitative study of the perceptions and views of health professionals involved in the Relative Effectiveness of Pumps over <scp>MDI</scp> and Structured Education (<scp>REPOSE</scp>) trial. <i>Diabetic Medicine</i> , 2016, 33, 243-251.	1.2	51
20	Meandering journey towards routine trial adaptation: survey results on barriers to use of adaptive designs in confirmatory trials. <i>Trials</i> , 2015, 16, .	0.7	0
21	Cross-sector surveys assessing perceptions of key stakeholders towards barriers, concerns and facilitators to the appropriate use of adaptive designs in confirmatory trials. <i>Trials</i> , 2015, 16, 585.	0.7	14
22	Missing steps in a staircase: a qualitative study of the perspectives of key stakeholders on the use of adaptive designs in confirmatory trials. <i>Trials</i> , 2015, 16, 430.	0.7	31
23	Investigation of the shortcomings of the consort 2010 statement for the reporting of group sequential randomised controlled trials. <i>Trials</i> , 2015, 16, .	0.7	0
24	An Investigation of the Shortcomings of the CONSORT 2010 Statement for the Reporting of Group Sequential Randomised Controlled Trials: A Methodological Systematic Review. <i>PLoS ONE</i> , 2015, 10, e0141104.	1.1	31
25	Sample size requirements to estimate key design parameters from external pilot randomised controlled trials: a simulation study. <i>Trials</i> , 2014, 15, 264.	0.7	407
26	A randomised controlled trial and cost-effectiveness evaluation of "booster"™ interventions to sustain increases in physical activity in middle-aged adults in deprived urban neighbourhoods. <i>Health Technology Assessment</i> , 2014, 18, 1-210.	1.3	29
27	Exploring the relationship between baseline physical activity levels and mortality reduction associated with increases in physical activity: a modelling study. <i>BMJ Open</i> , 2013, 3, e003509.	0.8	19
28	Computer Therapy Compared With Usual Care for People With Long-Standing Aphasia Poststroke. <i>Stroke</i> , 2012, 43, 1904-1911.	1.0	119
29	Risk factors for mortality in smear-negative tuberculosis suspects: a cohort study in Harare, Zimbabwe. <i>International Journal of Tuberculosis and Lung Disease</i> , 2011, 15, 1390-1396.	0.6	55
30	"Booster" interventions to sustain increases in physical activity in middle-aged adults in deprived urban neighbourhoods: internal pilot and feasibility study. <i>BMC Public Health</i> , 2011, 11, 129.	1.2	8
31	Computerised cognitive behavioural therapy for the treatment of depression in people with multiple sclerosis: external pilot trial. <i>Trials</i> , 2011, 12, 259.	0.7	42
32	Sample size determination through power simulation; practical lessons from a stepped wedge cluster randomised trial (SW CRT). <i>Trials</i> , 2011, 12, .	0.7	3
33	The Risk and Timing of Tuberculosis Diagnosed in Smear-Negative TB Suspects: A 12 Month Cohort Study in Harare, Zimbabwe. <i>PLoS ONE</i> , 2010, 5, e11849.	1.1	36
34	Skin Disease Among Human Immunodeficiency Virus-Infected Adolescents in Zimbabwe. <i>Pediatric Infectious Disease Journal</i> , 2010, 29, 346-351.	1.1	35