

# Munyaradzi Dimairo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6851016/publications.pdf>

Version: 2024-02-01

34  
papers

2,000  
citations

361413  
20  
h-index

395702  
33  
g-index

36  
all docs

36  
docs citations

36  
times ranked

4038  
citing authors

#	ARTICLE	IF	CITATIONS
1	The need for reporting guidelines for early phase dose-finding trials: Dose-Finding CONSORT Extension. <i>Nature Medicine</i> , 2022, 28, 6-7.	30.7	15
2	Endometrial scratch to increase live birth rates in women undergoing first-time in vitro fertilisation: RCT and systematic review. <i>Health Technology Assessment</i> , 2022, 26, 1-212.	2.8	6
3	Self-managed, computerised word finding therapy as an add-on to usual care for chronic aphasia post-stroke: An economic evaluation. <i>Clinical Rehabilitation</i> , 2021, 35, 703-717.	2.2	9
4	A randomised controlled trial to assess the clinical effectiveness and safety of the endometrial scratch procedure prior to first-time IVF, with or without ICSI. <i>Human Reproduction</i> , 2021, 36, 1841-1853.	0.9	10
5	Costs and staffing resource requirements for adaptive clinical trials: quantitative and qualitative results from the Costing Adaptive Trials project. <i>BMC Medicine</i> , 2021, 19, 251.	5.5	4
6	The adaptive designs CONSORT extension (ACE) statement: a checklist with explanation and elaboration guideline for reporting randomised trials that use an adaptive design. <i>Trials</i> , 2020, 21, 528.	1.6	10
7	The Adaptive designs CONSORT Extension (ACE) statement: a checklist with explanation and elaboration guideline for reporting randomised trials that use an adaptive design. <i>BMJ</i> , The, 2020, 369, m115.	6.0	57
8	Computerised speech and language therapy or attention control added to usual care for people with long-term post-stroke aphasia: the Big CACTUS three-arm RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-176.	2.8	24
9	Self-managed, computerised speech and language therapy for patients with chronic aphasia post-stroke compared with usual care or attention control (Big CACTUS): a multicentre, single-blinded, randomised controlled trial. <i>Lancet Neurology</i> , The, 2019, 18, 821-833.	10.2	116
10	Adaptive designs in clinical trials: why use them, and how to run and report them. <i>BMC Medicine</i> , 2018, 16, 29.	5.5	398
11	Development process of a consensus-driven CONSORT extension for randomised trials using an adaptive design. <i>BMC Medicine</i> , 2018, 16, 210.	5.5	28
12	Appropriate statistical methods for analysing partially nested randomised controlled trials with continuous outcomes: a simulation study. <i>BMC Medical Research Methodology</i> , 2018, 18, 105.	3.1	32
13	Informing efficient randomised controlled trials: exploration of challenges in developing progression criteria for internal pilot studies. <i>BMJ Open</i> , 2017, 7, e013537.	1.9	239
14	Physiotherapy for Patients with Sciatica Awaiting Lumbar Micro-discectomy Surgery: A Nested, Qualitative Study of Patients' Views and Experiences. <i>Physiotherapy Research International</i> , 2017, 22, e1665.	1.5	15
15	A cluster randomised trial, cost-effectiveness analysis and psychosocial evaluation of insulin pump therapy compared with multiple injections during flexible intensive insulin therapy for type 1 diabetes: the REPOSE Trial. <i>Health Technology Assessment</i> , 2017, 21, 1-278.	2.8	42
16	Recommendations for the analysis of individually randomised controlled trials with clustering in one arm – a case of continuous outcomes. <i>BMC Medical Research Methodology</i> , 2016, 16, 165.	3.1	28
17	Researching Complex Interventions in Health: The State of the Art. <i>BMC Health Services Research</i> , 2016, 16, 101.	2.2	17
18	Adaptive designs undertaken in clinical research: a review of registered clinical trials. <i>Trials</i> , 2016, 17, 150.	1.6	66

#	ARTICLE	IF	CITATIONS
19	Who gains clinical benefit from using insulin pump therapy? A qualitative study of the perceptions and views of health professionals involved in the Relative Effectiveness of Pumps over <scp>MDI</scp> and Structured Education (<scp>REPOSE</scp>) trial. Diabetic Medicine, 2016, 33, 243-251.	2.3	51
20	Meandering journey towards routine trial adaptation: survey results on barriers to use of adaptive designs in confirmatory trials. Trials, 2015, 16, .	1.6	0
21	Cross-sector surveys assessing perceptions of key stakeholders towards barriers, concerns and facilitators to the appropriate use of adaptive designs in confirmatory trials. Trials, 2015, 16, 585.	1.6	14
22	Missing steps in a staircase: a qualitative study of the perspectives of key stakeholders on the use of adaptive designs in confirmatory trials. Trials, 2015, 16, 430.	1.6	31
23	Investigation of the shortcomings of the consort 2010 statement for the reporting of group sequential randomised controlled trials. Trials, 2015, 16, .	1.6	0
24	An Investigation of the Shortcomings of the CONSORT 2010 Statement for the Reporting of Group Sequential Randomised Controlled Trials: A Methodological Systematic Review. PLoS ONE, 2015, 10, e0141104.	2.5	31
25	Sample size requirements to estimate key design parameters from external pilot randomised controlled trials: a simulation study. Trials, 2014, 15, 264.	1.6	407
26	A randomised controlled trial and cost-effectiveness evaluation of "booster"™ interventions to sustain increases in physical activity in middle-aged adults in deprived urban neighbourhoods. Health Technology Assessment, 2014, 18, 1-210.	2.8	29
27	Exploring the relationship between baseline physical activity levels and mortality reduction associated with increases in physical activity: a modelling study. BMJ Open, 2013, 3, e003509.	1.9	19
28	Computer Therapy Compared With Usual Care for People With Long-Standing Aphasia Poststroke. Stroke, 2012, 43, 1904-1911.	2.0	119
29	Risk factors for mortality in smear-negative tuberculosis suspects: a cohort study in Harare, Zimbabwe. International Journal of Tuberculosis and Lung Disease, 2011, 15, 1390-1396.	1.2	55
30	"Booster" interventions to sustain increases in physical activity in middle-aged adults in deprived urban neighbourhoods: internal pilot and feasibility study. BMC Public Health, 2011, 11, 129.	2.9	8
31	Computerised cognitive behavioural therapy for the treatment of depression in people with multiple sclerosis: external pilot trial. Trials, 2011, 12, 259.	1.6	42
32	Sample size determination through power simulation; practical lessons from a stepped wedge cluster randomised trial (SW CRT). Trials, 2011, 12, .	1.6	3
33	The Risk and Timing of Tuberculosis Diagnosed in Smear-Negative TB Suspects: A 12 Month Cohort Study in Harare, Zimbabwe. PLoS ONE, 2010, 5, e11849.	2.5	36
34	Skin Disease Among Human Immunodeficiency Virus-Infected Adolescents in Zimbabwe. Pediatric Infectious Disease Journal, 2010, 29, 346-351.	2.0	35