

Rahman Shiri

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6851319/rahman-shiri-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

166
papers

63,617
citations

56
h-index

174
g-index

174
ext. papers

82,019
ext. citations

11.6
avg, IF

7.63
L-index

#	Paper	IF	Citations
166	Estimation of the global prevalence of dementia in 2019 and forecasted prevalence in 2050: an analysis for the Global Burden of Disease Study 2019.. <i>Lancet Public Health, The</i> , 2022 ,	22.4	95
165	The Effect of Employee-Oriented Flexible Work on Mental Health: A Systematic Review. <i>Healthcare (Switzerland)</i> , 2022 , 10, 883	3.4	1
164	The associations of working hour characteristics with short sickness absence among part- and full-time retail workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021 , 47, 268-276	4.3	2
163	Indicators and determinants of the years of working life lost: a narrative review. <i>Scandinavian Journal of Public Health</i> , 2021 , 49, 666-674	3	2
162	Sickness absence and disability pension after carpal tunnel syndrome diagnosis: A register-based study of patients and matched references in Sweden. <i>Scandinavian Journal of Public Health</i> , 2021 , 14034948211002729	4.9	0
161	Work-related risk factors for ulnar nerve entrapment in the Northern Finland Birth Cohort of 1966. <i>Scientific Reports</i> , 2021 , 11, 10010	4.9	0
160	Predictors of working days lost due to sickness absence and disability pension. <i>International Archives of Occupational and Environmental Health</i> , 2021 , 94, 843-854	3.2	4
159	The pathophysiology of stress urinary incontinence: a systematic review and meta-analysis. <i>International Urogynecology Journal</i> , 2021 , 32, 501-552	2	14
158	Global mortality from dementia: Application of a new method and results from the Global Burden of Disease Study 2019. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2021 , 7, e12200	6	7
157	Use of multidimensional item response theory methods for dementia prevalence prediction: an example using the Health and Retirement Survey and the Aging, Demographics, and Memory Study. <i>BMC Medical Informatics and Decision Making</i> , 2021 , 21, 241	3.6	0
156	Timing of Entry into Paid Employment, Adverse Physical Work Exposures and Health: The Young Helsinki Health Study. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	1
155	Excess Body Mass and Leisure Time Physical Activity in the Incidence and Persistence of Chronic Pain. <i>Pain Medicine</i> , 2020 , 21, 3094-3101	2.8	0
154	Repositioning of the global epicentre of non-optimal cholesterol. <i>Nature</i> , 2020 , 582, 73-77	50.4	48
153	The effect of pain management group on chronic pain and pain related co-morbidities and symptoms. A stepped-wedge cluster randomized controlled trial. A study protocol. <i>Contemporary Clinical Trials Communications</i> , 2020 , 19, 100577	1.8	
152	Mapping geographical inequalities in childhood diarrhoeal morbidity and mortality in low-income and middle-income countries, 2000-17: analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2020 , 395, 1779-1801	40	30
151	Global and regional burden of chronic respiratory disease in 2016 arising from non-infectious airborne occupational exposures: a systematic analysis for the Global Burden of Disease Study 2016. <i>Occupational and Environmental Medicine</i> , 2020 , 77, 142-150	2.1	23
150	Risk factors of hospitalization for carpal tunnel syndrome among the general working population. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020 , 46, 43-49	4.3	8

149	Favourable changes in physical working conditions and the risk of all-cause sickness absence: a pseudo-experiment. <i>European Journal of Public Health</i> , 2020 , 30, 253-259	2.1	2
148	The effect of pain management group on chronic pain and pain related co-morbidities and symptoms. A stepped-wedge cluster randomized controlled trial. A study protocol. <i>Contemporary Clinical Trials Communications</i> , 2020 , 19, 100603	1.8	
147	Mapping geographical inequalities in oral rehydration therapy coverage in low-income and middle-income countries, 2000-17. <i>The Lancet Global Health</i> , 2020 , 8, e1038-e1060	13.6	12
146	Measuring universal health coverage based on an index of effective coverage of health services in 204 countries and territories, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020 , 396, 1250-1284	40	112
145	Mapping geographical inequalities in access to drinking water and sanitation facilities in low-income and middle-income countries, 2000-17. <i>The Lancet Global Health</i> , 2020 , 8, e1162-e1185	13.6	27
144	National trends in total cholesterol obscure heterogeneous changes in HDL and non-HDL cholesterol and total-to-HDL cholesterol ratio: a pooled analysis of 458 population-based studies in Asian and Western countries. <i>International Journal of Epidemiology</i> , 2020 , 49, 173-192	7.8	25
143	Body mass index and the risk of disability retirement: a systematic review and meta-analysis. <i>Occupational and Environmental Medicine</i> , 2020 , 77, 48-55	2.1	9
142	Mapping local patterns of childhood overweight and wasting in low- and middle-income countries between 2000 and 2017. <i>Nature Medicine</i> , 2020 , 26, 750-759	50.5	21
141	Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , 2020 , 26, i12-i26	3.2	13
140	Global and regional burden of disease and injury in 2016 arising from occupational exposures: a systematic analysis for the Global Burden of Disease Study 2016. <i>Occupational and Environmental Medicine</i> , 2020 , 77, 133-141	2.1	20
139	Work-related risk factors for sciatica leading to hospitalization. <i>Scientific Reports</i> , 2019 , 9, 6562	4.9	1
138	Breastfeeding rates in immigrant and non-immigrant women: A systematic review and meta-analysis. <i>Maternal and Child Nutrition</i> , 2019 , 15, e12809	3.4	21
137	Global, regional, and national burden of neurological disorders, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , 2019 , 18, 459-480	24.1	1093
136	Within-individual analysis of pain and sickness absence among employees from low and high occupational classes: a record linkage study. <i>BMJ Open</i> , 2019 , 9, e026994	3	4
135	Risk Factors for Low Back Pain: A Population-Based Longitudinal Study. <i>Arthritis Care and Research</i> , 2019 , 71, 290-299	4.7	49
134	Work-Related Exposures and Sickness Absence Trajectories: A Nationally Representative Follow-up Study among Finnish Working-Aged People. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	6
133	Mapping 123 million neonatal, infant and child deaths between 2000 and 2017. <i>Nature</i> , 2019 , 574, 353-358	58.4	87
132	Exposure to heavy physical work from early to later adulthood and primary healthcare visits due to musculoskeletal diseases in midlife: a register linked study. <i>BMJ Open</i> , 2019 , 9, e031564	3	3

131	Life expectancy and disease burden in the Nordic countries: results from the Global Burden of Diseases, Injuries, and Risk Factors Study 2017. <i>Lancet Public Health, The</i> , 2019 , 4, e658-e669	22.4	23
130	Risk and Prognostic Factors of Low Back Pain: Repeated Population-based Cohort Study in Sweden. <i>Spine</i> , 2019 , 44, 1248-1255	3.3	9
129	Global, regional, and national burden of Alzheimer's disease and other dementias, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , 2019 , 18, 88-106	24.1	782
128	Global, regional, and national burden of traumatic brain injury and spinal cord injury, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , 2019 , 18, 56-87	24.1	480
127	Common mental disorders and trajectories of work disability among midlife public sector employees - A 10-year follow-up study. <i>Journal of Affective Disorders</i> , 2019 , 247, 66-72	6.6	8
126	THE AUTHORS REPLY. <i>American Journal of Epidemiology</i> , 2018 , 187, 1340-1341	3.8	1
125	Carpal tunnel release: Lifetime prevalence, annual incidence, and risk factors. <i>Muscle and Nerve</i> , 2018 , 58, 497-502	3.4	49
124	Exercise for the Prevention of Low Back Pain: Systematic Review and Meta-Analysis of Controlled Trials. <i>American Journal of Epidemiology</i> , 2018 , 187, 1093-1101	3.8	52
123	Exercise for the prevention of low back and pelvic girdle pain in pregnancy: A meta-analysis of randomized controlled trials. <i>European Journal of Pain</i> , 2018 , 22, 19-27	3.7	39
122	Burden of obesity in the Eastern Mediterranean Region: findings from the Global Burden of Disease 2015 study. <i>International Journal of Public Health</i> , 2018 , 63, 165-176	4	33
121	Alcohol use and burden for 195 countries and territories, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2018 , 392, 1015-1035	40	1171
120	A screening tool for the risk of disability retirement due to musculoskeletal disorders. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018 , 44, 37-46	4.3	6
119	Suicide among agricultural, forestry, and fishery workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018 , 44, 106-107	4.3	3
118	Neonatal, infant, and under-5 mortality and morbidity burden in the Eastern Mediterranean region: findings from the Global Burden of Disease 2015 study. <i>International Journal of Public Health</i> , 2018 , 63, 63-77	4	10
117	Adolescent health in the Eastern Mediterranean Region: findings from the global burden of disease 2015 study. <i>International Journal of Public Health</i> , 2018 , 63, 79-96	4	8
116	Global, regional, and national age-sex-specific mortality and life expectancy, 1950-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1684-1735	40	483
115	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1736-1788	40	2850
114	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1923-1994	40	1964

113	Population and fertility by age and sex for 195 countries and territories, 1950-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The, 2018, 392, 1995-2051</i>	40	189
112	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The, 2018, 392, 1789-1858</i>	40	4524
111	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The, 2018, 392, 2091-2138</i>	40	210
110	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The, 2018, 392, 1859-1922</i>	40	1283
109	Measuring performance on the Healthcare Access and Quality Index for 195 countries and territories and selected subnational locations: a systematic analysis from the Global Burden of Disease Study 2016. <i>Lancet, The, 2018, 391, 2236-2271</i>	40	381
108	Burden of musculoskeletal disorders in the Eastern Mediterranean Region, 1990-2013: findings from the Global Burden of Disease Study 2013. <i>Annals of the Rheumatic Diseases, 2017, 76, 1365-1373</i>	2.4	56
107	Exercise for the primary prevention of low back pain. <i>British Journal of Sports Medicine, 2017, 51, 551</i>	10.3	2
106	The prevalence of antenatal and postnatal co-morbid anxiety and depression: a meta-analysis. <i>Psychological Medicine, 2017, 47, 2041-2053</i>	6.9	115
105	Does leisure time physical activity protect against low back pain? Systematic review and meta-analysis of 36 prospective cohort studies. <i>British Journal of Sports Medicine, 2017, 51, 1410-1418</i>	10.3	87
104	Healthcare Access and Quality Index based on mortality from causes amenable to personal health care in 195 countries and territories, 1990-2015: a novel analysis from the Global Burden of Disease Study 2015. <i>Lancet, The, 2017, 390, 231-266</i>	40	352
103	Health Effects of Overweight and Obesity in 195 Countries over 25 Years. <i>New England Journal of Medicine, 2017, 377, 13-27</i>	59.2	3027
102	Child and Adolescent Health From 1990 to 2015: Findings From the Global Burden of Diseases, Injuries, and Risk Factors 2015 Study. <i>JAMA Pediatrics, 2017, 171, 573-592</i>	8.3	216
101	Smoking prevalence and attributable disease burden in 195 countries and territories, 1990-2015: a systematic analysis from the Global Burden of Disease Study 2015. <i>Lancet, The, 2017, 389, 1885-1906</i>	40	867
100	Prevalence of antenatal and postnatal anxiety: systematic review and meta-analysis. <i>British Journal of Psychiatry, 2017, 210, 315-323</i>	5.4	430
99	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128.9 million children, adolescents, and adults. <i>Lancet, The, 2017, 390, 2627-2642</i>	40	2980
98	Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The, 2017, 390, 1084-1150</i>	40	421
97	Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The, 2017, 390, 1260-1344</i>	40	1152
96	Global, regional, and national age-sex specific mortality for 264 causes of death, 1980-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The, 2017, 390, 1151-1210</i>	40	2542

95	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1211-1259	40	3432
94	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1345-1422	40	1378
93	Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1423-1459	40	224
92	Lifestyle Risk Factors Increase the Risk of Hospitalization for Sciatica: Findings of Four Prospective Cohort Studies. <i>American Journal of Medicine</i> , 2017 , 130, 1408-1414.e6	2.4	9
91	Happiness, health, and mortality. <i>Lancet, The</i> , 2016 , 388, 26-7	40	0
90	Shift work and coronary artery disease. <i>Occupational and Environmental Medicine</i> , 2016 , 73, 569	2.1	
89	Predictors of citation rate. <i>Annals of Epidemiology</i> , 2016 , 26, 160	6.4	2
88	Global and National Burden of Diseases and Injuries Among Children and Adolescents Between 1990 and 2013: Findings From the Global Burden of Disease 2013 Study. <i>JAMA Pediatrics</i> , 2016 , 170, 267-87	8.3	347
87	Prevalence and risk factors for comorbid postpartum depressive symptomatology and anxiety. <i>Journal of Affective Disorders</i> , 2016 , 198, 142-7	6.6	95
86	The Effect of Smoking on the Risk of Sciatica: A Meta-analysis. <i>American Journal of Medicine</i> , 2016 , 129, 64-73.e20	2.4	23
85	Genome-Wide Meta-Analysis of Sciatica in Finnish Population. <i>PLoS ONE</i> , 2016 , 11, e0163877	3.7	15
84	Leisure-time physical activity and sciatica: A systematic review and meta-analysis. <i>European Journal of Pain</i> , 2016 , 20, 1563-1572	3.7	16
83	Arthritis as a risk factor for carpal tunnel syndrome: a meta-analysis. <i>Scandinavian Journal of Rheumatology</i> , 2016 , 45, 339-46	1.9	26
82	Re: How much excess body weight, blood sugar, or age can double the risk of hypertension?. <i>Public Health</i> , 2016 , 136, 200-1	4	
81	Worldwide trends in diabetes since 1980: a pooled analysis of 751 population-based studies with 4.4 million participants. <i>Lancet, The</i> , 2016 , 387, 1513-1530	40	2039
80	Trends in adult body-mass index in 200 countries from 1975 to 2014: a pooled analysis of 1698 population-based measurement studies with 192 million participants. <i>Lancet, The</i> , 2016 , 387, 1377-1396 ⁴⁰		2787
79	Obesity or smoking: Which factor contributes more to the incidence of myocardial infarction?. <i>European Journal of Internal Medicine</i> , 2016 , 34, e23-e24	3.9	
78	Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1459-1544	40	3525

77	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1659-1724	40	2431
76	Global, regional, national, and selected subnational levels of stillbirths, neonatal, infant, and under-5 mortality, 1980-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1725-1774	40	413
75	Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1813-1850	40	302
74	Diabetes as a risk factor for carpal tunnel syndrome: a systematic review and meta-analysis. <i>Diabetic Medicine</i> , 2016 , 33, 10-6	3.5	70
73	Effects of diabetes definition on global surveillance of diabetes prevalence and diagnosis: a pooled analysis of 96 population-based studies with 331,288 participants. <i>Lancet Diabetes and Endocrinology, the</i> , 2015 , 3, 624-37	18.1	109
72	Prevalence of postpartum depression among immigrant women: A systematic review and meta-analysis. <i>Journal of Psychiatric Research</i> , 2015 , 70, 67-82	5.2	122
71	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990-2013: quantifying the epidemiological transition. <i>Lancet, The</i> , 2015 , 386, 2145-91	40	1203
70	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015 , 386, 2287-323	40	1776
69	Cervical and lumbar pain and radiological degeneration among fighter pilots: a systematic review and meta-analysis. <i>Occupational and Environmental Medicine</i> , 2015 , 72, 145-50	2.1	24
68	The effect of excess body mass on the risk of carpal tunnel syndrome: a meta-analysis of 58 studies. <i>Obesity Reviews</i> , 2015 , 16, 1094-104	10.6	68
67	A square-shaped wrist as a predictor of carpal tunnel syndrome: A meta-analysis. <i>Muscle and Nerve</i> , 2015 , 52, 709-13	3.4	17
66	Efficacy of temporary work modifications on disability related to musculoskeletal pain or depressive symptoms--study protocol for a controlled trial. <i>BMJ Open</i> , 2015 , 5, e008300	3	4
65	Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015 , 386, 743-800	40	3802
64	Computer use and carpal tunnel syndrome: A meta-analysis. <i>Journal of the Neurological Sciences</i> , 2015 , 349, 15-9	3.2	23
63	Hypothyroidism and carpal tunnel syndrome: a meta-analysis. <i>Muscle and Nerve</i> , 2014 , 50, 879-83	3.4	42
62	Obesity as a risk factor for sciatica: a meta-analysis. <i>American Journal of Epidemiology</i> , 2014 , 179, 929-37	3.8	69
61	Common mental and musculoskeletal disorders as predictors of disability retirement among Finns. <i>Journal of Affective Disorders</i> , 2014 , 165, 38-44	6.6	34
60	Cardiovascular disease, chronic kidney disease, and diabetes mortality burden of cardiometabolic risk factors from 1980 to 2010: a comparative risk assessment. <i>Lancet Diabetes and Endocrinology, the</i> , 2014 , 2, 634-47	18.1	446

59	Global, regional, and national prevalence of overweight and obesity in children and adults during 1980-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014 , 384, 766-81	4.0	7175
58	Evaluation of the validity of job exposure matrix for psychosocial factors at work. <i>PLoS ONE</i> , 2014 , 9, e108987	3.7	30
57	Personal and workplace risk factors for carpal tunnel syndrome. <i>Occupational and Environmental Medicine</i> , 2014 , 71, 303	2.1	2
56	Shift work and diabetes: a meta-analysis. <i>Occupational and Environmental Medicine</i> , 2014 , 71, 804-5	2.1	3
55	Smoking and carpal tunnel syndrome: a meta-analysis. <i>Muscle and Nerve</i> , 2014 , 49, 345-50	3.4	26
54	Adipokines as predictors of recovery from upper extremity soft tissue disorders. <i>Rheumatology</i> , 2014 , 53, 2238-42	3.9	11
53	The prevalence and incidence of carpal tunnel syndrome in US working populations. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014 , 40, 101-2	4.3	11
52	Associations of work activities requiring pinch or hand grip or exposure to hand-arm vibration with finger and wrist osteoarthritis: a meta-analysis. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014 , 40, 133-45	4.3	9
51	The role of obesity and physical activity in non-specific and radiating low back pain: the Young Finns study. <i>Seminars in Arthritis and Rheumatism</i> , 2013 , 42, 640-50	5.3	75
50	Associations of metabolic factors and adipokines with pain in incipient upper extremity soft tissue disorders: a cross-sectional study. <i>BMJ Open</i> , 2013 , 3, e003036	3	18
49	The relation of co-occurring musculoskeletal pain and depressive symptoms with work ability. <i>Journal of Occupational and Environmental Medicine</i> , 2013 , 55, 1281-5	2	13
48	The relations of obesity indicators and early metabolic disturbance with upper extremity pain. <i>Pain Medicine</i> , 2013 , 14, 1081-7	2.8	6
47	Health-related effects of early part-time sick leave due to musculoskeletal disorders: a randomized controlled trial. <i>Scandinavian Journal of Work, Environment and Health</i> , 2013 , 39, 37-45	4.3	21
46	Development and validation of a job exposure matrix for physical risk factors in low back pain. <i>PLoS ONE</i> , 2012 , 7, e48680	3.7	42
45	Return to work after early part-time sick leave due to musculoskeletal disorders: a randomized controlled trial. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012 , 38, 134-43	4.3	48
44	Soluble IL-1RII and IL-18 are associated with incipient upper extremity soft tissue disorders. <i>Cytokine</i> , 2011 , 54, 149-53	4	26
43	Lateral and medial epicondylitis: role of occupational factors. <i>Best Practice and Research in Clinical Rheumatology</i> , 2011 , 25, 43-57	5.3	116
42	Associations of cardiovascular risk factors, carotid intima-media thickness and manifest atherosclerotic vascular disease with carpal tunnel syndrome. <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 80	2.8	30

41	The effect of workplace intervention on pain and sickness absence caused by upper-extremity musculoskeletal disorders. <i>Scandinavian Journal of Work, Environment and Health</i> , 2011 , 37, 120-8	4.3	22
40	The use of the vaginal ring and transdermal patch among adolescent girls in Finland. <i>European Journal of Contraception and Reproductive Health Care</i> , 2010 , 15, 31-4	1.8	5
39	The association between obesity and low back pain: a meta-analysis. <i>American Journal of Epidemiology</i> , 2010 , 171, 135-54	3.8	480
38	The association between smoking and low back pain: a meta-analysis. <i>American Journal of Medicine</i> , 2010 , 123, 87.e7-35	2.4	312
37	Low-level laser therapy for neck pain. <i>Lancet, The</i> , 2010 , 375, 721-2; author reply 722	4.0	7
36	Lifestyle and metabolic factors in relation to shoulder pain and rotator cuff tendinitis: a population-based study. <i>BMC Musculoskeletal Disorders</i> , 2010 , 11, 165	2.8	103
35	Incidence of nonspecific and radiating low back pain: followup of 24-39-year-old adults of the Young Finns Study. <i>Arthritis Care and Research</i> , 2010 , 62, 455-9	4.7	12
34	Effectiveness of an ergonomic intervention on the productivity of workers with upper-extremity disorders—a randomized controlled trial. <i>Scandinavian Journal of Work, Environment and Health</i> , 2010 , 36, 25-33	4.3	30
33	Physical work load factors and carpal tunnel syndrome: a population-based study. <i>Occupational and Environmental Medicine</i> , 2009 , 66, 368-73	2.1	52
32	More study needed on morning erections and erectile dysfunction. <i>American Journal of Medicine</i> , 2009 , 122, e7-8	2.4	
31	Adolescent sexual behavior during periods of increase and decrease in the abortion rate. <i>Obstetrics and Gynecology</i> , 2009 , 114, 79-86	4.9	6
30	Self-reported productivity loss among workers with upper extremity disorders. <i>Scandinavian Journal of Work, Environment and Health</i> , 2009 , 35, 301-8	4.3	49
29	Regular intercourse protects against erectile dysfunction: Tampere Aging Male Urologic Study. <i>American Journal of Medicine</i> , 2008 , 121, 592-6	2.4	37
28	Serum lipids in relation to sciatica among Finns. <i>Atherosclerosis</i> , 2008 , 197, 43-9	3.1	35
27	Depressive symptoms increase the incidence of nocturia: Tampere Aging Male Urologic Study (TAMUS). <i>Journal of Urology</i> , 2008 , 179, 1897-901	2.5	44
26	The effects of lifestyle factors on the incidence of nocturia. <i>Journal of Urology</i> , 2008 , 180, 2059-62	2.5	36
25	The association between obesity and the prevalence of low back pain in young adults: the Cardiovascular Risk in Young Finns Study. <i>American Journal of Epidemiology</i> , 2008 , 167, 1110-9	3.8	90
24	Risk factors of atherosclerosis and shoulder pain—is there an association? A systematic review. <i>European Journal of Pain</i> , 2008 , 12, 412-26	3.7	43

23	Bidirectional relationship between depression and erectile dysfunction. <i>Journal of Urology</i> , 2007 , 177, 669-73	2.5	86
22	Emergency contraception among Finnish adolescents: awareness, use and the effect of non-prescription status. <i>BMC Public Health</i> , 2007 , 7, 201	4.1	19
21	Impact of LUTS using bother index in DAN-PSS-1 questionnaire. <i>European Urology</i> , 2007 , 51, 473-7; discussion 477-8	10.2	22
20	The association between carotid intima-media thickness and sciatica. <i>Seminars in Arthritis and Rheumatism</i> , 2007 , 37, 174-81	5.3	17
19	Cardiovascular and lifestyle risk factors in lumbar radicular pain or clinically defined sciatica: a systematic review. <i>European Spine Journal</i> , 2007 , 16, 2043-54	2.7	61
18	Cardiovascular drug use and the incidence of erectile dysfunction. <i>International Journal of Impotence Research</i> , 2007 , 19, 208-12	2.3	37
17	Erectile dysfunction influences the subsequent incidence of lower urinary tract symptoms and bother. <i>International Journal of Impotence Research</i> , 2007 , 19, 317-20	2.3	24
16	Lead poisoning and recurrent abdominal pain. <i>Industrial Health</i> , 2007 , 45, 494-6	2.5	33
15	Hand dominance in upper extremity musculoskeletal disorders. <i>Journal of Rheumatology</i> , 2007 , 34, 1076-82	4.2	42
14	Effect of nonsteroidal anti-inflammatory drug use on the incidence of erectile dysfunction. <i>Journal of Urology</i> , 2006 , 175, 1812-5; discussion 1815-6	2.5	42
13	Incidence of nocturia in 50 to 80-year-old Finnish men. <i>Journal of Urology</i> , 2006 , 176, 2541-5; discussion 2545	2.5	39
12	Prevalence and determinants of lateral and medial epicondylitis: a population study. <i>American Journal of Epidemiology</i> , 2006 , 164, 1065-74	3.8	45 ^o
11	Smoking causes erectile dysfunction through vascular disease. <i>Urology</i> , 2006 , 68, 1318-22	1.6	12
10	Association between comorbidity and erectile dysfunction in patients with diabetes. <i>International Journal of Impotence Research</i> , 2006 , 18, 348-53	2.3	20
9	Association between opium abuse and comorbidity in diabetic men. <i>American Journal on Addictions</i> , 2006 , 15, 468-72	3.7	9
8	Effect of lower urinary tract symptoms on the incidence of erectile dysfunction. <i>Journal of Urology</i> , 2005 , 174, 205-9; discussion 209	2.5	39
7	Relationship between smoking and erectile dysfunction. <i>International Journal of Impotence Research</i> , 2005 , 17, 164-9	2.3	19
6	Are questions on both achieving and maintaining an erection needed to define erectile dysfunction?. <i>International Journal of Impotence Research</i> , 2005 , 17, 335-8	2.3	1

5	Association between the bothersomeness of lower urinary tract symptoms and the prevalence of erectile dysfunction. <i>Journal of Sexual Medicine</i> , 2005 , 2, 438-44	1.1	23
4	Effect of life-style factors on incidence of erectile dysfunction. <i>International Journal of Impotence Research</i> , 2004 , 16, 389-94	2.3	54
3	Effects of age, comorbidity and lifestyle factors on erectile function: Tampere Ageing Male Urological Study (TAMUS). <i>European Urology</i> , 2004 , 45, 628-33	10.2	39
2	Prevalence and severity of erectile dysfunction in 50 to 75-year-old Finnish men. <i>Journal of Urology</i> , 2003 , 170, 2342-4	2.5	42
1	Effect of chronic diseases on incidence of erectile dysfunction. <i>Urology</i> , 2003 , 62, 1097-102	1.6	36