Eric Albrecht

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/685144/eric-albrecht-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

91 2,060 25 43 g-index

99 2,790 5.1 5.67 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
91	Standardizing nomenclature for fascial plane blocks: the destination not the journey <i>Regional Anesthesia and Pain Medicine</i> , 2022 ,	3.4	
90	The Relationship Between Postoperative Opioid Analgesia and Sleep Apnea Severity in Patients Undergoing Hip Arthroplasty: A Randomized, Controlled, Triple-Blinded Trial <i>Nature and Science of Sleep</i> , 2022 , 14, 303-310	3.6	
89	PECS2 or PICK2 Regional Anesthesia and Pain Medicine, 2022 ,	3.4	
88	Brachial Plexus Block Above the Clavicle 2022 , 337-350		
87	PROSPECT guideline for elective caesarean section: updated systematic review and procedure-specific postoperative pain management recommendations. <i>Anaesthesia</i> , 2021 , 76, 665-680	6.6	32
86	Rapid Sequence Induction With a Standard Intubation Dose of Rocuronium After Magnesium Pretreatment Compared With Succinylcholine: A Randomized Clinical Trial. <i>Anesthesia and Analgesia</i> , 2021 , 133, 1540-1549	3.9	3
85	Post-operative outcomes and anesthesia type in total hip arthroplasty in patients with obstructive sleep apnea: A retrospective analysis of the State Inpatient Databases. <i>Journal of Clinical Anesthesia</i> , 2021 , 69, 110159	1.9	2
84	Combination of femoral triangle block and infiltration between the popliteal artery and the capsule of the posterior knee (iPACK) versus local infiltration analgesia for analgesia after anterior cruciate ligament reconstruction: a randomized controlled triple-blinded trial. <i>Regional Anesthesia and Pain</i>	3.4	2
83	Medicine, 2021 , 46, 763-768 PROSPECT guideline for total hip arthroplasty: a systematic review and procedure-specific postoperative pain management recommendations. <i>Anaesthesia</i> , 2021 , 76, 1082-1097	6.6	19
82	Transversus abdominis plane block versus local anaesthetic wound infiltration for analgesia after caesarean section: A systematic review and meta-analysis with trial sequential analysis. <i>European Journal of Anaesthesiology</i> , 2021 ,	2.3	2
81	Standardizing nomenclature in regional anesthesia: an ASRA-ESRA Delphi consensus study of abdominal wall, paraspinal, and chest wall blocks. <i>Regional Anesthesia and Pain Medicine</i> , 2021 , 46, 571-	5 8 6	22
80	Epidural vs. transversus abdominis plane block for abdominal surgery - a systematic review, meta-analysis and trial sequential analysis. <i>Anaesthesia</i> , 2021 , 76, 101-117	6.6	18
79	Impact of short-acting vs. standard anaesthetic agents on obstructive sleep apnoea: a randomised, controlled, triple-blind trial. <i>Anaesthesia</i> , 2021 , 76, 45-53	6.6	4
78	Impact of short-acting vs. standard anaesthetic agents on obstructive sleep apnoea: a reply. <i>Anaesthesia</i> , 2021 , 76, 422-423	6.6	3
77	Characteristics of a single versus multiple-injection axillary brachial plexus block: A single-blinded randomised, clinical trial. <i>European Journal of Anaesthesiology</i> , 2021 , 38, 785-787	2.3	
76	Efficacy and safety of intrathecal morphine for analgesia after lower joint arthroplasty: a systematic review and meta-analysis with meta-regression and trial sequential analysis. <i>Anaesthesia</i> , 2021 , 76, 1648-1658	6.6	4
75	Response to comment on: the combination of femoral triangle block and infiltration between the popliteal artery and the capsule of the posterior knee (iPACK) versus local infiltration analgesia for analgesia after anterior cruciate ligament reconstruction: a randomized, controlled, triple-blinded	3.4	

(2020-2021)

74	The analgesic efficacy of iPACK after knee surgery: A systematic review and meta-analysis with trial sequential analysis. <i>Journal of Clinical Anesthesia</i> , 2021 , 72, 110305	1.9	7
73	Response to comment on: The analgesic efficacy of iPACK after knee surgery: A systematic review and meta-analysis with trial sequential analysis. <i>Journal of Clinical Anesthesia</i> , 2021 , 74, 110401	1.9	O
72	Transversus abdominis plane block versus local anesthetic wound infiltration for optimal analgesia after laparoscopic cholecystectomy: A systematic review and meta-analysis with trial sequential analysis. <i>Journal of Clinical Anesthesia</i> , 2021 , 75, 110450	1.9	2
71	Local anaesthetic adjuncts for peripheral regional anaesthesia: a narrative review. <i>Anaesthesia</i> , 2021 , 76 Suppl 1, 100-109	6.6	15
70	0726 Impact Of Anesthetic Agents On Sleep Apnea Severity. Sleep, 2020 , 43, A276-A277	1.1	
69	Use of peripheral vascular access in the prehospital setting: is there room for improvement?. <i>BMC Emergency Medicine</i> , 2020 , 20, 46	2.4	3
68	PROSPECT guideline for hallux valgus repair surgery: a systematic review and procedure-specific postoperative pain management recommendations. <i>Regional Anesthesia and Pain Medicine</i> , 2020 , 45, 702-708	3.4	5
67	The Analgesic Efficacy of Transversus Abdominis Plane Block After Bariatric Surgery: a Systematic Review and Meta-analysis with Trial Sequential Analysis. <i>Obesity Surgery</i> , 2020 , 30, 4061-4070	3.7	6
66	Analgesic efficacy of PECS and serratus plane blocks after breast surgery: A systematic review, meta-analysis and trial sequential analysis. <i>Journal of Clinical Anesthesia</i> , 2020 , 63, 109744	1.9	13
65	Analgesic efficacy of PECS vs paravertebral blocks after radical mastectomy: A systematic review, meta-analysis and trial sequential analysis. <i>Journal of Clinical Anesthesia</i> , 2020 , 63, 109745	1.9	12
64	PROSPECT guideline for oncological breast surgery: all systematic review and procedure-specific postoperative pain management recommendations. <i>Anaesthesia</i> , 2020 , 75, 664-673	6.6	50
63	Low- versus high-dose intraoperative opioids: A systematic review with meta-analyses and trial sequential analyses. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 6-22	1.9	13
62	A randomised controlled trial of shoulder block vs. interscalene brachial plexus block for ventilatory function after shoulder arthroscopy. <i>Anaesthesia</i> , 2020 , 75, 493-498	6.6	3
61	Advances in regional anaesthesia and acute pain management: a narrative review. <i>Anaesthesia</i> , 2020 , 75 Suppl 1, e101-e110	6.6	39
60	Peripheral nerve blockade and novel analgesic modalities for ambulatory anesthesia. <i>Current Opinion in Anaesthesiology</i> , 2020 , 33, 760-767	2.9	7
59	Caudal analgesia versus abdominal wall blocks for pediatric genitourinary surgery: systematic review and meta-analysis. <i>Regional Anesthesia and Pain Medicine</i> , 2020 , 45, 924-933	3.4	1
58	Intrathecal morphine and sleep apnoea severity in patients undergoing hip arthroplasty: a randomised, controlled, triple-blinded trial. <i>British Journal of Anaesthesia</i> , 2020 , 125, 811-817	5.4	6
57	Interscalene brachial plexus block for surgical repair of clavicle fracture: a matched case-controlled study. <i>BMC Anesthesiology</i> , 2020 , 20, 91	2.4	4

56	Comments on Albrecht etlal. reviews. A reply. <i>Anaesthesia</i> , 2019 , 74, 1196-1197	6.6	
55	Dexamethasone Is Superior to Dexmedetomidine as a Perineural Adjunct for Supraclavicular Brachial Plexus Block: Systematic Review and Indirect Meta-analysis. <i>Anesthesia and Analgesia</i> , 2019 , 128, 543-554	3.9	33
54	Retroclavicular vs supraclavicular brachial plexus block for distal upper limb surgery: a randomised, controlled, single-blinded trial. <i>British Journal of Anaesthesia</i> , 2019 , 122, 518-524	5.4	7
53	Adductor canal block versus local infiltration analgesia for postoperative pain after anterior cruciate ligament reconstruction: a single centre randomised controlled triple-blinded trial. <i>British Journal of Anaesthesia</i> , 2019 , 123, e343-e349	5.4	21
52	Dose-response relationship of perineural dexamethasone for interscalene brachial plexus block: a randomised, controlled, triple-blind trial. <i>Anaesthesia</i> , 2019 , 74, 1001-1008	6.6	17
51	Intra-operative analgesia with remifentanil vs. dexmedetomidine: a systematic review and meta-analysis with trial sequential analysis. <i>Anaesthesia</i> , 2019 , 74, 793-800	6.6	58
50	Analgesic impact of intra-operative opioids vs. opioid-free anaesthesia: a systematic review and meta-analysis. <i>Anaesthesia</i> , 2019 , 74, 651-662	6.6	86
49	PROSPECT guideline for rotator cuff repair surgery: systematic review and procedure-specific postoperative pain management recommendations. <i>Anaesthesia</i> , 2019 , 74, 1320-1331	6.6	32
48	Development of evidence-based recommendations for procedure-specific pain management: PROSPECT methodology. <i>Anaesthesia</i> , 2019 , 74, 1298-1304	6.6	41
47	Perineural adjuncts for peripheral nerve block. <i>BJA Education</i> , 2019 , 19, 276-282	1.2	11
46	Fascia iliaca block in the emergency department for hip fracture: a randomized, controlled, double-blind trial. <i>BMC Geriatrics</i> , 2019 , 19, 180	4.1	9
45	A randomised controlled trial of the pectoral nerves-2 (PECS-2) block for radical mastectomy. <i>Anaesthesia</i> , 2019 , 74, 1277-1281	6.6	20
44	The TAP block in obese patients: pros and cons. <i>Minerva Anestesiologica</i> , 2019 , 85, 1024-1031	1.9	9
43	Evidence Basis for Regional Anesthesia in Ambulatory Anterior Cruciate Ligament Reconstruction: Part III: Local Instillation Analgesia-A Systematic Review and Meta-analysis. <i>Anesthesia and Analgesia</i> , 2019 , 128, 426-437	3.9	14
42	Optimising day-case analgesia for anterior cruciate ligament reconstruction - a reply. <i>Anaesthesia</i> , 2018 , 73, 515-516	6.6	1
41	Optimal Dose of Perineural Dexamethasone to Prolong Analgesia After Brachial Plexus Blockade: A Systematic Review and Meta-analysis. <i>Anesthesia and Analgesia</i> , 2018 , 126, 270-279	3.9	50
40	HEMS inter-facility transfer: a case-mix analysis. <i>BMC Emergency Medicine</i> , 2018 , 18, 13	2.4	8
39	Comparison of peripheral nerve blockade characteristics between non-diabetic patients and patients suffering from diabetic neuropathy: a prospective cohort study. <i>Anaesthesia</i> , 2018 , 73, 1110-17	117	9

(2015-2018)

38	administration of long-acting neuraxial opioids: a systematic review and meta-analysis. <i>Anaesthesia</i> , 2018 , 73, 480-489	6.6	15
37	The analgesic efficacy of transverse abdominis plane block versus epidural analgesia: A systematic review with meta-analysis. <i>Medicine (United States)</i> , 2018 , 97, e11261	1.8	47
36	A randomised controlled trial of placebo, droperidol or ondansetron to prevent nausea and vomiting after tonsillectomy in children receiving dexamethasone. <i>Anaesthesia</i> , 2017 , 72, 859-863	6.6	6
35	Reduced hemidiaphragmatic paresis with extrafascial compared with conventional intrafascial tip placement for continuous interscalene brachial plexus block: a randomized, controlled, double-blind trial. <i>British Journal of Anaesthesia</i> , 2017 , 118, 586-592	5.4	19
34	Efficacy of perineural vs systemic dexamethasone to prolong analgesia after peripheral nerve block: a systematic review and meta-analysis. <i>British Journal of Anaesthesia</i> , 2017 , 119, 183-191	5.4	65
33	Analgesic efficacy of local infiltration analgesia vs. femoral nerve block after anterior cruciate ligament reconstruction: a systematic review and meta-analysis. <i>Anaesthesia</i> , 2017 , 72, 1542-1553	6.6	29
32	Anestesia-rianimazione nella chirurgia surrenalica. <i>EMC - Anestesia-Rianimazione</i> , 2017 , 22, 1-8	0	
31	Electrophysiological Study of Femoral Nerve Function After a Continuous Femoral Nerve Block for Anterior Cruciate Ligament Reconstruction: A Randomized, Controlled Single-Blind Trial. <i>American Journal of Sports Medicine</i> , 2017 , 45, 578-583	6.8	16
30	Extrafascial injection for interscalene brachial plexus block reduces respiratory complications compared with a conventional intrafascial injection: a randomized, controlled, double-blind trial. British Journal of Anaesthesia, 2016 , 116, 531-7	5.4	46
29	A systematic review of ultrasound-guided methods for brachial plexus blockade. <i>Anaesthesia</i> , 2016 , 71, 213-27	6.6	34
28	Lipid emulsion layering in extracorporeal membrane oxygenation circuit. <i>Intensive Care Medicine</i> , 2016 , 42, 1806-1807	14.5	5
27	A two-year retrospective review of the determinants of pre-hospital analgesia administration by alpine helicopter emergency medical physicians to patients with isolated limb injury. <i>Anaesthesia</i> , 2016 , 71, 779-87	6.6	15
26	Sciatic nerve block and enhanced recovery after total knee arthroplasty - a reply. <i>Anaesthesia</i> , 2016 , 71, 1495-1496	6.6	1
25	The analgesic efficacy of local infiltration analgesia vs femoral nerve block after total knee arthroplasty: a systematic review and meta-analysis. <i>British Journal of Anaesthesia</i> , 2016 , 116, 597-609	5.4	71
24	The analgesic efficacy of sciatic nerve block in addition to femoral nerve block in patients undergoing total knee arthroplasty: a systematic review and meta-analysis. <i>Anaesthesia</i> , 2016 , 71, 1198	-269	43
23	A systematic review and meta-analysis of perineural dexamethasone for peripheral nerve blocks. <i>Anaesthesia</i> , 2015 , 70, 71-83	6.6	117
22	Perineural vs intravenous administration of dexamethasone: more data are available. <i>British Journal of Anaesthesia</i> , 2015 , 114, 160	5.4	7
21	The Analgesic Efficacy of Ultrasound-Guided Transversus Abdominis Plane Block in Adult Patients: A Meta-Analysis. <i>Anesthesia and Analgesia</i> , 2015 , 121, 1640-54	3.9	138

20	Reply to the Letter to the editor: Single-injection or continuous femoral nerve block for total knee arthroplasty?. <i>Clinical Orthopaedics and Related Research</i> , 2014 , 472, 2901-2	2.2	
19	Spinal accessory nerve injury after continuous interscalene block for shoulder arthroscopy in the sitting position. <i>Anaesthesia Cases</i> , 2014 , 2, 71-74		
18	The safety profile of neuraxial magnesium has not been properly addressed. <i>British Journal of Anaesthesia</i> , 2014 , 112, 173-4	5.4	3
17	Reply to Drs Bhatt and Hofmann. Regional Anesthesia and Pain Medicine, 2014, 39, 351-2	3.4	О
16	The maximum effective needle-to-nerve distance for ultrasound-guided interscalene block: an exploratory study. <i>Regional Anesthesia and Pain Medicine</i> , 2014 , 39, 56-60	3.4	34
15	Single-injection or continuous femoral nerve block for total knee arthroplasty?. <i>Clinical Orthopaedics and Related Research</i> , 2014 , 472, 1384-93	2.2	34
14	Ultrasound-guided transversus abdominis plane (TAP) block for laparoscopic gastric-bypass surgery: a prospective randomized controlled double-blinded trial. <i>Obesity Surgery</i> , 2013 , 23, 1309-14	3.7	67
13	Undertreatment of acute pain (oligoanalgesia) and medical practice variation in prehospital analgesia of adult trauma patients: a 10 yr retrospective study. <i>British Journal of Anaesthesia</i> , 2013 , 110, 96-106	5.4	109
12	Peri-operative intravenous administration of magnesium sulphate and postoperative pain: a meta-analysis. <i>Anaesthesia</i> , 2013 , 68, 79-90	6.6	249
11	The analgesic efficacy and safety of neuraxial magnesium sulphate: a quantitative review. <i>Anaesthesia</i> , 2013 , 68, 190-202	6.6	38
10	An analysis of patientsUnderstanding of WoutineUpreoperative blood tests and HIV screening. Is no news really good news?. <i>HIV Medicine</i> , 2012 , 13, 439-43	2.7	12
9	Semantics, misnomer, or uncertainty: where is the epineurium on ultrasound?. <i>Regional Anesthesia and Pain Medicine</i> , 2012 , 37, 360-1; author reply 361	3.4	3
8	Is a pre-anaesthetic information form really useful?. Acta Anaesthesiologica Scandinavica, 2011, 55, 517-	2B 9	11
7	Transient femoral neuropathy after knee ligament reconstruction and nerve stimulator-guided continuous femoral nerve block: a case series. <i>Anaesthesia</i> , 2011 , 66, 850-1	6.6	15
6	Images in clinical medicine. The jaw-thrust maneuver. New England Journal of Medicine, 2010, 363, e32	59.2	7
5	Spinal cord stimulation for the management of refractory angina pectoris. <i>Journal of Pain and Symptom Management</i> , 2006 , 31, S36-42	4.8	21
4	Success Rate of Airway Management by Residents in a Pre-hospital Emergency Setting: a Retrospective Study. <i>European Journal of Trauma and Emergency Surgery</i> , 2006 , 32, 516-522		3
3	Intraparenchymal migration of an intrathecal catheter three years after implantation. <i>Pain</i> , 2005 , 118, 274-8	8	12

LIST OF PUBLICATIONS

Acute pulmonary toxicity following occupational exposure to a floor stain protector in the building industry in Switzerland. *International Archives of Occupational and Environmental Health*, **2004**, 77, 244-8^{3.2}

Number of Edb motor units estimated using an adapted multiple point stimulation method: normal values and longitudinal studies in ALS and peripheral neuropathies. *Clinical Neurophysiology*, **2004**, 4.3 15, 557-63