Joseph W Magee

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6851567/joseph-w-magee-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

4,671 65 63 25 h-index g-index citations papers 65 4,981 5.1 3.7 L-index avg, IF ext. citations ext. papers

| # | Paper | IF | Citations |
|----|---|-----|-----------|
| 63 | Liquid Viscosity and Surface Tension of -Hexane, -Octane, -Decane, and -Hexadecane up to 573 K by Surface Light Scattering (SLS). <i>Journal of Chemical & Engineering Data</i> , 2020 , 64, | 2.8 | 32 |
| 62 | Isochoric heat capacity of near- and supercritical benzene and derived thermodynamic properties. <i>Journal of Molecular Liquids</i> , 2020 , 313, 113204 | 6 | 3 |
| 61 | 110th Anniversary: Properties of Imidazolium-Based Ionic Liquids Bearing Both Benzylic and n-Alkyl Substituents. <i>Industrial & Engineering Chemistry Research</i> , 2019 , 58, 17956-17964 | 3.9 | 12 |
| 60 | Validation of thermophysical data for scientific and engineering applications. <i>Journal of Chemical Thermodynamics</i> , 2019 , 133, 208-222 | 2.9 | 9 |
| 59 | One- and two-phase isochoric heat capacities and saturated densities of 2-propanol in the critical and supercritical regions. <i>Journal of Chemical Thermodynamics</i> , 2019 , 135, 155-174 | 2.9 | 2 |
| 58 | Influence of nanofluid instability on thermodynamic properties near the critical point. <i>Journal of Chemical Thermodynamics</i> , 2019 , 133, 46-59 | 2.9 | 6 |
| 57 | Heat Capacity of Saturated and Compressed Liquid Dimethyl Ether at Temperatures from (132 to 345) K and at Pressures to 35 MPa. <i>Journal of Chemical & Engineering Data</i> , 2018 , 63, 1713-1723 | 2.8 | 4 |
| 56 | Thermodynamic Properties at Saturation Derived from Experimental Two-Phase Isochoric Heat Capacity of 1-Hexyl-3-methylimidazolium Bis[(trifluoromethyl)sulfonyl]imide. <i>International Journal of Thermophysics</i> , 2016 , 37, 1 | 2.1 | 17 |
| 55 | Algorithmic Framework for Quality Assessment of Phase Equilibrium Data. <i>Journal of Chemical</i> & amp; Engineering Data, 2014, 59, 2283-2293 | 2.8 | 27 |
| 54 | Saturated and compressed liquid heat capacity at constant volume for 1-hexyl-3-methylimidazolium bis[(trifluoromethyl)sulfonyl]imide). <i>Physics and Chemistry of Liquids</i> , 2014 , 52, 657-679 | 1.5 | 23 |
| 53 | Improvement of Quality in Publication of Experimental Thermophysical Property Data: Challenges, Assessment Tools, Global Implementation, and Online Support. <i>Journal of Chemical & Engineering Data</i> , 2013 , 58, 2699-2716 | 2.8 | 187 |
| 52 | ThermoData Engine (TDE): software implementation of the dynamic data evaluation concept. 9. Extensible thermodynamic constraints for pure compounds and new model developments. <i>Journal of Chemical Information and Modeling</i> , 2013 , 53, 3418-30 | 6.1 | 23 |
| 51 | ThermoData Engine (TDE): software implementation of the dynamic data evaluation concept. 8. Properties of material streams and solvent design. <i>Journal of Chemical Information and Modeling</i> , 2013 , 53, 249-66 | 6.1 | 25 |
| 50 | NIST/TRC SOURCE Data Archival System: The Next-Generation Data Model for Storage of Thermophysical Properties. <i>International Journal of Thermophysics</i> , 2012 , 33, 22-33 | 2.1 | 17 |
| 49 | ThermoData Engine (TDE) software implementation of the dynamic data evaluation concept. 7. Ternary mixtures. <i>Journal of Chemical Information and Modeling</i> , 2012 , 52, 260-76 | 6.1 | 26 |
| 48 | A new method for evaluation of UNIFAC interaction parameters. Fluid Phase Equilibria, 2011, 309, 68-75 | 2.5 | 25 |
| 47 | ThermoData Engine (TDE): software implementation of the dynamic data evaluation concept. 6. Dynamic web-based data dissemination through the NIST Web Thermo Tables. <i>Journal of Chemical Information and Modeling</i> , 2011 , 51, 1506-12 | 6.1 | 15 |

(2005-2011)

| 46 | ThermoData Engine (TDE): software implementation of the dynamic data evaluation concept. 5. Experiment planning and product design. <i>Journal of Chemical Information and Modeling</i> , 2011 , 51, 181-9 | 94 ^{5.1} | 25 |
|----|--|-------------------|------|
| 45 | Volatility of Aprotic Ionic Liquids [A Review. <i>Journal of Chemical & Dappering Data</i> , 2010 , 55, 3-12 | 2.8 | 259 |
| 44 | Quality Assessment Algorithm for Vaporliquid Equilibrium Data. <i>Journal of Chemical & Engineering Data</i> , 2010 , 55, 3631-3640 | 2.8 | 102 |
| 43 | Reply to Comments by J. Wisniak on J. Chem. Eng. Data2010, 55, 3631B640. <i>Journal of Chemical & Chemical Bata</i> , 2010, 55, 5395-5395 | 2.8 | 2 |
| 42 | Thermodynamic and thermophysical properties of the reference ionic liquid: 1-Hexyl-3-methylimidazolium bis[(trifluoromethyl)sulfonyl]amide (including mixtures). Part 2. Critical evaluation and recommended property values (IUPAC Technical Report). Pure and Applied | 2.1 | 101 |
| 41 | Chemistry, 2009 , 81, 791-828 Molar Heat Capacity at Constant Volume for Isobutane at Temperatures from (114 to 345) K and at Pressures to 35 MPa[] <i>Journal of Chemical & Data</i> , 2009 , 54, 2646-2655 | 2.8 | 10 |
| 40 | Thermodynamic Properties of Propane. II. Molar Heat Capacity at Constant Volume from (85 to 345) K with Pressures to 35 MPa. <i>Journal of Chemical & Chemical & Constant Volume from (85 to 345)</i> K with Pressures to 35 MPa. <i>Journal of Chemical & Constant Volume from (85 to 345)</i> K with Pressures to 35 MPa. <i>Journal of Chemical & Constant Volume from (85 to 345)</i> K with Pressures to 35 MPa. <i>Journal of Chemical & Constant Volume from (85 to 345)</i> K with Pressures to 35 MPa. <i>Journal of Chemical & Constant Volume from (85 to 345)</i> K with Pressures to 35 MPa. <i>Journal of Chemical & Constant Volume from (85 to 345)</i> K with Pressures to 35 MPa. <i>Journal of Chemical & Constant Volume from (85 to 345)</i> K with Pressures to 35 MPa. <i>Journal of Chemical & Constant Volume from (85 to 345)</i> K with Pressures to 35 MPa. <i>Journal of Chemical & Constant Volume from (85 to 345)</i> K with Pressures to 35 MPa. <i>Journal of Chemical & Constant Volume from (85 to 345)</i> K with Pressures to 35 MPa. <i>Journal of Chemical & Constant Volume from (85 to 345)</i> K with Pressures to 35 MPa. <i>Journal of Chemical & Constant Volume from (85 to 345)</i> K with Pressure to 35 MPa. <i>Journal of Chemical & Constant Volume from (85 to 345)</i> K with Pressure to 35 MPa. <i>Journal of Chemical & Constant Volume from (85 to 345)</i> K with Pressure to 35 MPa. <i>Journal of Chemical & Constant Volume from (85 to 345)</i> K with Pressure to 35 MPa. <i>Journal of Chemical & Constant Volume from (85 to 345)</i> K with Pressure to 35 MPa. <i>Journal of Chemical & Constant Volume from (85 to 345)</i> K with Pressure to 35 MPa. <i>Journal of Chemical & Constant Volume from (85 to 345)</i> K with Pressure to 35 MPa. <i>Journal of Chemical & Constant Volume from (85 to 345)</i> K with Pressure to 35 MPa. <i>Journal of Chemical & Constant Volume from (85 to 345)</i> K with Pressure to 35 MPa. <i>Journal of Chemical & Constant Volume from (85 to 345)</i> K with Pressure to 35 MPa. <i>Journal of Chemical & Constant Volume from (85 to 345)</i> K with Pressure to 35 MPa. <i>Journal of Chemical & Constant Volume from (85 to </i> | 2.8 | 11 |
| 39 | Thermodynamic and thermophysical properties of the reference ionic liquid: 1-Hexyl-3-methylimidazolium bis[(trifluoromethyl)sulfonyl]amide (including mixtures). Part 1. Experimental methods and results (IUPAC Technical Report). <i>Pure and Applied Chemistry</i> , 2009 , 81, 781- | 2.1 -790 | 104 |
| 38 | Relative volatilities of ionic liquids by vacuum distillation of mixtures. <i>Journal of Physical Chemistry B</i> , 2007 , 111, 8959-64 | 3.4 | 48 |
| 37 | ILThermo: A Free-Access Web Database for Thermodynamic Properties of Ionic Liquids <i>Journal of Chemical & Data, 2007, 52, 1151-1159</i> | 2.8 | 148 |
| 36 | Density, Viscosity, Speed of Sound, and Electrolytic Conductivity for the Ionic Liquid 1-Hexyl-3-methylimidazolium Bis(trifluoromethylsulfonyl)imide and Its Mixtures with Water. <i>Journal of Chemical & Data</i> , 2007, 52, 2331-2338 | 2.8 | 201 |
| 35 | New global communication process in thermodynamics: impact on quality of published experimental data. <i>Journal of Chemical Information and Modeling</i> , 2006 , 46, 2487-93 | 6.1 | 24 |
| 34 | The distillation and volatility of ionic liquids. <i>Nature</i> , 2006 , 439, 831-4 | 50.4 | 1732 |
| 33 | The effect of dissolved water on the viscosities of hydrophobic room-temperature ionic liquids. <i>Chemical Communications</i> , 2005 , 1610-2 | 5.8 | 253 |
| 32 | Specific Heat Capacity at Constant Volume for R125 and R410A at Temperatures from (300 to 400) K and Pressures to 20 MPa. <i>Journal of Chemical & Engineering Data</i> , 2005 , 50, 1727-1731 | 2.8 | 5 |
| 31 | Enthalpy of Solution of 1-Octyl-3-methylimidazolium Tetrafluoroborate in Water and in Aqueous Sodium Fluoride. <i>Journal of Chemical & Engineering Data</i> , 2005 , 50, 1484-1491 | 2.8 | 66 |
| 30 | Physical Property Measurements and a Comprehensive Data Retrieval System for Ionic Liquids. <i>ACS Symposium Series</i> , 2005 , 160-174 | 0.4 | 2 |
| 29 | Electrolytic conductivity of four imidazolium-based room-temperature ionic liquids and the effect of a water impurity. <i>Journal of Chemical Thermodynamics</i> , 2005 , 37, 569-575 | 2.9 | 272 |

| 28 | Isochoric heat capacity measurements for a CO2 + n-decane mixture in the near-critical and supercritical regions. <i>Journal of Supercritical Fluids</i> , 2005 , 33, 209-222 | 4.2 | 39 |
|----|---|-------------------------------|-----|
| 27 | Thermodynamic Properties of 1-Butyl-3-methylimidazolium Hexafluorophosphate in the Condensed State. <i>Journal of Chemical & Engineering Data</i> , 2004 , 49, 453-461 | 2.8 | 198 |
| 26 | Establishing benchmarks for the first industrial fluids simulation challenge. <i>Fluid Phase Equilibria</i> , 2004 , 217, 11-15 | 2.5 | 7 |
| 25 | Thermodynamic Properties of 1-Butyl-3-methylimidazolium Hexafluorophosphate in the Ideal Gas State. <i>Journal of Chemical & Data</i> , 2003, 48, 457-462 | 2.8 | 196 |
| 24 | PVTx measurements for H2O+D2O mixtures in the near-critical and supercritical regions. <i>Journal of Supercritical Fluids</i> , 2003 , 26, 115-128 | 4.2 | 26 |
| 23 | Isochoric Heat Capacities of Alkanols and Their Aqueous Mixtures <i>Journal of Chemical & Engineering Data</i> , 2003 , 48, 1583-1586 | 2.8 | 17 |
| 22 | Papers Presented at the Workshop on Ionic Liquids, ICCT, Rostock, Germany, July 28 to August 2, 2002. <i>Journal of Chemical & Engineering Data</i> , 2003 , 48, 445-445 | 2.8 | 2 |
| 21 | Specific Heat Capacity at Constant Volume for Water, Methanol, and Their Mixtures at Temperatures from 300 K to 400 K and Pressures to 20 MPa[] <i>Journal of Chemical & Data</i> , 2001, 46, 1101-1106 | 2.8 | 34 |
| 20 | PVTx Measurements for Water + Toluene Mixtures in the Near-Critical and Supercritical Regions. Journal of Chemical & Data, 2001, 46, 1610-1618 | 2.8 | 26 |
| 19 | Forum 2000: Fluid Properties for New Technologies, Connecting Virtual Design with Physical Reality. <i>Journal of Chemical & Engineering Data</i> , 2001 , 46, 1002-1006 | 2.8 | 5 |
| 18 | Isochoric pll Measurements on {(x)CO2 + (1 lk)C2H6, x ld.25, 0.49, 0.74} from (220 to 400) K at Pressures to 35 MPall Journal of Chemical & Engineering Data, 2001, 46, 1095-1100 | 2.8 | 7 |
| 17 | Isochoric Heat Capacity for Toluene near Phase Transitions and the Critical Point\(\textit{IJournal of Chemical & amp; Engineering Data, \textit{2001}, 46, 1064-1071}\) | 2.8 | 32 |
| 16 | PVT Measurements for Toluene in the Near-Critical and Supercritical Regions [Journal of Chemical & Amp; Engineering Data, 2001, 46, 1089-1094] | 2.8 | 18 |
| 15 | Molar Heat Capacity at Constant Volume of Trifluoromethane (R23) from the Triple-Point Temperature to 342 K at Pressures to 33 MPa. <i>International Journal of Thermophysics</i> , 2000 , 21, 1351-13 | 3 7 2 ¹ | 12 |
| 14 | Isochoric Heat Capacity Measurements for 2,2-Dichloro-1,1,1-Trifluoroethane (R123) at Temperatures from 167 to 341 K and 1-Chloro-1,2,2,2-Tetrafluoroethane (R124) from 94 to 341 K at Pressures to 35 MPa. <i>International Journal of Thermophysics</i> , 2000 , 21, 1303-1320 | 2.1 | 6 |
| 13 | Isochoric p II Measurements for 2,2-Dichloro-1,1,1-Trifluoroethane (R123) at Temperatures from 176 to 380 K and 1-Chloro-1,2,2,2-Tetrafluoroethane (R124) from 104 to 400 K at Pressures to 35 MPa. <i>International Journal of Thermophysics</i> , 2000 , 21, 1291-1301 | 2.1 | 5 |
| 12 | Subatmospheric Vapor Pressures for Fluoromethane (R41), 1,1-Difluoroethane (R152a), and 1,1,1-Trifluoroethane (R143a) Evaluated from Internal-Energy Measurements. <i>International Journal of Thermophysics</i> , 1999 , 20, 1467-1481 | 2.1 | 6 |
| 11 | Isochoric pl and Heat Capacity Cv Measurements on {xC3H8 + (1 lk)i-C4H10, x ld.7, 0.3} from 200 to 400 K at Pressures to 35 MPa. <i>Journal of Chemical & Data</i> , 1999, 44, 1048-1054 | 2.8 | 16 |

LIST OF PUBLICATIONS

| 10 | Isochoric p-ET Measurements on 1,1-Difluoroethane (R152a) from 158 to 400 K and 1,1,1-Trifluoroethane (R143a) from 166 to 400 K at Pressures to 35 MPa. <i>International Journal of Thermophysics</i> , 1998 , 19, 1381-1395 | 2.1 | 6 |
|----|---|--------------------|----|
| 9 | Specific Heat Capacity at Constant Volume for {xNH3 + (1 Å)H2O} at Temperatures from 300 to 520 K and Pressures to 20 MPa. <i>Journal of Chemical & Data</i> , 1998, 43, 1082-1090 | 2.8 | 16 |
| 8 | High-Temperature Adiabatic Calorimeter for Constant-Volume Heat Capacity Measurements of Compressed Gases and Liquids. <i>Journal of Research of the National Institute of Standards and Technology</i> , 1998 , 103, 63-75 | 1.3 | 17 |
| 7 | Subatmospheric vapor pressures evaluated from internal-energy measurements. <i>International Journal of Thermophysics</i> , 1997 , 18, 173-193 | 2.1 | 11 |
| 6 | Isochoric (p,IT) Measurements for Liquid Toluene from 180 K to 400 K at Pressures to 35 MPaIl <i>Journal of Chemical & Data, 1996, 41, 900-905</i> | 2.8 | 18 |
| 5 | Isochoricp-?-T measurements on Difluoromethane (R32) from 142 to 396 K and pentafluoroethane (R125) from 178 to 398 K at pressures to 35 MPa. <i>International Journal of Thermophysics</i> , 1996 , 17, 803 | -8 2 .2 | 39 |
| 4 | Molar Heat Capacity at Constant Volume for [xCO2 + (1 - x)C2H6] from 220 to 340 K at Pressures to 35 MPa. <i>Journal of Chemical & Engineering Data</i> , 1995 , 40, 438-442 | 2.8 | 9 |
| 3 | Measurements of molar heat capacity at constant volume (Cv) for 1,1,1,2-tetrafluoroethane (R134a). <i>International Journal of Refrigeration</i> , 1992 , 15, 372-380 | 3.8 | 21 |
| 2 | Measurements of molar heat capacity at constant volume: CV, $m\{xCH4 + (1 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $ | 2.9 | 23 |
| 1 | Isochoric (p, v, T) measurements on CO2 and (0.98 CO2+0.02 CH4) from 225 to 400 K and pressures to 35 MPa. <i>International Journal of Thermophysics</i> , 1988 , 9, 547-557 | 2.1 | 40 |