

Kristina Alexanderson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6851791/publications.pdf>

Version: 2024-02-01

312
papers

8,543
citations

50170

46
h-index

79541

73
g-index

314
all docs

314
docs citations

314
times ranked

6520
citing authors

#	ARTICLE	IF	CITATIONS
1	Be the fairest of them all: Challenges and recommendations for the treatment of gender in occupational health research. <i>American Journal of Industrial Medicine</i> , 2003, 43, 618-629.	1.0	312
2	How to measure sickness absence? Literature review and suggestion of five basic measures. <i>Scandinavian Journal of Public Health</i> , 1998, 26, 133-144.	0.6	184
3	Antipsychotics and mortality in a nationwide cohort of 29,823 patients with schizophrenia. <i>Schizophrenia Research</i> , 2018, 197, 274-280.	1.1	179
4	Antipsychotic Treatment and Mortality in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2015, 41, 656-663.	2.3	166
5	Mortality and Cumulative Exposure to Antipsychotics, Antidepressants, and Benzodiazepines in Patients With Schizophrenia: An Observational Follow-Up Study. <i>American Journal of Psychiatry</i> , 2016, 173, 600-606.	4.0	160
6	Chapter 1. Aim, background, key concepts, regulations, and current statistics. <i>Scandinavian Journal of Public Health</i> , 2004, 32, 12-30.	1.2	141
7	Multidisciplinary interventions: Review of studies of return to work after rehabilitation for low back pain. <i>Journal of Rehabilitation Medicine</i> , 2009, 41, 115-121.	0.8	138
8	Sickness Presenteeism Predicts Suboptimal Self-Rated Health and Sickness Absence: A Nationally Representative Study of the Swedish Working Population. <i>PLoS ONE</i> , 2012, 7, e44721.	1.1	136
9	Cost of Illness of Multiple Sclerosis - A Systematic Review. <i>PLoS ONE</i> , 2016, 11, e0159129.	1.1	131
10	Chapter 9. Consequences of being on sick leave. <i>Scandinavian Journal of Public Health</i> , 2004, 32, 207-215.	1.2	124
11	Epidemiology of Sickness Absence in a Swedish County in 1985, 1986 and 1987 <i>A Three Year Longitudinal Study with Focus on Gender, Age and Occupation</i>. <i>Scandinavian Journal of Public Health</i> , 1994, 22, 27-34.	0.6	121
12	Sickness absence: a review of performed studies with focused on levels of exposures and theories utilized. <i>Scandinavian Journal of Public Health</i> , 1998, 26, 241-249.	0.6	119
13	Diagnosis-specific sickness absence as a predictor of mortality: the Whitehall II prospective cohort study. <i>BMJ: British Medical Journal</i> , 2008, 337, a1469-a1469.	2.4	118
14	Predictors of return to work ten months after primary breast cancer surgery. <i>Acta OncolÃ³gica</i> , 2009, 48, 93-98.	0.8	112
15	Self-estimated life situation in patients on long-term sick leave. <i>Journal of Rehabilitation Medicine</i> , 2005, 37, 291-299.	0.8	107
16	Illness, disease, and sickness absence: an empirical test of differences between concepts of ill health. <i>Journal of Epidemiology and Community Health</i> , 2005, 59, 450-454.	2.0	100
17	Frequency and nature of problems associated with sickness certification tasks: A cross-sectional questionnaire study of 5455 physicians. <i>Scandinavian Journal of Primary Health Care</i> , 2007, 25, 178-185.	0.6	95
18	Chapter 11. Physicians' sick-listing practices. <i>Scandinavian Journal of Public Health</i> , 2004, 32, 222-255.	1.2	90

#	ARTICLE	IF	CITATIONS
19	Sickness absence and disability pension in a cohort of employees initially on long-term sick leave due to psychiatric disorders in Sweden. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 381-388.	1.6	90
20	Exposure to parental mortality and markers of morbidity, and the risks of attempted and completed suicide in offspring: an analysis of sensitive life periods. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, 233-239.	2.0	86
21	Diagnosis-specific sick leave as a risk marker for disability pension in a Swedish population. <i>Journal of Epidemiology and Community Health</i> , 2007, 61, 915-920.	2.0	83
22	Problems in sickness certification of patients: A qualitative study on views of 26 physicians in Sweden. <i>Scandinavian Journal of Primary Health Care</i> , 2008, 26, 22-28.	0.6	80
23	Sickness Presenteeism Among Swedish Police Officers. <i>Journal of Occupational Rehabilitation</i> , 2011, 21, 17-22.	1.2	77
24	Night work and breast cancer in women: a Swedish cohort study. <i>BMJ Open</i> , 2015, 5, e008127-e008127.	0.8	75
25	Gender trends in sick-listing with musculoskeletal symptoms in a Swedish county during a period of rapid increase in sickness absence. <i>Scandinavian Journal of Public Health</i> , 1998, 26, 204-213.	0.6	72
26	Preface: Evidence based medicine and the Swedish Council on Technology Assessment in Health Care (SBU). <i>Scandinavian Journal of Public Health</i> , 2004, 32, 3-4.	1.2	70
27	Dealing with sickness certification – a survey of problems and strategies among general practitioners and orthopaedic surgeons. <i>BMC Public Health</i> , 2007, 7, 273.	1.2	70
28	Views of laypersons on the role employers play in return to work when sick-listed. <i>Journal of Occupational Rehabilitation</i> , 2003, 13, 11-20.	1.2	66
29	Sick-Leave due to Psychiatric Disorder: Higher Incidence among Women and Longer Duration for Men. <i>British Journal of Psychiatry</i> , 1996, 169, 740-746.	1.7	65
30	Dilemmas in sickness certification among Swedish physicians. <i>European Journal of Public Health</i> , 1995, 5, 215-219.	0.1	64
31	Health in Sweden: The National Public Health Report 2005. <i>Scandinavian Journal of Public Health</i> , 2006, 34, 3-10.	1.2	64
32	Genetic Liability to Disability Pension in Women and Men: A Prospective Population-Based Twin Study. <i>PLoS ONE</i> , 2011, 6, e23143.	1.1	63
33	Internalizing and externalizing problems in childhood and adolescence as predictors of work incapacity in young adulthood. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 1159-1168.	1.6	62
34	Associations between strain in domestic work and self-rated health: A study of employed women in Sweden. <i>Scandinavian Journal of Public Health</i> , 2008, 36, 21-27.	1.2	60
35	Sickness presenteeism is more than an alternative to sickness absence: results from the population-based SLOSH study. <i>International Archives of Occupational and Environmental Health</i> , 2012, 85, 905-914.	1.1	58
36	Are self-report of disability pension and long-term sickness absence accurate? Comparisons of self-reported interview data with national register data in a Swedish twin cohort. <i>BMC Public Health</i> , 2010, 10, 763.	1.2	56

#	ARTICLE	IF	CITATIONS
37	Impact of pregnancy on gender differences in sickness absence. <i>Scandinavian Journal of Public Health</i> , 1996, 24, 169-176.	0.6	54
38	Return to work after breast cancer: Women's experiences of encounters with different stakeholders. <i>European Journal of Oncology Nursing</i> , 2011, 15, 267-274.	0.9	53
39	Work situation and sickness absence in the initial period after breast cancer surgery. <i>Acta Oncologica</i> , 2011, 50, 282-288.	0.8	52
40	Shame-inducing encounters. Negative emotional aspects of sickness-absentees' interactions with rehabilitation professionals. <i>Journal of Occupational Rehabilitation</i> , 2003, 13, 183-195.	1.2	50
41	Sickness absence due to musculoskeletal diagnoses: association with occupational gender segregation. <i>Scandinavian Journal of Public Health</i> , 2004, 32, 94-101.	1.2	50
42	All-cause and diagnosis-specific sickness absence as a predictor of sustained suboptimal health: a 14-year follow-up in the GAZEL cohort. <i>Journal of Epidemiology and Community Health</i> , 2010, 64, 311-317.	2.0	50
43	Sickness Absence Due to Specific Mental Diagnoses and All-Cause and Cause-Specific Mortality: A Cohort Study of 4.9 Million Inhabitants of Sweden. <i>PLoS ONE</i> , 2012, 7, e45788.	1.1	50
44	Chapter 12. Future need for research. <i>Scandinavian Journal of Public Health</i> , 2004, 32, 256-258.	1.2	48
45	Chapter 8. Sick leave due to coronary artery disease or stroke. <i>Scandinavian Journal of Public Health</i> , 2004, 32, 181-206.	1.2	48
46	Sex differences in sickness absence in relation to parental status. <i>Scandinavian Journal of Public Health</i> , 1996, 24, 27-35.	0.6	47
47	General practitioners' experiences with sickness certification: a comparison of survey data from Sweden and Norway. <i>BMC Family Practice</i> , 2012, 13, 10.	2.9	47
48	Future risk of labour market marginalization in young suicide attempters—a population-based prospective cohort study. <i>International Journal of Epidemiology</i> , 2014, 43, 1520-1530.	0.9	47
49	Sickness certificates as a basis for decisions regarding entitlement to sickness insurance benefits. <i>Scandinavian Journal of Public Health</i> , 2005, 33, 314-320.	1.2	46
50	High prevalence of sickness absence and disability pension among multiple sclerosis patients: a nationwide population-based study. <i>Multiple Sclerosis Journal</i> , 2013, 19, 1923-1930.	1.4	46
51	"It was really nice to have someone" - Lay people with musculoskeletal disorders request supportive relationships in rehabilitation. <i>Scandinavian Journal of Public Health</i> , 2001, 29, 285-291.	1.2	45
52	Functional impairment due to bereavement after the death of adolescent or young adult offspring in a national population study of 1,051,515 parents. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 1249-1256.	1.6	45
53	Sickness certification practices of physicians: a review of the literature. <i>Scandinavian Journal of Public Health</i> , 2003, 31, 460-474.	1.2	44
54	More and better research needed on sickness absence. <i>Scandinavian Journal of Public Health</i> , 2004, 32, 321-323.	1.2	43

#	ARTICLE	IF	CITATIONS
55	Chapter 10. Sickness presence. <i>Scandinavian Journal of Public Health</i> , 2004, 32, 216-221.	1.2	43
56	Trajectories of Anxiety Among Women with Breast Cancer: A Proxy for Adjustment from Acute to Transitional Survivorship. <i>Journal of Psychosocial Oncology</i> , 2015, 33, 603-619.	0.6	42
57	Sickness-certification practice in different clinical settings; a survey of all physicians in a country. <i>BMC Public Health</i> , 2010, 10, 752.	1.2	40
58	Genetic Susceptibility to Sickness Absence is Similar Among Women and Men: Findings From a Swedish Twin Cohort. <i>Twin Research and Human Genetics</i> , 2012, 15, 642-648.	0.3	39
59	Work-related sleep disturbances and sickness absence in the Swedish working population, 1993-1999. <i>Sleep</i> , 2008, 31, 1169-77.	0.6	39
60	Gender differences in experiencing negative encounters with healthcare: A study of long-term sickness absentees. <i>Scandinavian Journal of Public Health</i> , 2007, 35, 577-584.	1.2	38
61	Health-related risk factors for disability pensions due to musculoskeletal diagnoses: A 30-year Finnish twin cohort study. <i>Scandinavian Journal of Public Health</i> , 2011, 39, 839-848.	1.2	38
62	Sick-listing as a Psychosocial Work Problem: A Survey of 3997 Swedish Physicians. <i>Journal of Occupational Rehabilitation</i> , 2007, 17, 398-408.	1.2	37
63	Cognitive function is a major determinant of income among multiple sclerosis patients in Sweden acting independently from physical disability. <i>Multiple Sclerosis Journal</i> , 2019, 25, 104-112.	1.4	37
64	Risk factors for disability pension over 11 years in a cohort of young persons initially sick-listed with low back, neck, or shoulder diagnoses. <i>Scandinavian Journal of Public Health</i> , 2004, 32, 272-278.	1.2	36
65	Encouraging Encounters. <i>Social Work in Health Care</i> , 2007, 46, 71-87.	0.8	36
66	Sickness absence with musculoskeletal or mental diagnoses, transition into disability pension and all-cause mortality: A 9-year prospective cohort study. <i>Scandinavian Journal of Public Health</i> , 2009, 37, 387-394.	1.2	36
67	Does Sickness Absence Due to Psychiatric Disorder Predict Cause-specific Mortality? A 16-Year Follow-up of the GAZEL Occupational Cohort Study. <i>American Journal of Epidemiology</i> , 2010, 172, 700-707.	1.6	36
68	Stability and change in health behaviours as predictors for disability pension: a prospective cohort study of Swedish twins. <i>BMC Public Health</i> , 2011, 11, 678.	1.2	36
69	Pride, empowerment, and return to work: on the significance of promoting positive social emotions among sickness absentees. <i>Work</i> , 2006, 27, 57-65.	0.6	36
70	Use and usefulness of guidelines for sickness certification: results from a national survey of all general practitioners in Sweden. <i>BMJ Open</i> , 2011, 1, e000303-e000303.	0.8	35
71	Changes in caseness of anxiety and depression in breast cancer patients during the first year following surgery: Patterns of transiency and severity of the distress response. <i>European Journal of Oncology Nursing</i> , 2014, 18, 598-604.	0.9	35
72	Work Disability Before and After Diabetes Diagnosis: A Nationwide Population-Based Register Study in Sweden. <i>American Journal of Public Health</i> , 2015, 105, e22-e29.	1.5	35

#	ARTICLE	IF	CITATIONS
73	Pregnancy-related sickness absence among employed women in a Swedish county. <i>Scandinavian Journal of Work, Environment and Health</i> , 1995, 21, 191-198.	1.7	35
74	Mortality after long-term sickness absence: prospective cohort study. <i>European Journal of Public Health</i> , 2008, 18, 517-521.	0.1	34
75	Positive experiences of encounters with healthcare and social insurance professionals among people on long-term sick leave. <i>Journal of Rehabilitation Medicine</i> , 2008, 40, 805-811.	0.8	34
76	Adjustment and social support at work early after breast cancer surgery and its associations with sickness absence. <i>Psycho-Oncology</i> , 2013, 22, 2755-2762.	1.0	34
77	Are all-cause and diagnosis-specific sickness absence, and sick-leave duration risk indicators for suicidal behaviour? A nationwide register-based cohort study of 4.9 million inhabitants of Sweden. <i>Occupational and Environmental Medicine</i> , 2014, 71, 12-20.	1.3	34
78	Issuing sickness certificates: A difficult task for physicians: A qualitative analysis of written statements in a Swedish survey. <i>Scandinavian Journal of Public Health</i> , 2009, 37, 57-63.	1.2	33
79	Respectful encounters and return to work: empirical study of long-term sick-listed patients' experiences of Swedish healthcare. <i>BMJ Open</i> , 2011, 1, e000246-e000246.	0.8	33
80	Physical activity following a breast cancer diagnosis: Implications for self-rated health and cancer-related symptoms. <i>European Journal of Oncology Nursing</i> , 2015, 19, 680-685.	0.9	33
81	Contribution of income and job strain to the association between education and cardiovascular disease in 1.6 million Danish employees. <i>European Heart Journal</i> , 2020, 41, 1164-1178.	1.0	33
82	A 12-year follow-up of subjects initially sicklisted with neck/shoulder or low back diagnoses. <i>Physiotherapy Research International</i> , 2001, 6, 52-63.	0.7	32
83	Frequency and severity of problems that general practitioners experience regarding sickness certification. <i>Scandinavian Journal of Primary Health Care</i> , 2011, 29, 227-233.	0.6	32
84	Earnings and Financial Compensation from Social Security Systems Correlate Strongly with Disability for Multiple Sclerosis Patients. <i>PLoS ONE</i> , 2015, 10, e0145435.	1.1	32
85	Influence of Pregnancy-Related Diagnoses on Sick-Leave Data in Women Aged 16-44. <i>Journal of Women's Health and Gender-Based Medicine</i> , 2001, 10, 707-714.	1.7	31
86	The influence of household work and of having children on sickness absence among publicly employed women in Sweden. <i>Scandinavian Journal of Public Health</i> , 2008, 36, 564-572.	1.2	31
87	Sickness Absence Due to Otoaudiological Diagnoses and Risk of Disability Pension: A Nationwide Swedish Prospective Cohort Study. <i>PLoS ONE</i> , 2012, 7, e29966.	1.1	31
88	Sickness absence due to musculoskeletal diagnoses and risk of diagnosis-specific disability pension: A nationwide Swedish prospective cohort study. <i>Pain</i> , 2013, 154, 933-941.	2.0	31
89	When do patients feel wronged? Empirical study of sick-listed patients' experiences with healthcare encounters. <i>European Journal of Public Health</i> , 2013, 23, 230-235.	0.1	30
90	Domestic strain: a hindrance in rehabilitation?. <i>Scandinavian Journal of Caring Sciences</i> , 2004, 18, 49-56.	1.0	29

#	ARTICLE	IF	CITATIONS
91	Using Sickness Absence Records to Predict Future Depression in a Working Population: Prospective Findings From the GAZEL Cohort. <i>American Journal of Public Health</i> , 2009, 99, 1417-1422.	1.5	29
92	What physicians want to learn about sickness certification: analyses of questionnaire data from 4019 physicians. <i>BMC Public Health</i> , 2010, 10, 61.	1.2	29
93	Managers' perceptions of the manager role in relation to physicians: a qualitative interview study of the top managers in Swedish healthcare. <i>BMC Health Services Research</i> , 2010, 10, 271.	0.9	29
94	Diagnosis-specific disability pension predicts suicidal behaviour and mortality in young adults: a nationwide prospective cohort study. <i>BMJ Open</i> , 2013, 3, e002286.	0.8	29
95	Costs of illness of multiple sclerosis in Sweden: a population-based register study of people of working age. <i>European Journal of Health Economics</i> , 2018, 19, 435-446.	1.4	29
96	Associations between sickness absence and harassment, threats, violence, or discrimination: A cross-sectional study of the Swedish Police. <i>Work</i> , 2012, 42, 83-92.	0.6	28
97	Cross-national comparisons of sickness absence systems and statistics: towards common indicators. <i>European Journal of Public Health</i> , 2014, 24, 663-666.	0.1	28
98	Socioeconomic differences in healthy and disease-free life expectancy between ages 50 and 75: a multi-cohort study. <i>European Journal of Public Health</i> , 2019, 29, 267-272.	0.1	28
99	Gender differences in return to work patterns among sickness absentees and their associations with health: a prospective cohort study in The Netherlands. <i>International Journal of Rehabilitation Research</i> , 2008, 31, 327-336.	0.7	27
100	Low level of adjustment latitude--a risk factor for sickness absence. <i>European Journal of Public Health</i> , 2010, 20, 682-688.	0.1	27
101	Sickness absence because of musculoskeletal diagnoses and risk of all-cause and cause-specific mortality: A nationwide Swedish cohort study. <i>Pain</i> , 2012, 153, 998-1005.	2.0	27
102	How Do Women Value Work Shortly After Breast Cancer Surgery and Are Their Valuations Associated With Being on Sick Leave?. <i>Journal of Occupational Rehabilitation</i> , 2013, 23, 391-399.	1.2	27
103	Sick-leave among women and the role of psychiatric disorder. <i>Scandinavian Journal of Public Health</i> , 1997, 25, 185-192.	0.6	26
104	Gatekeepers in sickness insurance: a systematic review of the literature on practices of social insurance officers. <i>Health and Social Care in the Community</i> , 2005, 13, 211-223.	0.7	26
105	Job strain and loss of healthy life years between ages 50 and 75 by sex and occupational position: analyses of 64 934 individuals from four prospective cohort studies. <i>Occupational and Environmental Medicine</i> , 2018, 75, 486-493.	1.3	26
106	Obstetricians' attitudes and opinions on sickness absence and benefits during pregnancy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2006, 85, 165-170.	1.3	25
107	What factors predict full or partial return to work among sickness absentees with spinal pain participating in rehabilitation?. <i>Disability and Rehabilitation</i> , 2009, 31, 1318-1327.	0.9	25
108	Co-morbidities increase the risk of disability pension among MS patients: a population-based nationwide cohort study. <i>BMC Neurology</i> , 2014, 14, 117.	0.8	25

#	ARTICLE	IF	CITATIONS
109	Sources and level of income among individuals with multiple sclerosis compared to the general population: A nationwide population-based study. <i>Multiple Sclerosis Journal</i> , 2015, 21, 1730-1741.	1.4	25
110	Psychiatric Diagnoses, Medication and Risk for Disability Pension in Multiple Sclerosis Patients; a Population-Based Register Study. <i>PLoS ONE</i> , 2014, 9, e104165.	1.1	25
111	The relation of adult experience of domestic harassment, violence, and sexual abuse to health and sickness absence. <i>International Journal of Behavioral Medicine</i> , 2000, 7, 1-18.	0.8	24
112	Sickness absence among women and men in the police: A systematic literature review. <i>Scandinavian Journal of Public Health</i> , 2009, 37, 310-319.	1.2	24
113	The attribution of work environment in explaining gender differences in long-term sickness absence: results from the prospective DREAM study. <i>Occupational and Environmental Medicine</i> , 2011, 68, 703-705.	1.3	24
114	Register-based data of psychosocial working conditions and occupational groups as predictors of disability pension due to musculoskeletal diagnoses: a prospective cohort study of 24 543 Swedish twins. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 268.	0.8	24
115	Sickness Absence and Disability Pension After Breast Cancer Diagnosis: A 5-Year Nationwide Cohort Study. <i>Journal of Clinical Oncology</i> , 2017, 35, 2044-2052.	0.8	24
116	Mortality among disability pensioners in Norway and Sweden 1990-1996: Comparative prospective cohort study. <i>Scandinavian Journal of Public Health</i> , 2009, 37, 168-175.	1.2	23
117	Health-Related and Sociodemographic Risk Factors for Disability Pension due to Low Back Disorders. <i>Journal of Occupational and Environmental Medicine</i> , 2011, 53, 488-496.	0.9	23
118	Appraised leadership styles, psychosocial work factors, and musculoskeletal pain among public employees. <i>International Archives of Occupational and Environmental Health</i> , 2007, 81, 19-30.	1.1	22
119	Diagnosis-specific disability pension and risk of all-cause and cause-specific mortality - a cohort study of 4.9 million inhabitants in Sweden. <i>BMC Public Health</i> , 2014, 14, 1247.	1.2	22
120	Night work and prostate cancer in men: a Swedish prospective cohort study. <i>BMJ Open</i> , 2017, 7, e015751.	0.8	22
121	Positive encounters with rehabilitation professionals reported by persons with experience of sickness absence. <i>Work</i> , 2004, 22, 247-54.	0.6	22
122	Risk of disability pension in relation to gender and age in a Swedish county; a 12-year population based, prospective cohort study. <i>Work</i> , 2006, 27, 173-9.	0.6	22
123	Sickness absence, social relations, and self-esteem: A qualitative study of the importance of relationships with family, workmates, and friends among persons initially long-term sickness absent due to back diagnoses. <i>Work</i> , 2010, 37, 187-197.	0.6	21
124	How does work disability of patients with MS develop before and after diagnosis? A nationwide cohort study with a reference group. <i>BMJ Open</i> , 2016, 6, e012731.	0.8	21
125	Trends in Diagnosis-Specific Work Disability Before and After Stroke: A Longitudinal Population-Based Study in Sweden. <i>Journal of the American Heart Association</i> , 2018, 7, .	1.6	21
126	Disability Pension Among Swedish Twins - Prevalence Over 16 Years and Associations With Sociodemographic Factors in 1992. <i>Journal of Occupational and Environmental Medicine</i> , 2012, 54, 10-16.	0.9	20

#	ARTICLE	IF	CITATIONS
127	Personality traits and life dissatisfaction as risk factors for disability pension due to low back diagnoses: A 30-year longitudinal cohort study of Finnish twins. <i>Journal of Psychosomatic Research</i> , 2012, 73, 289-294.	1.2	20
128	Problems with sickness certification tasks: experiences from physicians in different clinical settings. A cross-sectional nationwide study in Sweden. <i>BMC Health Services Research</i> , 2015, 15, 321.	0.9	20
129	Self-reported musculoskeletal pain and working conditions among employees in the Swedish public sector. <i>Work</i> , 2007, 28, 33-46.	0.6	20
130	Does feeling respected influence return to work? Cross-sectional study on sick-listed patients' experiences of encounters with social insurance office staff. <i>BMC Public Health</i> , 2013, 13, 268.	1.2	19
131	Associations between number of sick-leave days and future all-cause and cause-specific mortality: a population-based cohort study. <i>BMC Public Health</i> , 2014, 14, 733.	1.2	19
132	Healthcare managers' construction of the manager role in relation to the medical profession. <i>Journal of Health Organization and Management</i> , 2016, 30, 421-440.	0.6	19
133	Sleep Apnea, Disability Pensions, and Cause-Specific Mortality: A Swedish Nationwide Register Linkage Study. <i>American Journal of Epidemiology</i> , 2017, 186, 709-718.	1.6	19
134	Validation of multiple sclerosis diagnoses in the Swedish National Patient Register. <i>European Journal of Epidemiology</i> , 2019, 34, 1161-1169.	2.5	19
135	Negative encounters with social insurance officers – experiences of women and men on long-term sick leave. <i>International Journal of Social Welfare</i> , 2011, 20, 309-317.	1.0	18
136	Activities and sources of income after a period of long-term sick leave - a population-based prospective cohort study. <i>BMC Public Health</i> , 2012, 12, 745.	1.2	18
137	Self-reported hearing difficulties, main income sources, and socio-economic status; a cross-sectional population-based study in Sweden. <i>BMC Public Health</i> , 2012, 12, 874.	1.2	18
138	Sick-leave measures, socio-demographic factors and health care as risk indicators for suicidal behavior in patients with depressive disorders – a nationwide prospective cohort study in Sweden. <i>Journal of Affective Disorders</i> , 2015, 173, 201-210.	2.0	18
139	Life satisfaction of women of working age shortly after breast cancer surgery. <i>Quality of Life Research</i> , 2017, 26, 673-684.	1.5	18
140	Work disability before and after a major cardiovascular event: a ten-year study using nationwide medical and insurance registers. <i>Scientific Reports</i> , 2017, 7, 1142.	1.6	18
141	Multidisciplinary investigations recognize high prevalence of co-morbidity of psychiatric and somatic diagnoses in long-term sickness absentees. <i>Scandinavian Journal of Public Health</i> , 2009, 37, 35-42.	1.2	17
142	Differences in the association between sickness absence and long-term sub-optimal health by occupational position: a 14-year follow-up in the GAZEL cohort. <i>Occupational and Environmental Medicine</i> , 2011, 68, 729-733.	1.3	17
143	Effects of Work and Lifestyle on Risk for Future Disability Pension Due to Low Back Diagnoses. <i>Journal of Occupational and Environmental Medicine</i> , 2012, 54, 1330-1336.	0.9	17
144	A prospective cohort study of disability pension due to mental diagnoses: the importance of health factors and behaviors. <i>BMC Public Health</i> , 2013, 13, 621.	1.2	17

#	ARTICLE	IF	CITATIONS
145	Risk Factors for Suicidal Behaviour in Individuals on Disability Pension Due to Common Mental Disorders - A Nationwide Register-Based Prospective Cohort Study in Sweden. PLoS ONE, 2014, 9, e98497.	1.1	17
146	Perceived Physical Strain in Paid and Unpaid Work and the Work-Home Interface: The Associations with Musculoskeletal Pain and Fatigue Among Public Employees. Women and Health, 2008, 47, 21-44.	0.4	16
147	When physicians get stuck in sick-listing consultations: A qualitative study of categories of sick-listing dilemmas. Work, 2010, 35, 137-142.	0.6	16
148	Examination of the construct validity of the Swedish version of Hospital Anxiety and Depression Scale in breast cancer patients. Quality of Life Research, 2013, 22, 2849-2856.	1.5	16
149	Expecting the best and being prepared for the worst: structure, profiles, and 2-year temporal stability of dispositional optimism in women with breast cancer. Psycho-Oncology, 2016, 25, 957-963.	1.0	16
150	Comparing costs of illness of multiple sclerosis in three different years: A population-based study. Multiple Sclerosis Journal, 2018, 24, 520-528.	1.4	16
151	Sickness Absence following Coronary Revascularisation. A National Study of Women and Men of Working Age in Sweden 1994-2006. PLoS ONE, 2012, 7, e40952.	1.1	16
152	Work-related psychosocial events as triggers of sick leave - results from a Swedish case-crossover study. BMC Public Health, 2011, 11, 175.	1.2	15
153	How physicians have learned to handle sickness-certification cases. Scandinavian Journal of Public Health, 2011, 39, 245-254.	1.2	15
154	Conditional Disease Development extracted from Longitudinal Health Care Cohort Data using Layered Network Construction. Scientific Reports, 2016, 6, 26170.	1.6	15
155	Longitudinal changes in sickness absence and disability pension, and associations between disability pension and disease-specific and contextual factors and functioning, in people with multiple sclerosis. Journal of the Neurological Sciences, 2016, 367, 319-325.	0.3	15
156	Disability pension due to common mental disorders and subsequent suicidal behaviour: a population-based prospective cohort study. BMJ Open, 2016, 6, e010152.	0.8	15
157	Earnings among people with multiple sclerosis compared to references, in total and by educational level and type of occupation: a population-based cohort study at different points in time. BMJ Open, 2019, 9, e024836.	0.8	15
158	Long-term Socioeconomic Outcomes Associated With Pediatric-Onset Multiple Sclerosis. JAMA Neurology, 2021, 78, 478.	4.5	15
159	Characteristics of sick-listing cases that physicians consider problematic - analyses of written case reports. Scandinavian Journal of Primary Health Care, 2009, 27, 250-255.	0.6	14
160	Challenging Evidence-based Decision-making: A Hypothetical Case Study about Return to Work. Occupational Therapy International, 2012, 19, 28-44.	0.3	14
161	Trends of Diagnosis-Specific Work Disability After Newly Diagnosed Diabetes: A 4-Year Nationwide Prospective Cohort Study. Diabetes Care, 2015, 38, 1883-1890.	4.3	14
162	Permanent work disability before and after ischaemic heart disease or stroke event: a nationwide population-based cohort study in Sweden. BMJ Open, 2017, 7, e017910.	0.8	14

#	ARTICLE	IF	CITATIONS
163	Cluster headache. <i>Neurology</i> , 2019, 93, e404-e413.	1.5	14
164	Gender Differences in Sick Leave Related to Back Pain Diagnoses. <i>Spine</i> , 2003, 28, 385-389.	1.0	13
165	Chapter 2. Methods used for the systematic literature search and for the review of relevance, quality, and evidence of studies. <i>Scandinavian Journal of Public Health</i> , 2004, 32, 31-35.	1.2	13
166	Health-selection mechanisms in the pathway towards a disability pension. <i>Work</i> , 2010, 37, 41-51.	0.6	13
167	Sickness absence in relation to breast and arm symptoms shortly after breast cancer surgery. <i>Breast</i> , 2013, 22, 767-772.	0.9	13
168	Part-time Work or Social Benefits as Predictors for Disability Pension: a Prospective Study of Swedish Twins. <i>International Journal of Behavioral Medicine</i> , 2014, 21, 329-336.	0.8	13
169	Heterogeneity of sickness absence and disability pension trajectories among individuals with MS. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2015, 1, 205521731559563.	0.5	13
170	What positive encounters with healthcare and social insurance staff promotes ability to return to work of long-term sickness absentees?. <i>Scandinavian Journal of Public Health</i> , 2016, 44, 91-97.	1.2	13
171	Sleep Duration, Mortality, and Heredity – A Prospective Twin Study. <i>Sleep</i> , 2017, 40, .	0.6	13
172	Income in Multiple Sclerosis Patients with Different Disease Phenotypes. <i>PLoS ONE</i> , 2017, 12, e0169460.	1.1	13
173	Trajectories of disposable income among people of working ages diagnosed with multiple sclerosis: a nationwide register-based cohort study in Sweden 7 years before to 4 years after diagnosis with a population-based reference group. <i>BMJ Open</i> , 2018, 8, e020392.	0.8	13
174	Duration of sickness absence following a bicycle crash, by injury type and injured body region: A nationwide register-based study. <i>Journal of Transport and Health</i> , 2018, 9, 275-281.	1.1	13
175	Job demands and control and sickness absence, disability pension and unemployment among 2,194,692 individuals in Sweden. <i>Scandinavian Journal of Public Health</i> , 2020, 48, 125-133.	1.2	13
176	Healthcare, Sickness Absence, and Disability Pension Cost Trajectories in the First 5 Years After Diagnosis with Multiple Sclerosis: A Prospective Register-Based Cohort Study in Sweden. <i>Pharmacoeconomics - Open</i> , 2020, 4, 91-103.	0.9	13
177	Emotional demands at work and risk of long-term sickness absence in 1.5 million employees in Denmark: a prospective cohort study on effect modifiers. <i>Lancet Public Health</i> , The, 2021, 6, e752-e759.	4.7	13
178	Persistent and changing job strain and risk of coronary heart disease. A population-based cohort study of 1.6 million employees in Denmark. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020, 46, 498-507.	1.7	13
179	Disability, sickness, and unemployment benefits among long-term sickness absentees five years before, during, and after a multidisciplinary medical assessment. <i>Journal of Multidisciplinary Healthcare</i> , 2011, 4, 25.	1.1	12
180	Physicians who experience sickness certification as a work environmental problem: where do they work and what specific problems do they have? A nationwide survey in Sweden. <i>BMJ Open</i> , 2012, 2, e000704.	0.8	12

#	ARTICLE	IF	CITATIONS
181	Associations between Childbirth, Hospitalization and Disability Pension: A Cohort Study of Female Twins. PLoS ONE, 2014, 9, e101566.	1.1	12
182	Childbirth, hospitalisation and sickness absence: a study of female twins. BMJ Open, 2015, 5, e006033-e006033.	0.8	12
183	Disability pension after coronary revascularization: a prospective nationwide register-based Swedish cohort study. European Journal of Preventive Cardiology, 2015, 22, 304-311.	0.8	12
184	Morbidity and suicide mortality following sick leave in relation to changes of social insurance regulations in Sweden. European Journal of Public Health, 2016, 26, 1061-1069.	0.1	12
185	Occurrence of sickness absence and disability pension in relation to childbirth: A 16-year follow-up study of 6323 Swedish twins. Scandinavian Journal of Public Health, 2016, 44, 98-105.	1.2	12
186	Costs and quality of life by disability among people with multiple sclerosis: a register-based study in Sweden. Multiple Sclerosis Journal - Experimental, Translational and Clinical, 2018, 4, 205521731878335.	0.5	12
187	Cognitive function predicts work disability among multiple sclerosis patients. Multiple Sclerosis Journal - Experimental, Translational and Clinical, 2019, 5, 205521731882213.	0.5	12
188	Sickness absence and disability pension days in patients with cluster headache and matched references. Neurology, 2020, 94, e2213-e2221.	1.5	12
189	An Assessment Protocol for Gender Analysis of Medical Literature. Women and Health, 1999, 29, 81-98.	0.4	11
190	Self-reported Health among Employees in Relation to Sex Segregation at Work Sites. Journal of Occupational Health, 2009, 51, 223-231.	1.0	11
191	Health care management of sickness certification tasks: results from two surveys to physicians. BMC Research Notes, 2013, 6, 207.	0.6	11
192	Influence of Retirement on Adherence to Statins in the Insurance Medicine All-Sweden Total Population Data Base. PLoS ONE, 2015, 10, e0130901.	1.1	11
193	Sickness presence in the Swedish Police in 2007 and in 2010: Associations with demographic factors, job characteristics, and health. Work, 2016, 54, 379-387.	0.6	11
194	A study to examine the influence of health professionals' advice and support on work capacity and sick leave after breast cancer surgery. Supportive Care in Cancer, 2016, 24, 4141-4148.	1.0	11
195	Changes in importance of work and vocational satisfaction during the 2 years after breast cancer surgery and factors associated with this. Journal of Cancer Survivorship, 2016, 10, 564-572.	1.5	11
196	Health assessments for health governance concepts and methodologies. European Journal of Public Health, 2017, 27, 609-616.	0.1	11
197	Work Disability Trajectories Among Individuals with a Sick-Leave Spell Due to Depressive Episode: 21 Days: A Prospective Cohort Study with 13-Month Follow Up. Journal of Occupational Rehabilitation, 2018, 28, 678-690.	1.2	11
198	Downsizing and purchases of psychotropic drugs: A longitudinal study of stayers, changers and unemployed. PLoS ONE, 2018, 13, e0203433.	1.1	11

#	ARTICLE	IF	CITATIONS
199	Age, period, and cohort effects for future employment, sickness absence, and disability pension by occupational gender segregation: a population-based study of all employed people in a country (>â€‰%)3 Tj ETQq11110.784314 rgBT /D	0.7	11
200	Costs of illness progression for different multiple sclerosis phenotypes: a population-based study in Sweden. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2019, 5, 205521731985838.	0.5	11
201	Productivity losses among people with back pain and among population-based references: a register-based study in Sweden. <i>BMJ Open</i> , 2020, 10, e036638.	0.8	11
202	Psychiatric Diagnoses and Risk of Suicidal Behaviour in Young Disability Pensioners: Prospective Cohort Studies of All 19-23 Year Olds in Sweden in 1995, 2000, and 2005, Respectively. <i>PLoS ONE</i> , 2014, 9, e111618.	1.1	11
203	Prediction of future low levels of sickness absence among young persons sick listed with back, neck, or shoulder diagnoses. <i>Work</i> , 2004, 23, 159-67.	0.6	11
204	Outcome of multidisciplinary investigations of long-term sickness absentees. <i>Disability and Rehabilitation</i> , 2009, 31, 131-137.	0.9	10
205	Hearing difficulties, ear-related diagnoses and sickness absence or disability pension - a systematic literature review. <i>BMC Public Health</i> , 2012, 12, 772.	1.2	10
206	The joint contribution of diabetes and work disability to premature death during working age: a population-based study in Sweden. <i>Scandinavian Journal of Public Health</i> , 2016, 44, 580-586.	1.2	10
207	Sickness absence, disability pension and permanent medical impairment among 64 000 injured car occupants of working ages: A two-year prospective cohort study. <i>Accident Analysis and Prevention</i> , 2019, 127, 35-41.	3.0	10
208	Trajectories of sickness absence and disability pension before and after opioid initiation for noncancer pain: a 10-year population-based study. <i>Pain</i> , 2019, 160, 1224-1233.	2.0	10
209	Neurodevelopmental disorders among young adults and the risk of sickness absence and disability pension: a nationwide register linkage study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020, 46, 410-416.	1.7	10
210	Types of working-life sequences among people recently diagnosed with multiple sclerosis in Sweden: a nationwide register-based cohort study. <i>BMJ Open</i> , 2020, 10, e039228.	0.8	10
211	Changes in sick-leave diagnoses over eleven years in a cohort of young adults initially sick-listed due to low back, neck, or shoulder diagnoses. <i>Journal of Rehabilitation Medicine</i> , 2009, 41, 423-428.	0.8	9
212	Stress factors affecting academic physicians at a university hospital. <i>Work</i> , 2009, 34, 305-313.	0.6	9
213	Sickness absence due to otoaudiological diagnoses; a descriptive nationwide study. <i>BMC Public Health</i> , 2013, 13, 635.	1.2	9
214	Occupational health physicians have better work conditions for handling sickness certification compared with general practitioners: Results from a nationwide survey in Sweden. <i>Scandinavian Journal of Public Health</i> , 2015, 43, 35-43.	1.2	9
215	Genetic and Environmental Influences on Disability Pension Due To Mental Diagnoses: Limited Importance of Major Depression, Generalized Anxiety, and Chronic Fatigue. <i>Twin Research and Human Genetics</i> , 2016, 19, 10-16.	0.3	9
216	Sick leave before and after the age of 65 years among those in paid work in Sweden in 2000 or 2005: a register-based cohort study. <i>Journal of International Medical Research</i> , 2018, 46, 564-577.	0.4	9

#	ARTICLE	IF	CITATIONS
217	Trajectories of antidepressant medication use in individuals before and after being granted disability pension due to common mental disorders- a nationwide register-based study. BMC Psychiatry, 2018, 18, 47.	1.1	9
218	Gender segregation of occupations and sustainable employment: A prospective population-based cohort study. Scandinavian Journal of Public Health, 2019, 47, 348-356.	1.2	9
219	A prediction model for duration of sickness absence due to stress-related disorders. Journal of Affective Disorders, 2019, 250, 9-15.	2.0	9
220	Title is missing!. Spine, 2003, 28, 385-389.	1.0	8
221	A narrative insight into disability pensioners' work experiences in highly gender-segregated occupations. Work, 2009, 34, 251-261.	0.6	8
222	Does multidisciplinary assessment of long-term sickness absentees result in modification of sick-listing diagnoses?. Scandinavian Journal of Public Health, 2010, 38, 657-663.	1.2	8
223	Future risk for disability pension among people with sickness absence due to otoaudiological diagnoses: a population-based cohort study with a 12-year follow-up. Scandinavian Journal of Public Health, 2011, 39, 501-507.	1.2	8
224	Psychological factors are related to return to work among long-term sickness absentees who have undergone a multidisciplinary medical assessment. Journal of Rehabilitation Medicine, 2013, 45, 186-191.	0.8	8
225	The role of familial factors in the associations between sickness absence and disability pension or mortality. European Journal of Public Health, 2014, 24, 106-110.	0.1	8
226	Days of sick leave and inpatient care at the time of pregnancy and childbirth in relation to maternal age. Scandinavian Journal of Public Health, 2017, 45, 222-229.	1.2	8
227	Sickness absence following breast cancer surgery: a two-year follow-up cohort study. Scandinavian Journal of Caring Sciences, 2018, 32, 715-724.	1.0	8
228	Bicycle crashes and sickness absence - a population-based Swedish register study of all individuals of working ages. BMC Public Health, 2019, 19, 943.	1.2	8
229	Sickness absence and disability pension before and after first childbirth and in nulliparous women: longitudinal analyses of three cohorts in Sweden. BMJ Open, 2019, 9, e031593.	0.8	8
230	Sequence analysis of sickness absence and disability pension in the year before and the three years following a bicycle crash; a nationwide longitudinal cohort study of 6353 injured individuals. BMC Public Health, 2020, 20, 1710.	1.2	8
231	Predicting the duration of sickness absence spells due to back pain: a population-based study from Sweden. Occupational and Environmental Medicine, 2020, 77, 115-121.	1.3	8
232	Prevalence of All-Cause and Diagnosis-Specific Disability Pension at the Time of First Coronary Revascularisation: A Population-Based Swedish Cross-Sectional Study. PLoS ONE, 2015, 10, e0115540.	1.1	8
233	Trajectories of Work-Related Functional Impairment prior to Suicide. PLoS ONE, 2015, 10, e0139937.	1.1	8
234	Trajectory analyses in insurance medicine studies: Examples and key methodological aspects and pitfalls. PLoS ONE, 2022, 17, e0263810.	1.1	8

#	ARTICLE	IF	CITATIONS
235	Experiences of professionals participating in inter-organisational cooperation aimed at promoting clients' return to work. <i>Work</i> , 2010, 35, 143-151.	0.6	7
236	Physicians' messages in problematic sickness certification: a narrative analysis of case reports. <i>BMC Family Practice</i> , 2011, 12, 18.	2.9	7
237	Strategies used to handle stress by academic physicians at a university hospital. <i>Work</i> , 2012, 43, 183-193.	0.6	7
238	Psychiatrists' work with sickness certification: frequency, experiences and severity of the certification tasks in a national survey in Sweden. <i>BMC Health Services Research</i> , 2012, 12, 362.	0.9	7
239	Reasons for and factors associated with issuing sickness certificates for longer periods than necessary: results from a nationwide survey of physicians. <i>BMC Public Health</i> , 2013, 13, 478.	1.2	7
240	Arm morbidity and sick leave among working women shortly after breast cancer surgery. <i>European Journal of Oncology Nursing</i> , 2013, 17, 101-106.	0.9	7
241	Gender differences in healthcare management of depression: aspects of sick leave and treatment with psychoactive drugs in a Swedish setting. <i>Nordic Journal of Psychiatry</i> , 2019, 73, 441-450.	0.7	7
242	Trajectories of future sickness absence and disability pension days among individuals with a new sickness absence spell due to osteoarthritis diagnosis ≥21 days: a prospective cohort study with 13-month follow-up. <i>BMJ Open</i> , 2019, 9, e030054.	0.8	7
243	Combinations of Job Demands and Job Control and Future Trajectories of Sickness Absence and Disability Pension An 11-year Follow-up of Two Million Employees in Sweden. <i>Journal of Occupational and Environmental Medicine</i> , 2020, 62, 795-802.	0.9	7
244	Diagnosis-specific sickness absence and disability pension before and after multiple sclerosis diagnosis: An 8-year nationwide longitudinal cohort study with matched references. <i>Multiple Sclerosis and Related Disorders</i> , 2020, 42, 102077.	0.9	7
245	Factors of decisive importance for being in work or not during two years after breast cancer surgery: content analysis of 462 women's open answers. <i>BMC Women's Health</i> , 2021, 21, 332.	0.8	7
246	Sickness certification in primary care: a survey on views and practices among Swiss physicians. <i>Swiss Medical Weekly</i> , 2015, 145, w14201.	0.8	7
247	Work stress and loss of years lived without chronic disease: an 18-year follow-up of 1.5 million employees in Denmark. <i>European Journal of Epidemiology</i> , 2022, 37, 389-400.	2.5	7
248	Sickness absence due to gastroesophageal reflux diagnoses: a nationwide Swedish population-based study. <i>Scandinavian Journal of Gastroenterology</i> , 2013, 48, 17-26.	0.6	6
249	Clinically Diagnosed Insomnia and Risk of All-Cause and Diagnosis-Specific Disability Pension: A Nationwide Cohort Study. <i>Sleep Disorders</i> , 2013, 2013, 1-9.	0.8	6
250	Duelling with doctors, restoring honour and avoiding shame? A cross-sectional study of sick-listed patients' experiences of negative healthcare encounters with special reference to feeling wronged and shame. <i>Journal of Medical Ethics</i> , 2013, 39, 654-657.	1.0	6
251	Problems experienced by gynecologists/obstetricians in sickness certification consultations. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013, 92, 1007-1016.	1.3	6
252	Is disability pension a risk indicator for future need of psychiatric healthcare or suicidal behavior among MS patients- a nationwide register study in Sweden?. <i>BMC Psychiatry</i> , 2015, 15, 286.	1.1	6

#	ARTICLE	IF	CITATIONS
253	Can breast cancer register data on recommended adjuvant treatment be used as a proxy for actually given treatment?. <i>European Journal of Oncology Nursing</i> , 2016, 22, 1-7.	0.9	6
254	Trends in diagnosis-specific work disability before and after ischaemic heart disease: a nationwide population-based cohort study in Sweden. <i>BMJ Open</i> , 2018, 8, e019749.	0.8	6
255	Occupational status among adult survivors following allogeneic stem cell transplantation in childhood. <i>European Journal of Cancer Care</i> , 2018, 27, e12808.	0.7	6
256	General practitioners' use of sickness certification guidelines in Sweden at introduction and four years later: a survey study. <i>International Journal for Quality in Health Care</i> , 2018, 30, 429-436.	0.9	6
257	Changes in the gender segregation of occupations in Sweden between 2003 and 2011. <i>Scandinavian Journal of Public Health</i> , 2019, 47, 344-347.	1.2	6
258	Importance of early treatment decisions on future income of multiple sclerosis patients. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2020, 6, 205521732095911.	0.5	6
259	The actions of the social insurance agency regarding long-term sickness absentees before and after a medical assessment – a study of 384 case files. <i>Disability and Rehabilitation</i> , 2015, 37, 1683-1691.	0.9	5
260	Obstetricians/Gynecologists' Problems in Sickness Certification Consultations: Two Nationwide Surveys. <i>Obstetrics and Gynecology International</i> , 2016, 2016, 1-11.	0.5	5
261	Sickness absence and disability pension before and after first childbirth and in nulliparous women by numerical gender segregation of occupations: A Swedish population-based longitudinal cohort study. <i>PLoS ONE</i> , 2019, 14, e0226198.	1.1	5
262	Sickness absence and disability pension in relation to first childbirth and in nulliparous women according to occupational groups: a cohort study of 492,504 women in Sweden. <i>BMC Public Health</i> , 2020, 20, 686.	1.2	5
263	Sickness absence among privately employed white-collar workers: A total population study in Sweden. <i>Scandinavian Journal of Public Health</i> , 2021, 49, 159-167.	1.2	5
264	Cost-of-Illness Progression Before and After Diagnosis of Multiple Sclerosis: A Nationwide Register-Based Cohort Study in Sweden of People Newly Diagnosed with Multiple Sclerosis and a Population-Based Matched Reference Group. <i>Pharmacoeconomics</i> , 2021, 39, 835-851.	1.7	5
265	Job Demands and Job Control and Future Labor Market Situation. <i>Journal of Occupational and Environmental Medicine</i> , 2020, 62, 403-411.	0.9	5
266	The panorama of future sick-leave diagnoses among young adults initially long-term sickness absent due to neck, shoulder, or back diagnoses. An 11-year prospective cohort study. <i>BMC Musculoskeletal Disorders</i> , 2009, 10, .	0.8	4
267	Health-related quality of life and symptoms in patients with experiences of health problems related to dental restorative materials. <i>Community Dentistry and Oral Epidemiology</i> , 2013, 41, 163-172.	0.9	4
268	Sickness absence and the time-varying excess risk of premature death: a Swedish population-based prospective cohort study. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 1052-1057.	2.0	4
269	Neurologists dealing with sickness certification: Experiences of problems and need of competence. <i>Brain and Behavior</i> , 2017, 7, e00845.	1.0	4
270	Disposable income trajectories of working-aged individuals with diagnosed multiple sclerosis. <i>Acta Neurologica Scandinavica</i> , 2018, 138, 490-499.	1.0	4

#	ARTICLE	IF	CITATIONS
271	Labor market exit around retirement age in Sweden and trajectories of psychotropic drugs in a context of downsizing. <i>BMC Public Health</i> , 2020, 20, 618.	1.2	4
272	Unemployment Trajectories and the Early Risk of Disability Pension among Young People with and without Autism Spectrum Disorder: A Nationwide Study in Sweden. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2486.	1.2	4
273	Sickness absence, disability pension and economic situation after a spontaneous subarachnoid haemorrhage among people of working age: a Swedish longitudinal nationwide cohort study. <i>BMJ Open</i> , 2021, 11, e040941.	0.8	4
274	Methods for analysing individual changes in sick-leave diagnoses over time. <i>Work</i> , 2010, 36, 283-293.	0.6	3
275	Exploring activity limitations and sick leave among patients with spinal pain participating in multidisciplinary rehabilitation. <i>Disability and Rehabilitation</i> , 2010, 32, 292-299.	0.9	3
276	Low Workload as a Trigger of Sick Leave. <i>Journal of Occupational and Environmental Medicine</i> , 2012, 54, 202-209.	0.9	3
277	Sickness absence and disability pension due to otoaudiological diagnoses: risk of premature death – a nationwide prospective cohort study. <i>BMC Public Health</i> , 2014, 14, 137.	1.2	3
278	Consistency of Breast and Arm Symptoms During –the First Two Years After Breast Cancer Surgery. <i>Oncology Nursing Forum</i> , 2015, 42, 145-155.	0.5	3
279	The External Validity of Mapping MSIS-29 on EQ-5D Among Individuals With Multiple Sclerosis in Sweden. <i>MDM Policy and Practice</i> , 2017, 2, 238146831769280.	0.5	3
280	Respectful encounters from healthcare professionals and return to work among 9032 long-term sick-listed due to cancer or due to other diagnoses: results from a Swedish population-based survey. <i>Supportive Care in Cancer</i> , 2019, 27, 3555-3561.	1.0	3
281	Self-rated health over a two-year period after breast cancer surgery: prospective ratings and retrospective rating by means of a healthline. <i>Scandinavian Journal of Caring Sciences</i> , 2020, 35, 833-843.	1.0	3
282	Predicting the duration of sickness absence due to knee osteoarthritis: a prognostic model developed in a population-based cohort in Sweden. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 603.	0.8	3
283	Trajectories of sickness absence and disability pension days among people with multiple sclerosis by type of occupation. <i>Multiple Sclerosis Journal</i> , 2022, 28, 1402-1413.	1.4	3
284	Childbirth, morbidity, sickness absence and disability pension: a population-based longitudinal cohort study in Sweden. <i>BMJ Open</i> , 2020, 10, e037726.	0.8	3
285	Sickness absence and disability pension among injured working-aged pedestrians - a population-based Swedish register study. <i>BMC Public Health</i> , 2021, 21, 2279.	1.2	3
286	Lack of Adjustment Latitude at Work as a Trigger of Taking Sick Leave – A Swedish Case-Crossover Study. <i>PLoS ONE</i> , 2013, 8, e61830.	1.1	2
287	Prescribed psychiatric medication among multiple sclerosis patients before and after disability pension: a register study with matched controls. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 1047-1054.	1.6	2
288	Transitions Between Compensated Work Disability, Joblessness, and Self-Sufficiency: A Cohort Study 1997–2010 of Those Jobless in 1995. <i>Population Research and Policy Review</i> , 2017, 36, 85-107.	1.0	2

#	ARTICLE	IF	CITATIONS
289	Assessing the degree of residual confounding: a cohort study on the association between disability pension and mortality. <i>European Journal of Public Health</i> , 2018, 28, 836-841.	0.1	2
290	A follow-up of the introduction of a maximum entitlement period for receiving sickness benefits in Sweden: A nationwide register-based study. <i>Scandinavian Journal of Public Health</i> , 2020, 48, 144-154.	1.2	2
291	Gender differences in treatment with antidepressants during first weeks of a sick-leave spell due to depressive episode. <i>European Journal of Public Health</i> , 2020, 30, 299-304.	0.1	2
292	Oncologists' experiences of and prerequisites for sickness certification tasks: A nationwide questionnaire study. <i>European Journal of Cancer Care</i> , 2021, 30, e13414.	0.7	2
293	Overall and diagnosis-specific sickness absence and disability pension in colorectal cancer survivors and references in Sweden. <i>Journal of Cancer Survivorship</i> , 2022, 16, 269-278.	1.5	2
294	Sickness absence and disability pension after carpal tunnel syndrome diagnosis: A register-based study of patients and matched references in Sweden. <i>Scandinavian Journal of Public Health</i> , 2021, , 140349482110027.	1.2	2
295	Work Participation among Women and Men in Sweden: A Register Study of 8.5 Million Individuals. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4642.	1.2	2
296	Disability Pension at the Time of Coronary Revascularisation Is Associated with Higher Five-Year Mortality; A Swedish Nationwide, Register-Based Prospective Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0135277.	1.1	2
297	Self-employment, sickness absence, and disability pension in multiple sclerosis. <i>Acta Neurologica Scandinavica</i> , 2022, 146, 283-294.	1.0	2
298	Reliance on social security benefits by Swedish patients with ill-health attributed to dental fillings: a register-based cohort study. <i>BMC Public Health</i> , 2012, 12, 713.	1.2	1
299	Associations between prognosed future work capacity among long-term sickness absentees and their actual work incapacity two years later. <i>Work</i> , 2014, 49, 245-255.	0.6	1
300	Cost-of-illness trajectories among people with multiple sclerosis by comorbidity: A register-based prospective study in Sweden. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2020, 6, 205521732096859.	0.5	1
301	1175 Work stress and loss of years lived without chronic disease; an 18-year prospective cohort study. <i>International Journal of Epidemiology</i> , 2021, 50, .	0.9	1
302	Healthcare use, sickness absence, and disability pension among colorectal cancer survivors and population references in Sweden. <i>Acta Oncologica</i> , 2021, 60, 1643-1650.	0.8	1
303	Sickness absence and disability pension among injured car occupants, and associations with injury and car safety factors: A prospective cohort study. <i>Accident Analysis and Prevention</i> , 2021, 159, 106262.	3.0	1
304	Influence of Pregnancy-Related Diagnoses on Sick-Leave Data in Women Aged 16-44. <i>Obstetrical and Gynecological Survey</i> , 2002, 57, 149-150.	0.2	1
305	Diagnosis-specific sickness absence as a predictor of mortality: the Whitehall II prospective cohort study. , 0, .		1
306	Factors associated with general practitioners' contacts with sick-listed patients' employers: A Swedish nationwide questionnaire study. <i>Scandinavian Journal of Public Health</i> , 2021, , 140349482110531.	1.2	1

#	ARTICLE	IF	CITATIONS
307	Clustering of social disadvantage with attentionâ€deficit/hyperactivity disorder in young adults: A registerâ€based study in Sweden. <i>Scandinavian Journal of Psychology</i> , 2022, , .	0.8	1
308	Pregnancy-Related Sickness Absence Among Employed Women in a Swedish County. <i>Obstetrical and Gynecological Survey</i> , 1996, 51, 147-148.	0.2	0
309	Childbirth, morbidity, sickness absence and disability pension: a population-based longitudinal cohort study in Sweden. <i>BMJ Open</i> , 2020, 10, e037726.	0.8	0
310	Trends in Associations Between Sickness Absence Before the Age of 65 and Being in Paid Work After the Age of 65: Prospective Study of Three Total Population Cohorts. <i>Journal of Aging and Social Policy</i> , 2022, , 1-24.	0.9	0
311	Associations of sickness absence and disability pension due to mental and somatic diagnoses when aged 60â€64 with paid work after the standard retirement age; a prospective population-based cohort study in Sweden. <i>BMC Public Health</i> , 2021, 21, 2322.	1.2	0
312	Physicianâ€™s use of sickness certification guidelines: a nationwide survey of 13 750 physicians in different types of clinics in Sweden. <i>BMJ Open</i> , 2021, 11, e051555.	0.8	0