Caini Liu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6852446/publications.pdf

Version: 2024-02-01

471509 794594 2,317 19 17 19 citations h-index g-index papers 19 19 19 3264 citing authors all docs docs citations times ranked

#	Article	IF	CITATIONS
1	IL-17–induced HIF1α drives resistance to anti–PD-L1 via fibroblast-mediated immune exclusion. Journal of Experimental Medicine, 2022, 219, .	8.5	21
2	Targeting IL-17A/glucocorticoid synergy to CSF3 expression in neutrophilic airway diseases. JCI Insight, 2020, 5 , .	5.0	34
3	IL-17A Recruits Rab35 to IL-17R to Mediate PKCα-Dependent Stress Fiber Formation and Airway Smooth Muscle Contractility. Journal of Immunology, 2019, 202, 1540-1548.	0.8	13
4	IL-17R–EGFR axis links wound healing to tumorigenesis in Lrig1+ stem cells. Journal of Experimental Medicine, 2019, 216, 195-214.	8.5	82
5	IL-17-receptor-associated adaptor Act1 directly stabilizes mRNAs to mediate IL-17 inflammatory signaling. Nature Immunology, 2018, 19, 354-365.	14.5	91
6	The flavonoid cyanidin blocks binding of the cytokine interleukin-17A to the IL-17RA subunit to alleviate inflammation in vivo. Science Signaling, 2017, 10 , .	3.6	65
7	IL-17A–Induced PLET1 Expression Contributes to Tissue Repair and Colon Tumorigenesis. Journal of Immunology, 2017, 199, 3849-3857.	0.8	49
8	Genetic, immunological, and clinical features of patients with bacterial and fungal infections due to inherited IL-17RA deficiency. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, E8277-E8285.	7.1	137
9	A novel IL-17 signaling pathway controlling keratinocyte proliferation and tumorigenesis via the TRAF4–ERK5 axis. Journal of Experimental Medicine, 2015, 212, 1571-1587.	8.5	170
10	Structure of the unique SEFIR domain from human interleukin 17 receptor A reveals a composite ligand-binding site containing a conserved \hat{l}_{\pm} -helix for Act1 binding and IL-17 signaling. Acta Crystallographica Section D: Biological Crystallography, 2014, 70, 1476-1483.	2.5	31
11	HuR Is Required for IL-17–Induced Act1-Mediated CXCL1 and CXCL5 mRNA Stabilization. Journal of Immunology, 2013, 191, 640-649.	0.8	83
12	Treatment with IL-17 prolongs the half-life of chemokine CXCL1 mRNA via the adaptor TRAF5 and the splicing-regulatory factor SF2 (ASF). Nature Immunology, 2011, 12, 853-860.	14.5	199
13	T Cell-Derived Act1 Is Necessary for IL-25–Mediated Th2 Responses and Allergic Airway Inflammation. Journal of Immunology, 2011, 187, 3155-3164.	0.8	43
14	A CC′ Loop Decoy Peptide Blocks the Interaction Between Act1 and IL-17RA to Attenuate IL-17– and IL-25–Induced Inflammation. Science Signaling, 2011, 4, ra72.	3.6	44
15	The inducible kinase IKKi is required for IL-17-dependent signaling associated with neutrophilia and pulmonary inflammation. Nature Immunology, 2011, 12, 844-852.	14.5	174
16	Astrocyte-Restricted Ablation of Interleukin-17-Induced Act1-Mediated Signaling Ameliorates Autoimmune Encephalomyelitis. Immunity, 2010, 32, 414-425.	14.3	265
17	Act1, a U-box E3 Ubiquitin Ligase for IL-17 Signaling. Science Signaling, 2009, 2, ra63.	3.6	179
18	The Critical Role of Epithelial-Derived Act1 in IL-17- and IL-25-Mediated Pulmonary Inflammation. Journal of Immunology, 2009, 182, 1631-1640.	0.8	130

#	Article	IF	CITATIONS
19	The adaptor Act1 is required for interleukin 17–dependent signaling associated with autoimmune and inflammatory disease. Nature Immunology, 2007, 8, 247-256.	14.5	507