

Shouan Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6853222/publications.pdf>

Version: 2024-02-01

71
papers

2,931
citations

331670

21
h-index

168389

53
g-index

71
all docs

71
docs citations

71
times ranked

2952
citing authors

#	ARTICLE	IF	CITATIONS
1	Management of <i>Meloidogyne incognita</i> on Cucumber with a New Nonfumigant Nematicide Fluopimomide. <i>Plant Disease</i> , 2022, 106, 151-155.	1.4	6
2	Oxidative stress, intestinal damage, and cell apoptosis: Toxicity induced by fluopyram in <i>Caenorhabditis elegans</i> . <i>Chemosphere</i> , 2022, 286, 131830.	8.2	28
3	Lentian extends lifespan and increases oxidative stress resistance through DAF-16 and SKN-1 pathways in <i>Caenorhabditis elegans</i> . <i>International Journal of Biological Macromolecules</i> , 2022, 202, 286-295.	7.5	22
4	2021 Florida Plant Disease Management Guide: Eggplant. <i>Edis</i> , 2022, 2022, .	0.1	0
5	Saltwater Intrusion and Flooding: Risks to South Florida's Agriculture and Potential Management Practices. <i>Edis</i> , 2022, 2022, .	0.1	1
6	Surfactants in plant disease management: A brief review and case studies. <i>Plant Pathology</i> , 2021, 70, 495-510.	2.4	24
7	Evaluation of a Small-Molecule Compound, N-Acetylcysteine, for the Management of Bacterial Spot of Tomato Caused by Copper-Resistant <i>Xanthomonas perforans</i> . <i>Plant Disease</i> , 2021, 105, 108-113.	1.4	11
8	Evaluation of fluazaindolizine, a new nematicide for management of <i>Meloidogyne incognita</i> in squash in calcareous soils. <i>Crop Protection</i> , 2021, 143, 105469.	2.1	12
9	Draft Genome Sequences of <i>Pseudomonas syringae</i> pv. <i>tomato</i> Strains J4 and J6, Isolated in Florida. <i>Microbiology Resource Announcements</i> , 2021, 10, .	0.6	0
10	Isolating and Characterizing Phosphorus Solubilizing Bacteria From Rhizospheres of Native Plants Grown in Calcareous Soils. <i>Frontiers in Environmental Science</i> , 2021, 9, .	3.3	4
11	Metabolomics Insights into Chemical Convergence in <i>Xanthomonas perforans</i> and Metabolic Changes Following Treatment with the Small Molecule Carvacrol. <i>Metabolites</i> , 2021, 11, 879.	2.9	3
12	Fusarium Crown and Root Rot of Tomato in Florida. <i>Edis</i> , 2021, 2021, .	0.1	2
13	Prevalence and Epidemics of <i>Neoscytalidium</i> Stem and Fruit Canker on Pitahaya (<i>Hylocereus</i> spp.) in South Florida. <i>Plant Disease</i> , 2020, 104, 1433-1438.	1.4	14
14	Evaluating a new non-fumigant nematicide fluopimomide for management of southern root-knot nematodes in tomato. <i>Crop Protection</i> , 2020, 129, 105040.	2.1	16
15	Outbreaks of Tomato Chlorotic Spot Tospovirus in Commercial Tomato Fields and Effectiveness of Different Management Measures in South Florida. <i>Plant Health Progress</i> , 2020, 21, 188-193.	1.4	2
16	Fluopimomide effectively controls <i>Meloidogyne incognita</i> and shows a growth promotion effect in cucumber. <i>Journal of Pest Science</i> , 2020, 93, 1421-1430.	3.7	10
17	Transposon-mediated telomere destabilization: a driver of genome evolution in the blast fungus. <i>Nucleic Acids Research</i> , 2020, 48, 7197-7217.	14.5	14
18	Management of bacterial spot of tomato caused by copper-resistant <i>Xanthomonas perforans</i> using a small molecule compound carvacrol. <i>Crop Protection</i> , 2020, 132, 105114.	2.1	21

#	ARTICLE	IF	CITATIONS
19	Distribution Pattern of Thrips (Thysanoptera: Thripidae) and Tomato Chlorotic Spot Virus in South Florida Tomato Fields. <i>Environmental Entomology</i> , 2020, 49, 73-87.	1.4	6
20	Field distribution and disease incidence of tomato chlorotic spot virus, an emerging virus threatening tomato production in South Florida. <i>Tropical Plant Pathology</i> , 2019, 44, 430-437.	1.5	5
21	Field Evaluation of Tomato Cultivars for Tolerance to Tomato Chlorotic Spot Tosspovirus. <i>Plant Health Progress</i> , 2019, 20, 77-82.	1.4	5
22	First Report of <i>Erysiphe fallax</i> Causing Powdery Mildew on Phasey Bean (<i>Macroptilium</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 6	1.4	2
23	Integrated management of <i>Meloidogyne incognita</i> and <i>Fusarium oxysporum</i> in cucumber by combined application of abamectin and fludioxonil. <i>Crop Protection</i> , 2019, 126, 104922.	2.1	11
24	Potential of a Small Molecule Carvacrol in Management of Vegetable Diseases. <i>Molecules</i> , 2019, 24, 1932.	3.8	20
25	Evaluation of fluopyram for southern root-knot nematode management in tomato production in China. <i>Crop Protection</i> , 2019, 122, 84-89.	2.1	41
26	Synergistic Effect of Combined Application of a New Fungicide Fluopimomide with a Biocontrol Agent <i>Bacillus methylophilus</i> TA-1 for Management of Gray Mold in Tomato. <i>Plant Disease</i> , 2019, 103, 1991-1997.	1.4	31
27	Inhibitory effect of allicin against <i>Meloidogyne incognita</i> and <i>Botrytis cinerea</i> in tomato. <i>Scientia Horticulturae</i> , 2019, 253, 203-208.	3.6	24
28	Evaluation of a small molecule compound 3-indolylacetonitrile for control of bacterial spot on tomato. <i>Crop Protection</i> , 2019, 120, 7-12.	2.1	9
29	Reverse transcription loop-mediated isothermal amplification for species-specific detection of tomato chlorotic spot orthospovirus. <i>Journal of Virological Methods</i> , 2018, 253, 56-60.	2.1	9
30	Molecular mechanisms underlying heat or tetracycline treatments for citrus HLB control. <i>Horticulture Research</i> , 2018, 5, 30.	6.3	12
31	Assessment of copper resistance in <i>Pseudomonas syringae</i> pv. <i>phaseolicola</i> , the pathogen of halo blight on snap bean. <i>Crop Protection</i> , 2017, 98, 8-15.	2.1	11
32	Effects of Plant Growth-Promoting Rhizobacteria and N Source on Plant Growth and N and P Uptake by Tomato Grown on Calcareous Soils. <i>Pedosphere</i> , 2017, 27, 1027-1036.	4.0	64
33	Application of plant growth-promoting rhizobacteria to control Papaya ringspot virus and Tomato chlorotic spot virus. <i>Archives of Phytopathology and Plant Protection</i> , 2017, 50, 584-597.	1.3	15
34	Integration of chitosan and plant growth-promoting rhizobacteria to control Papaya ringspot virus and Tomato chlorotic spot virus. <i>Archives of Phytopathology and Plant Protection</i> , 2017, 50, 997-1007.	1.3	3
35	Management of Powdery Mildew in Squash by Plant and Alga Extract Biopesticides. <i>Plant Pathology Journal</i> , 2016, 32, 528-536.	1.7	20
36	Asian Crops Overview: Consumer Preference and Cultivar Growth on the East Coast of the United States. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2016, 51, 1344-1350.	1.0	13

#	ARTICLE	IF	CITATIONS
37	Red Light Increases Suppression of Downy Mildew in Basil by Chemical and Organic Products. <i>Journal of Phytopathology</i> , 2016, 164, 1022-1029.	1.0	12
38	Basil Downy Mildew (<i>Peronospora belbahrii</i>): Discoveries and Challenges Relative to Its Control. <i>Phytopathology</i> , 2015, 105, 885-894.	2.2	64
39	Evaluation of the New Compound Oxathiapiprolin for Control of Downy Mildew in Basil. <i>Plant Health Progress</i> , 2015, 16, 165-172.	1.4	8
40	Characterization of phosphate-solubilizing bacteria isolated from calcareous soils. <i>Applied Soil Ecology</i> , 2015, 96, 217-224.	4.3	103
41	Genetic Diversity of <i>Candidatus Liberibacter asiaticus</i> Based on Two Hypervariable Effector Genes in Thailand. <i>PLoS ONE</i> , 2014, 9, e112968.	2.5	21
42	Complete Genome Sequence of an Emerging Genotype of Tobacco Streak Virus in the United States. <i>Genome Announcements</i> , 2014, 2, .	0.8	8
43	Seasonal Dynamics of Black Leaf Mould (<i>Pseudocercospora fuligena</i>) on Greenhouse-Grown Fresh Market Tomatoes. <i>Journal of Phytopathology</i> , 2014, 162, 158-169.	1.0	3
44	Effects of temperature, wetness duration and leaf age on incubation and latent periods of black leaf mold (<i>Pseudocercospora fuligena</i>) on fresh market tomatoes. <i>European Journal of Plant Pathology</i> , 2014, 138, 39-49.	1.7	12
45	Effect of chemical treatments on <i>Candidatus Liberibacter asiaticus</i> ™ infected pomelo (<i>Citrus maxima</i>). <i>Crop Protection</i> , 2014, 65, 114-121.	2.1	24
46	Effect of Plant Age and Acibenzolar-S-methyl on Development of Downy Mildew of Basil. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2014, 49, 1392-1396.	1.0	6
47	Heat Treatment Eliminates <i>Candidatus Liberibacter asiaticus</i> ™ from Infected Citrus Trees Under Controlled Conditions. <i>Phytopathology</i> , 2013, 103, 15-22.	2.2	119
48	Efficacy of Acibenzolar-S-methyl and Î²-Aminobutyric Acid for Control of Downy Mildew in Greenhouse Grown Basil and Peroxidase Activity in Response to Treatment with these Compounds. <i>Journal of Phytopathology</i> , 2013, 161, 154-164.	1.0	19
49	Tomato Chlorotic Spot Virus. <i>Edis</i> , 2013, 2013, .	0.1	9
50	A Postharvest Fruit Rot Caused by <i>Alternaria</i> sp. on Imported Plum Tomatoes in South Florida. <i>Edis</i> , 2013, 2013, .	0.1	0
51	Molecular Linkage Mapping and Marker-Trait Associations with NIRPT, a Downy Mildew Resistance Gene in <i>Nicotiana glauca</i> . <i>Frontiers in Plant Science</i> , 2012, 3, 185.	3.6	11
52	Evaluation of systemic acquired resistance inducers for control of downy mildew on basil. <i>Crop Protection</i> , 2012, 40, 83-90.	2.1	25
53	Occurrence Of Viruses Infecting Watermelon, Other Cucurbits, and Weeds in the Parts of Southern United States. <i>Plant Health Progress</i> , 2012, 13, .	1.4	42
54	Effect of Application Frequency and Reduced Rates of Acibenzolar-S-Methyl on the Field Efficacy of Induced Resistance Against Bacterial Spot on Tomato. <i>Plant Disease</i> , 2012, 96, 221-227.	1.4	67

#	ARTICLE	IF	CITATIONS
55	Evaluation of Microbial Products for Management of Powdery Mildew on Summer Squash and Cantaloupe in Florida. <i>Plant Disease</i> , 2011, 95, 461-468.	1.4	19
56	Groundnut Ringspot Virus in Florida. <i>Edis</i> , 2011, 2011, .	0.1	1
57	Evaluation of plant growth-promoting rhizobacteria for control of <i>Phytophthora</i> blight on squash under greenhouse conditions. <i>Biological Control</i> , 2010, 53, 129-135.	3.0	76
58	Utilization of chemical inducers of resistance and <i>Cryptococcus flavescens</i> OH 182.9 to reduce <i>Fusarium</i> head blight under greenhouse conditions. <i>Biological Control</i> , 2007, 42, 308-315.	3.0	36
59	Cold shock during liquid production increases storage shelf-life of <i>Cryptococcus nodaensis</i> OH 182.9 after air-drying. <i>Biocontrol Science and Technology</i> , 2006, 16, 281-293.	1.3	10
60	Carbon-to-Nitrogen Ratio and Carbon Loading of Production Media Influence Freeze-Drying Survival and Biocontrol Efficacy of <i>Cryptococcus nodaensis</i> OH 182.9. <i>Phytopathology</i> , 2005, 95, 626-631.	2.2	28
61	Long-Term Effect of Mutagenic DNA Repair on Accumulation of Mutations in <i>Pseudomonas syringae</i> B86-17. <i>Journal of Bacteriology</i> , 2004, 186, 7807-7810.	2.2	4
62	Tobacco growth enhancement and blue mold disease protection by rhizobacteria: Relationship between plant growth promotion and systemic disease protection by PGPR strain 90-166. <i>Plant and Soil</i> , 2004, 262, 277-288.	3.7	88
63	Mutagenic DNA repair potential in <i>Pseudomonas</i> spp., and characterization of the <i>rulABPc</i> operon from the highly mutable strain <i>Pseudomonas cichorii</i> 302959. <i>Canadian Journal of Microbiology</i> , 2004, 50, 29-39.	1.7	11
64	Induced Systemic Resistance and Promotion of Plant Growth by <i>Bacillus</i> spp.. <i>Phytopathology</i> , 2004, 94, 1259-1266.	2.2	1,341
65	Development of Assays for Assessing Induced Systemic Resistance by Plant Growth-Promoting Rhizobacteria against Blue Mold of Tobacco. <i>Biological Control</i> , 2002, 23, 79-86.	3.0	50
66	The role of salicylic acid in induced systemic resistance elicited by plant growth-promoting rhizobacteria against blue mold of tobacco. <i>Biological Control</i> , 2002, 25, 288-296.	3.0	138
67	Lack of Induced Systemic Resistance in Peanut to Late Leaf Spot Disease by Plant Growth-Promoting Rhizobacteria and Chemical Elicitors. <i>Plant Disease</i> , 2001, 85, 879-884.	1.4	84
68	Chapter 11. Legume Production. <i>Edis</i> , 0, , .	0.1	0
69	Chapter 10. Minor Vegetable Crop Production. <i>Edis</i> , 0, , .	0.1	1
70	Chapter 15. Root Crop Production in Florida. <i>Edis</i> , 0, , .	0.1	0
71	Chapter 12. Onion, Leek, and Chive Production in Florida. <i>Edis</i> , 0, , .	0.1	0