

Maylis Orio

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6853919/maylis-orio-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

108
papers

2,862
citations

28
h-index

50
g-index

114
ext. papers

3,261
ext. citations

5.4
avg, IF

5.08
L-index

#	Paper	IF	Citations
108	Coordination polymer structure and revisited hydrogen evolution catalytic mechanism for amorphous molybdenum disulfide. <i>Nature Materials</i> , 2016 , 15, 640-6	27	379
107	Density functional theory. <i>Photosynthesis Research</i> , 2009 , 102, 443-53	3.7	174
106	Nickel-centred proton reduction catalysis in a model of [NiFe] hydrogenase. <i>Nature Chemistry</i> , 2016 , 8, 1054-1060	17.6	152
105	X-ray structures of copper(II) and nickel(II) radical salen complexes: the preference of galactose oxidase for copper(II). <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 4989-92	16.4	150
104	Structure of the oxygen-evolving complex of photosystem II: information on the S(2) state through quantum chemical calculation of its magnetic properties. <i>Physical Chemistry Chemical Physics</i> , 2009 , 11, 6788-98	3.6	114
103	A new quantum chemical approach to the magnetic properties of oligonuclear transition-metal complexes: application to a model for the tetranuclear manganese cluster of photosystem II. <i>Chemistry - A European Journal</i> , 2009 , 15, 5108-23	4.8	106
102	Pulsed-EPR evidence of a manganese(II) hydroxycarbonyl intermediate in the electrocatalytic reduction of carbon dioxide by a manganese bipyridyl derivative. <i>Angewandte Chemie - International Edition</i> , 2014 , 53, 240-3	16.4	102
101	Magnetic and spectroscopic properties of mixed valence manganese(III,IV) dimers: a systematic study using broken symmetry density functional theory. <i>Inorganic Chemistry</i> , 2009 , 48, 7251-60	5.1	98
100	Theoretical magnetochemistry of dinuclear manganese complexes: broken symmetry density functional theory investigation on the influence of bridging motifs on structure and magnetism. <i>Dalton Transactions</i> , 2010 , 39, 4959-67	4.3	93
99	Ligand contributions to the electronic structures of the oxidized cobalt(II) salen complexes. <i>Inorganic Chemistry</i> , 2012 , 51, 10557-71	5.1	67
98	Radical localization in a series of symmetric Ni(II) complexes with oxidized salen ligands. <i>Chemistry - A European Journal</i> , 2012 , 18, 14117-27	4.8	67
97	One-electron oxidized copper(II) salophen complexes: phenoxyl versus diiminobenzene radical species. <i>Chemistry - A European Journal</i> , 2012 , 18, 1068-72	4.8	52
96	Trinuclear terpyridine frustrated spin system with a Mn(IV)3O4 core: synthesis, physical characterization, and quantum chemical modeling of its magnetic properties. <i>Inorganic Chemistry</i> , 2009 , 48, 10281-8	5.1	50
95	Copper(II) Complexes of Phenanthroline and Histidine Containing Ligands: Synthesis, Characterization and Evaluation of their DNA Cleavage and Cytotoxic Activity. <i>Inorganic Chemistry</i> , 2016 , 55, 11801-11814	5.1	48
94	A Thiosemicarbazone-Nickel(II) Complex as Efficient Electrocatalyst for Hydrogen Evolution. <i>ChemCatChem</i> , 2017 , 9, 2262-2268	5.2	43
93	Spin interaction in octahedral zinc complexes of mono- and diradical Schiff and mannich bases. <i>Inorganic Chemistry</i> , 2010 , 49, 646-58	5.1	43
92	Variation of average g values and effective exchange coupling constants among [2Fe-2S] clusters: a density functional theory study of the impact of localization (trapping forces) versus delocalization (double-exchange) as competing factors. <i>Inorganic Chemistry</i> , 2008 , 47, 5394-416	5.1	37

91	Imino-semiquinone radical ligands enable access to a well-defined redox-active Cu(II)-CF ₃ complex. <i>Chemical Communications</i> , 2014 , 50, 10394-7	5.8	35
90	X-Ray Structures of Copper(II) and Nickel(II) Radical Salen Complexes: The Preference of Galactose Oxidase for Copper(II). <i>Angewandte Chemie</i> , 2010 , 122, 5109-5112	3.6	35
89	Tuning Reactivity of Bioinspired [NiFe]-Hydrogenase Models by Ligand Design and Modeling the CO Inhibition Process. <i>ACS Catalysis</i> , 2018 , 8, 10658-10667	13.1	35
88	Hydrogen Evolution Reactions Catalyzed by a Bis(thiosemicarbazone) Cobalt Complex: An Experimental and Theoretical Study. <i>Chemistry - A European Journal</i> , 2018 , 24, 8779-8786	4.8	34
87	Reversible double oxidation and protonation of the non-innocent bridge in a nickel(II) salophen complex. <i>Inorganic Chemistry</i> , 2012 , 51, 12796-804	5.1	33
86	Reversible apical coordination of imidazole between the Ni(III) and Ni(II) oxidation states of a dithiolate complex: a process related to the Ni superoxide dismutase. <i>Inorganic Chemistry</i> , 2010 , 49, 6399-401	5.1	33
85	Unsymmetrical one-electron oxidized Ni(II)-bis(salicylidene) complexes: a protonation-induced shift of the oxidation site. <i>Chemical Communications</i> , 2010 , 46, 6765-7	5.8	32
84	Redox noninnocence of the bridge in copper(II) salophen and bis(oxamato) complexes. <i>Inorganic Chemistry</i> , 2015 , 54, 9013-26	5.1	30
83	Influence of mixed thiolate/thioether versus dithiolate coordination on the accessibility of the uncommon +I and +III oxidation states for the nickel ion: an experimental and computational study. <i>Inorganic Chemistry</i> , 2011 , 50, 3707-16	5.1	30
82	Understanding Ferroelectricity in the Pb-Free Perovskite-Like Metal-Organic Framework [(CH ₃) ₂ NH ₂] ₂ Zn(HCOO) ₃ : Dielectric, 2D NMR, and Theoretical Studies. <i>Journal of Physical Chemistry C</i> , 2017 , 121, 6314-6322	3.8	29
81	Circumventing Intrinsic Metal Reactivity: Radical Generation with Redox-Active Ligands. <i>Chemistry - A European Journal</i> , 2017 , 23, 15030-15034	4.8	28
80	Spectroscopic description of an unusual protonated ferryl species in the catalase from <i>Proteus mirabilis</i> and density functional theory calculations on related models. Consequences for the ferryl protonation state in catalase, peroxidase and chloroperoxidase. <i>Journal of Biological Inorganic Chemistry</i> , 2007 , 12, 509-27	3.7	28
79	Stable anilinyll radicals coordinated to nickel: X-ray crystal structure and characterization. <i>Chemistry - A European Journal</i> , 2013 , 19, 16707-21	4.8	27
78	A nickel dimethyl glyoximate complex to form nickel based nanoparticles for electrocatalytic H ₂ production. <i>Chemical Communications</i> , 2014 , 50, 13514-6	5.8	26
77	Side-on cupric-superoxo triplet complexes as competent agents for H-abstraction relevant to the active site of PHM. <i>Chemical Communications</i> , 2015 , 51, 11134-7	5.8	25
76	A bio-inspired switch based on cobalt(II) disulfide/cobalt(III) thiolate interconversion. <i>Angewandte Chemie - International Edition</i> , 2014 , 53, 5318-21	16.4	24
75	Versatile effects of aurone structure on mushroom tyrosinase activity. <i>ChemBioChem</i> , 2012 , 13, 559-65	3.8	24
74	N ₂ O reduction at a dissymmetric {Cu ₂ S}-containing mixed-valent center. <i>Chemical Science</i> , 2014 , 5, 4774-4784	4.7	23

73	Influence of Confinement Effect on Electron Transfers Induced by t-Stilbene Sorption in Medium Pore Acidic Zeolites. <i>Journal of Physical Chemistry C</i> , 2012 , 116, 1812-1825	3.8	23
72	C-N Bond Formation from a Masked High-Valent Copper Complex Stabilized by Redox Non-Innocent Ligands. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 10712-6	16.4	23
71	Copper-Catalyzed Aziridination with Redox-Active Ligands: Molecular Spin Catalysis. <i>Chemistry - A European Journal</i> , 2018 , 24, 5086-5090	4.8	22
70	A {Cu ₂ S} ²⁺ mixed-valent core featuring a Cu-Cu bond. <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 8249-52	16.4	21
69	Vanadium thiolate complexes for efficient and selective sulfoxidation catalysis: a mechanistic investigation. <i>Inorganic Chemistry</i> , 2013 , 52, 13424-31	5.1	20
68	Copper Complexes as Bioinspired Models for Lytic Polysaccharide Monooxygenases. <i>Inorganic Chemistry</i> , 2017 , 56, 1023-1026	5.1	19
67	An Experimental and Theoretical Investigation on Pentacoordinated Cobalt(III) Complexes with an Intermediate S=1 Spin State: How Halide Ligands Affect their Magnetic Anisotropy. <i>Chemistry - A European Journal</i> , 2016 , 22, 925-33	4.8	18
66	Molecular Electrocatalysts for the Hydrogen Evolution Reaction: Input from Quantum Chemistry. <i>ChemSusChem</i> , 2019 , 12, 4905-4915	8.3	16
65	Influence of the Metal Ion on the Electrocatalytic Hydrogen Production by a Thiosemicarbazone Palladium Complex. <i>European Journal of Inorganic Chemistry</i> , 2018 , 2018, 2259-2266	2.3	15
64	Effect of the Metal on Disulfide/Thiolate Interconversion: Manganese versus Cobalt. <i>Chemistry - A European Journal</i> , 2015 , 21, 18770-8	4.8	15
63	Dinuclear iridium and rhodium complexes with bridging arylimidazolidine-N(3),C(2) ligands: synthetic, structural, reactivity, electrochemical and spectroscopic studies. <i>Dalton Transactions</i> , 2015 , 44, 17030-44	4.3	14
62	Controlled nitrene transfer from a tyrosinase-like arylnitroso-copper complex. <i>Chemical Communications</i> , 2015 , 51, 11206-9	5.8	14
61	Insights into the recombination of radical pairs in hexaarylbiimidazoles. <i>Chemical Communications</i> , 2013 , 49, 5841-3	5.8	14
60	From non-innocent to guilty: on the role of redox-active ligands in the electro-assisted reduction of CO ₂ mediated by a cobalt(II)-polypyridyl complex. <i>Sustainable Energy and Fuels</i> , 2020 , 4, 3668-3676	5.8	13
59	Multifrequency cw-EPR and DFT Studies of an Apparent Compressed Octahedral Cu(II) Complex. <i>Inorganic Chemistry</i> , 2016 , 55, 1497-504	5.1	13
58	Geometric and electronic structures of phenoxyl radicals hydrogen bonded to neutral and cationic partners. <i>Chemistry - A European Journal</i> , 2012 , 18, 5416-29	4.8	13
57	Efficient Light-Driven Hydrogen Evolution Using a Thiosemicarbazone-Nickel (II) Complex. <i>Frontiers in Chemistry</i> , 2019 , 7, 405	5	12
56	Monoanionic DipyrrinByridine Ligands: Synthesis, Structure and Photophysical Properties. <i>European Journal of Inorganic Chemistry</i> , 2015 , 2015, 5405-5410	2.3	12

55	Electropolymerized biotinylated poly (pyrrole-co-biotin) film as platform for the development of reagentless impedimetric immunosensors. <i>Electrochemistry Communications</i> , 2010 , 12, 311-314	5.1	12
54	Water Molecules Gating a Photoinduced One-Electron Two-Protons Transfer in a Tyrosine/Histidine (Tyr/His) Model of Photosystem II. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 9013-9017	16.4	12
53	Role of the Metal Ion in Bio-Inspired Hydrogenase Models: Investigation of a Homodinuclear FeFe Complex vs Its Heterodinuclear NiFe Analogue. <i>ACS Catalysis</i> , 2020 , 10, 177-186	13.1	11
52	Ligand-based electronic effects on the electrocatalytic hydrogen production by thiosemicarbazone nickel complexes. <i>Dalton Transactions</i> , 2020 , 49, 5064-5073	4.3	10
51	When Light and Acid Play Tic-Tac-Toe with a Nine-State Molecular Switch. <i>Journal of the American Chemical Society</i> , 2019 , 141, 19151-19160	16.4	10
50	Nickel(III) complexes of di-amidato-di-phenolato ligands: effect of H-bonding. <i>Dalton Transactions</i> , 2013 , 42, 13323-6	4.3	10
49	Redox-switchable tetra-copper assembly of N,N-, N,O-phenolate-phenanthroimidazolate bridging ligands. <i>Dalton Transactions</i> , 2013 , 42, 2358-61	4.3	10
48	Characterization of a Dinuclear Copper(II) Complex and Its Fleeting Mixed-Valent Copper(II)/Copper(III) Counterpart. <i>ChemPlusChem</i> , 2017 , 82, 615-624	2.8	8
47	Comparison of Density Functional and Correlated Wave Function Methods for the Prediction of Cu(II) Hyperfine Coupling Constants. <i>ChemPhysChem</i> , 2020 , 21, 2667-2679	3.2	8
46	Indolino-Oxazolidine Acido- and Photochromic System Investigated by NMR and Density Functional Theory Calculations. <i>Journal of Organic Chemistry</i> , 2018 , 83, 10409-10419	4.2	8
45	Measuring Motional Dynamics of [(CH ₃) ₂ NH ₂] ⁺ in the Perovskite-Like Metal-Organic Framework [(CH ₃) ₂ NH ₂][Zn(HCOO) ₃]: The Value of Low-Frequency Electron Paramagnetic Resonance. <i>Journal of Physical Chemistry C</i> , 2018 , 122, 16431-16436	3.8	8
44	A Bio-Inspired Switch Based on Cobalt(II) Disulfide/Cobalt(III) Thiolate Interconversion. <i>Angewandte Chemie</i> , 2014 , 126, 5422-5425	3.6	8
43	Structural, spectroscopic and redox properties of a mononuclear Co(II) thiolate complex--the reactivity toward S-alkylation: an experimental and theoretical study. <i>Dalton Transactions</i> , 2012 , 41, 12586-94	4.3	8
42	The versatile binding mode of transition-state analogue inhibitors of tyrosinase towards dicopper(II) model complexes: experimental and theoretical investigations. <i>Chemistry - A European Journal</i> , 2011 , 17, 13482-94	4.8	8
41	Cu-Cu Bond Formation from a Masked High-Valent Copper Complex Stabilized by Redox Non-Innocent Ligands. <i>Angewandte Chemie</i> , 2016 , 128, 10870-10874	3.6	8
40	Changing the chemical and physical properties of high valent heterobimetallic bis-(μ-oxido) Cu-Ni complexes by ligand effects. <i>Dalton Transactions</i> , 2016 , 45, 15994-16000	4.3	8
39	A {Cu ₂ S} ₂ ⁺ Mixed-Valent Core Featuring a Cu ⁺ Cu Bond. <i>Angewandte Chemie</i> , 2010 , 122, 8425-8428	3.6	7
38	Hydrogen evolution reaction mediated by an all-sulfur trinuclear nickel complex. <i>Chemical Communications</i> , 2020 , 56, 11106-11109	5.8	7

37	Characterization of Cu(II)-reconstituted ACC Oxidase using experimental and theoretical approaches. <i>Archives of Biochemistry and Biophysics</i> , 2017 , 623-624, 31-41	4.1	6
36	A multifunctional photoswitch: 6 π electrocyclization versus ESIPT and metalation. <i>Chemistry - A European Journal</i> , 2014 , 20, 12279-88	4.8	6
35	A novel di-compartmental bis-(2-hydroxyisophtalamide) macrocyclic ligand and its mononuclear Cu(II) and Ni(II) complexes. <i>Dalton Transactions</i> , 2012 , 41, 12457-67	4.3	6
34	Successes, challenges, and opportunities for quantum chemistry in understanding metalloenzymes for solar fuels research. <i>Chemical Communications</i> , 2021 , 57, 3952-3974	5.8	6
33	Optimizing Group Transfer Catalysis by Copper Complex with Redox-Active Ligand in an Entatic State. <i>IScience</i> , 2020 , 23, 100955	6.1	5
32	Tuning Inner-Sphere Electron Transfer in a Series of Copper/Nitrosoarene Adducts. <i>Inorganic Chemistry</i> , 2020 , 59, 8678-8689	5.1	5
31	Redox-Innocent Metal-Assisted Cleavage of S-S Bond in a Disulfide-Containing Ligand. <i>Inorganic Chemistry</i> , 2016 , 55, 6208-17	5.1	5
30	Fusion of Ultraviolet-Visible and Infrared Transient Absorption Spectroscopy Data to Model Ultrafast Photoisomerization. <i>Journal of Physical Chemistry Letters</i> , 2017 , 8, 3530-3535	6.4	5
29	Unraveling the catalytic mechanisms of H ₂ production with thiosemicarbazone nickel complexes.. <i>RSC Advances</i> , 2021 , 11, 5232-5238	3.7	5
28	X-ray structure of a Ni(II)-tri-phenoxy radical complex. <i>Dalton Transactions</i> , 2015 , 44, 17924-6	4.3	4
27	Influence of Copper Coordination Spheres on Nitrous Oxide Reductase (NOR) Activity of a Mixed-Valent Copper Complex Containing a {CuS} Core. <i>Inorganic Chemistry</i> , 2019 , 58, 11649-11655	5.1	4
26	Radicals of Free and Zinc(II)-Coordinated π -Azophenols. <i>European Journal of Inorganic Chemistry</i> , 2011 , 2011, 45-48	2.3	4
25	Structure and dynamics of the excited states of 1,3-diarylisobenzofurans: an experimental and theoretical study. <i>Photochemistry and Photobiology</i> , 2012 , 88, 633-8	3.6	3
24	Charge-ordering induces magnetic axes rotation in organic materials (TMTTF) ₂ X (with X = SbF ₆ , AsF ₆ , and PF ₆). <i>Low Temperature Physics</i> , 2015 , 41, 942-944	0.7	3
23	Magneto-Structural and Computational Study of a Tetranuclear Copper Complex Displaying Carbonyl π Interactions. <i>European Journal of Inorganic Chemistry</i> , 2018 , 2018, 5039-5046	2.3	3
22	Water Molecules Gating a Photoinduced One-Electron Two-Protons Transfer in a Tyrosine/Histidine (Tyr/His) Model of Photosystem II. <i>Angewandte Chemie</i> , 2018 , 130, 9151-9155	3.6	3
21	Unexpected rapid aerobic transformation of 2,2,6,6-tetraethyl-4-oxo(piperidin-1-yloxy) radical by cytochrome P450 in the presence of NADPH: Evidence against a simple reduction of the nitroxide moiety to the hydroxylamine. <i>Free Radical Biology and Medicine</i> , 2020 , 156, 144-156	7.8	2
20	An Air-Stable Molybdenum-Based Precatalyst in Oxygen-Atom Transfer Reactions. <i>European Journal of Inorganic Chemistry</i> , 2018 , 2018, 1427-1434	2.3	2

19	Oxidative DNA Cleavage Promoted by a Phenoxy-Radical Copper(II) Complex. <i>European Journal of Inorganic Chemistry</i> , 2016 , 2016, 5575-5584	2.3	2
18	Electronic and magnetic interactions in diporphyrinylamines. <i>Journal of Porphyrins and Phthalocyanines</i> , 2016 , 20, 1233-1243	1.8	2
17	Superlattice Induced by Charge Order in the Organic Spin Chain (TMTTF) _x (X = SbF ₆ , AsF ₆ , and PF ₆) Revealed by High-Field Electron Paramagnetic Resonance. <i>Journal of Physical Chemistry Letters</i> , 2018 , 9, 5598-5603	6.4	2
16	Separation of geometric isomers of a dicopper complex by using a (19)F-labeled ligand: dynamics, structures, and DFT calculations. <i>Inorganic Chemistry</i> , 2010 , 49, 7832-40	5.1	2
15	Catalytic Reduction of Oxygen by a Copper Thiosemicarbazone Complex. <i>European Journal of Inorganic Chemistry</i> , 2020 , 2020, 4549-4555	2.3	2
14	Valence Localization at a Bio-inspired Mixed-Valent {Cu S} Motif upon Solvation in Acetonitrile: Effect on Nitrous Oxide Reductase (NOR) Activity. <i>Chemistry - A European Journal</i> , 2018 , 24, 5060-5063	4.8	2
13	Magnetic resonance probing of ferroelectricity and magnetism in metal-organic frameworks. <i>Ferroelectrics</i> , 2018 , 534, 11-18	0.6	2
12	Tuning the locus of oxidation in Cu-diamido-diphenoxo complexes: From Cu(III) to Cu(II)-phenoxy radical. <i>Inorganica Chimica Acta</i> , 2018 , 481, 143-150	2.7	1
11	Neutral Lipophilic Palladium(II) Complexes and their Applications in Electrocatalytic Hydrogen Production and C-C Coupling Reactions. <i>European Journal of Inorganic Chemistry</i> , 2020 , 2020, 813-822	2.3	1
10	A hybrid bioinspired catechol-alloxazine triangular nickel complex stabilizing protons and electrons. <i>Inorganic Chemistry Frontiers</i> ,	6.8	1
9	Electron Spin Resonance of Defects in Spin Chains (DMTTF) _x : A Versatile System Behaving Like Molecular Magnet. <i>Applied Magnetic Resonance</i> , 2020 , 51, 1307-1320	0.8	1
8	Nickel Complexes and Carbon Dots for Efficient Light-Driven Hydrogen Production. <i>European Journal of Inorganic Chemistry</i> , 2021 , 2021, 3097-3103	2.3	1
7	Magnetic exchange coupling in Cu dimers studied with modern multireference methods and broken-symmetry coupled cluster theory. <i>Theoretical Chemistry Accounts</i> , 2021 , 140, 1	1.9	1
6	Quantum dynamics of Mn in dimethylammonium magnesium formate. <i>Journal of Chemical Physics</i> , 2021 , 154, 154201	3.9	0
5	Cellulose Depolymerization with LPMO-inspired Cu Complexes. <i>ChemCatChem</i> ,	5.2	0
4	Self-assembled nickel cubanes as oxygen evolution catalysts. <i>Chemical Communications</i> , 2021 , 57, 8608-8611	3.1	0
3	EPR Spectroscopy of Cu(II) Complexes: Prediction of g-Tensors Using Double-Hybrid Density Functional Theory. <i>Magnetochemistry</i> , 2022 , 8, 36	3.1	0
2	Electrochemical, Spectroscopic, and Computational Investigation of a Series of Polypyridyl Ruthenium(II) Complexes: Characterization of Reduced States. <i>European Journal of Inorganic Chemistry</i> , 2021 , 2021, 1263-1270	2.3	0

1 Magneto-Structural and Computational Study of a Tetranuclear Copper Complex Displaying Carbonyl Interactions. *European Journal of Inorganic Chemistry*, **2018**, 2018, 5037-5037

2.3