
Ileana Soto Mauldin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6854415/publications.pdf Version: 2024-02-01



LEANA SOTO MALLIDIN

#	Article	IF	CITATIONS
1	Multiplex Immunofluorescence Histology for Immune Cell Infiltrates in Melanoma-Associated Tertiary Lymphoid Structures. Methods in Molecular Biology, 2021, 2265, 573-587.	0.4	7
2	Heterogeneity in tertiary lymphoid structure B-cells correlates with patient survival in metastatic melanoma. , 2021, 9, e002273.		39
3	Immune mechanisms orchestrate tertiary lymphoid structures in tumors via cancer-associated fibroblasts. Cell Reports, 2021, 36, 109422.	2.9	89
4	Immunotyping and Quantification of Melanoma Tumor–Infiltrating Lymphocytes. Methods in Molecular Biology, 2021, 2265, 515-528.	0.4	2
5	A phase 1 study of NY-ESO-1 vaccine + anti-CTLA4 antibody Ipilimumab (IPI) in patients with unresectable or metastatic melanoma. Oncolmmunology, 2021, 10, 1898105.	2.1	11
6	Proliferating CD8+ T Cell Infiltrates Are Associated with Improved Survival in Glioblastoma. Cells, 2021, 10, 3378.	1.8	24
7	Deconvolution of the immunological contexture of mouse tumors with multiplexed immunohistochemistry. Methods in Enzymology, 2020, 635, 81-93.	0.4	3
8	Patterns of immune-cell infiltration in murine models of melanoma: roles of antigen and tissue site in creating inflamed tumors. Cancer Immunology, Immunotherapy, 2019, 68, 1121-1132.	2.0	13
9	Immune Cell Infiltration and Tertiary Lymphoid Structures as Determinants of Antitumor Immunity. Journal of Immunology, 2018, 200, 432-442.	0.4	153
10	Lymphoid aggregates in desmoplastic melanoma have features of tertiary lymphoid structures. Melanoma Research, 2018, 28, 237-245.	0.6	35
11	Formation and phenotypic characterization of CD49a, CD49b and CD103 expressing CD8 T cell populations in human metastatic melanoma. Oncolmmunology, 2018, 7, e1490855.	2.1	10
12	Perivascular Adipose Tissue Harbors Atheroprotective IgM-Producing B Cells. Frontiers in Physiology, 2017, 8, 719.	1.3	43
13	Human melanomas and ovarian cancers overexpressing mechanical barrier molecule genes lack immune signatures and have increased patient mortality risk. Oncolmmunology, 2016, 5, e1240857.	2.1	56
14	Intratumoral interferon-gamma increases chemokine production but fails to increase T cell infiltration of human melanoma metastases. Cancer Immunology, Immunotherapy, 2016, 65, 1189-1199.	2.0	38
15	Topical treatment of melanoma metastases with imiquimod, plus administration of a cancer vaccine, promotes immune signatures in the metastases. Cancer Immunology, Immunotherapy, 2016, 65, 1201-1212.	2.0	36
16	A randomized pilot trial testing the safety and immunologic effects of a MAGE-A3 protein plus AS15 immunostimulant administered into muscle or into dermal/subcutaneous sites. Cancer Immunology, Immunotherapy, 2016, 65, 25-36.	2.0	30
17	Pilot clinical trials testing the safety and effects on the metastatic melanoma microenvironment of intratumoral interferon-gamma or imiquimod, plus a multipeptide melanoma vaccine. , 2015, 3, .		1
18	Cytokines and TLR agonists influence the expression of retention integrins CD49a, CD49b and CD103 by T cells. , 2015, 3, .		0

2

#	Article	IF	CITATIONS
19	Vaccination with Melanoma Helper Peptides Induces Antibody Responses Associated with Improved Overall Survival. Clinical Cancer Research, 2015, 21, 3879-3887.	3.2	33
20	TLR2/6 agonists and interferon-gamma induce human melanoma cells to produce CXCL10. International Journal of Cancer, 2015, 137, 1386-1396.	2.3	25
21	TLR2/6 agonists and IFN-gamma treatment induces favorable immune cell recruiting signatures from melanoma associated with STAT1 and IL-32 signaling. , 2014, 2, .		3
22	TLR2/6 agonists and IFNÎ 3 synergize to induce melanoma cells to produce T-cell recruiting chemokines. , 2013, 1, .		0