

# Young-jin Lee

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6854567/publications.pdf>

Version: 2024-02-01

32  
papers

246  
citations

1039406

9  
h-index

1199166

12  
g-index

32  
all docs

32  
docs citations

32  
times ranked

252  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Assessment of species diversity, biomass and carbon sequestration potential of a natural mangrove stand in Samar, the Philippines. <i>Forest Science and Technology</i> , 2014, 10, 2-8.   | 0.3 | 23        |
| 2  | Sustainable management of forest in view of media attention to REDD + policy, opportunity and impact in Cambodia. <i>Forest Policy and Economics</i> , 2017, 85, 10-21.  | 1.5 | 16        |
| 3  | The impact of forest resource decline: Analyzing forest-related income supplements to reduce income inequality and poverty of the Kouy indigenous people living in Kampong Thom province, Cambodia. <i>Journal of Sustainable Forestry</i> , 2018, 37, 97-119. | 0.6 | 12        |
| 4  | Forest income and inequality in Kampong Thom province, Cambodia: Gini decomposition analysis. <i>Forest Science and Technology</i> , 2018, 14, 192-203.  | 0.3 | 12        |
| 5  | Women's participation and the gender perspective in sustainable forestry in Cambodia: local perceptions and the context of forestry research. <i>Forest Science and Technology</i> , 2019, 15, 93-110.   | 0.3 | 12        |
| 6  | Influence of stand age class on biomass expansion factor and allometric equations for <i>Pinus rigida</i> plantations in South Korea. <i>Scandinavian Journal of Forest Research</i> , 2013, 28, 566-573.  | 0.5 | 11        |
| 7  | Model fitting and validation of six height-DBH equations for <i>Pinus kesiya</i> Royle ex Gordon in Benguet Province, Philippines. <i>Forest Science and Technology</i> , 2013, 9, 45-50.  | 0.3 | 11        |
| 8  | Comparison of stem taper models for the four tropical tree species in Mount Makiling, Philippines. <i>Journal of Mountain Science</i> , 2016, 13, 536-545.   | 0.8 | 11        |
| 9  | Development and validation of nonlinear height-DBH models for major coniferous tree species in Korea. <i>Forest Science and Technology</i> , 2011, 7, 117-125.   | 0.3 | 10        |
| 10 | Stem taper equation analysis for <i>Larix kaempferi</i> species in the Central Region of South Korea. <i>Journal of Sustainable Forestry</i> , 2017, 36, 747-763.  | 0.6 | 10        |
| 11 | Using Q methodology to investigate the views of local experts on the sustainability of community-based forestry in Oddar Meanchey province, Cambodia. <i>Forest Policy and Economics</i> , 2019, 106, 101961.  | 1.5 | 10        |
| 12 | Diagnosing pristine pine forest development through pansharpened-surface-reflectance Landsat image derived aboveground biomass productivity. <i>Forest Ecology and Management</i> , 2021, 487, 119011.   | 1.4 | 10        |
| 13 | Assessing land use and land cover of the Marikina sub-watershed, Philippines. <i>Forest Science and Technology</i> , 2015, 11, 65-75.  | 0.3 | 8         |
| 14 | Compatible taper and stem volume equations for <i>Larix kaempferi</i> (Japanese larch) species of South Korea. <i>Journal of Mountain Science</i> , 2017, 14, 1341-1349.   | 0.8 | 8         |
| 15 | Floral diversity assessment in Alno communal mixed forest in Benguet, Philippines. <i>Landscape and Ecological Engineering</i> , 2014, 10, 361-368.  | 0.7 | 7         |
| 16 | Policy implications for community-managed forestry in Cambodia from experts' assessments and case studies of community forestry practice. <i>Journal of Mountain Science</i> , 2018, 15, 2531-2551.  | 0.8 | 7         |
| 17 | Development and validation of stem volume models for <i>Pinus kesiya</i> in Benguet province, Philippines. <i>Southern Forests</i> , 2013, 75, 123-128.  | 0.2 | 6         |
| 18 | Aboveground biomass mapping of La Trinidad forests in Benguet, Philippines, using Landsat Thematic Mapper data and <i>k</i> -nearest neighbor method. <i>Forest Science and Technology</i> , 2014, 10, 104-111.  | 0.3 | 6         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Comparative analysis of four stem taper models for <i>Quercus glauca</i> in Mount Halla, Jeju Island, South Korea. <i>Journal of Mountain Science</i> , 2014, 11, 442-448.  | 0.8 | 6         |
| 20 | Performance of Weibull function as a diameter distribution model for <i>Pinus thunbergii</i> stands in the eastern coast of South Korea. <i>Journal of Mountain Science</i> , 2016, 13, 822-830.  | 0.8 | 6         |
| 21 | Height-age model and site index curves for <i>Acacia mangium</i> and <i>Eucalyptus pellita</i> in Indonesia. <i>Forest Science and Technology</i> , 2018, 14, 91-96.  | 0.3 | 6         |
| 22 | A survival model for unthinned loblolly pine plantations that incorporates non-planted tree competition, site quality, and incidence of fusiform rust. <i>Bioresource Technology</i> , 2002, 85, 301-308.   | 4.8 | 5         |
| 23 | Exploring perspectives in assessing the quality of governance of the Reducing Emissions from Deforestation and Forest Degradation (REDD+) pilot project in Cambodia: Use of Q Methodology. <i>Journal of Mountain Science</i> , 2020, 17, 95-116. | 0.8 | 5         |
| 24 | Evaluation and validation of stem volume models for <i>Quercus glauca</i> in the subtropical forest of Jeju Island, Korea. <i>Journal of Ecology and Environment</i> , 2015, 38, 485-491.   | 1.6 | 5         |
| 25 | Estimation of Height Growth Patterns and Site Index Curves for Japanese Red Cedar ( <i>Cryptomeria japonica</i> ) in Jeju Island, Korea. <i>Journal of Ecology and Environment</i> , 2015, 38, 29-31.   | 0.1 | 5         |
| 26 | Percentile-based Weibull diameter distribution model for <i>Pinus kesiya</i> stands in Benguet province, Philippines. <i>Southern Forests</i> , 2014, 76, 117-123.  | 0.2 | 4         |
| 27 | DBH-height modeling and validation for <i>Acacia mangium</i> and <i>Eucalyptus pellita</i> in Korintiga Hutani Plantation, Kalimantan, Indonesia. <i>Forest Science and Technology</i> , 2015, 11, 119-125.                                       | 0.3 | 4         |
| 28 | Mapping of the spatial distribution of carbon storage of the <i>Pinus kesiya</i> (Royle ex Gordon) forest in Sagada, Mt. Province, Philippines. <i>Journal of Sustainable Forestry</i> , 2018, 37, 661-677.                                       | 0.6 | 4         |
| 29 | Fitting and evaluation of height-diameter models for <i>Alnus japonica</i> in La Trinidad, Benguet, Philippines. <i>Journal of Mountain Science</i> , 2018, 15, 2422-2432.  | 0.8 | 3         |
| 30 | Stem volume models for <i>Cryptomeria japonica</i> of Jeju Island, Korea. <i>Journal of Sustainable Forestry</i> , 2019, 38, 442-456.   | 0.6 | 2         |
| 31 | Development of stem taper equations for <i>Pinus kesiya</i> in Benguet province, Philippines. <i>Forest Science and Technology</i> , 2014, 10, 22-28.   | 0.3 | 1         |
| 32 | Nonlinear Height-DBH Model Analysis For Three Tropical Tree Species In Mt. Makiling, Philippines. <i>Journal of Sustainable Forestry</i> , 2021, 40, 491-507.   | 0.6 | 0         |