

Martin Brinkhof

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6854810/martin-brinkhof-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

134
papers

6,390
citations

41
h-index

78
g-index

138
ext. papers

7,059
ext. citations

4.7
avg, IF

5.47
L-index

#	Paper	IF	Citations
134	Urological Management at Discharge from Acute Spinal Cord Injury Rehabilitation: A Descriptive Analysis from a Population-based Prospective Cohort.. <i>European Urology Open Science</i> , 2022 , 38, 1-9	0.9	0
133	Optimizing clinical trial design using prospective cohort study data: a case study in neuro-urology. <i>Spinal Cord</i> , 2021 , 59, 1003-1012	2.7	0
132	Environmental barriers and participation restrictions in community-dwelling individuals with spinal cord injury in Jiangsu and Sichuan Provinces of China: Results from a cross-sectional survey. <i>Journal of Spinal Cord Medicine</i> , 2021 , 1-14	1.9	
131	Change in environmental barriers experienced over a 5-year period by people living with spinal cord injury in Switzerland: a prospective cohort study. <i>Spinal Cord</i> , 2021 , 59, 441-451	2.7	4
130	Self-reports of treatment for secondary health conditions: results from a longitudinal community survey in spinal cord injury. <i>Spinal Cord</i> , 2021 , 59, 389-397	2.7	1
129	Etiology-specific variation in survival following non-traumatic spinal cord injury: a causal inference approach using data from a population-based cohort. <i>Spinal Cord</i> , 2021 , 59, 257-265	2.7	1
128	Detecting subgroups in social participation among individuals living with spinal cord injury: a longitudinal analysis of community survey data. <i>Spinal Cord</i> , 2021 , 59, 419-428	2.7	4
127	Labor market participation of individuals with spinal cord injury living in Switzerland: determinants of between-person differences and counterfactual evaluation of their instrumental value for policy. <i>Spinal Cord</i> , 2021 , 59, 429-440	2.7	3
126	Socioeconomic status and social relationships in persons with spinal cord injury from 22 countries: Does the countries' socioeconomic development moderate associations?. <i>PLoS ONE</i> , 2021 , 16, e0255448 ^{3.7}	3.7	0
125	Vitamin D supplementation in chronic spinal cord injury (VitD-SCI): study protocol for a randomised controlled trial.. <i>BMJ Open</i> , 2021 , 11, e053951	3	0
124	Is informal caregiving at odds with optimal health behaviour? A cross-sectional analysis in the caregiving partners of persons with spinal cord injury. <i>Health Psychology and Behavioral Medicine</i> , 2020 , 8, 526-542	2.2	3
123	Respiratory function and respiratory complications in spinal cord injury: protocol for a prospective, multicentre cohort study in high-income countries. <i>BMJ Open</i> , 2020 , 10, e038204	3	1
122	Environmental Barriers Experienced by People With Spinal Cord Injury Across 22 Countries: Results From a Cross-Sectional Survey. <i>Archives of Physical Medicine and Rehabilitation</i> , 2020 , 101, 2144-2156	2.8	5
121	Perceived sleep problems after spinal cord injury: Results from a community-based survey in Switzerland. <i>Journal of Spinal Cord Medicine</i> , 2020 , 1-10	1.9	2
120	Return to Work After Spinal Cord Injury 2020 , 417-429		
119	Return to work after Spinal Cord Injury 2020 , 1-13		
118	Failed reciprocity in social exchange and wellbeing: evidence from a longitudinal dyadic study in the disability setting. <i>Psychology and Health</i> , 2020 , 35, 1134-1150	2.9	4

117	Physical function, post-traumatic stress disorder, and quality of life in persons with spinal cord injury caused by the Wenchuan earthquake versus nondisaster trauma: a cross-sectional modeling study. <i>Spinal Cord</i> , 2020 , 58, 616-625	2.7	1
116	Update from TASCI, a Nationwide, Randomized, Sham-controlled, Double-blind Clinical Trial on Transcutaneous Tibial Nerve Stimulation in Patients with Acute Spinal Cord Injury to Prevent Neurogenic Detrusor Overactivity. <i>European Urology Focus</i> , 2020 , 6, 877-879	5.1	2
115	Partnership Status and Living Situation in Persons Experiencing Physical Disability in 22 Countries: Are There Patterns According to Individual and Country-Level Characteristics?. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	2
114	Describing Functioning in People Living With Spinal Cord Injury Across 22 Countries: A Graphical Modeling Approach. <i>Archives of Physical Medicine and Rehabilitation</i> , 2020 , 101, 2112-2143	2.8	1
113	Employment Among People With Spinal Cord Injury in 22 Countries Across the World: Results From the International Spinal Cord Injury Community Survey. <i>Archives of Physical Medicine and Rehabilitation</i> , 2020 , 101, 2157-2166	2.8	15
112	Attrition from specialised rehabilitation associated with an elevated mortality risk: results from a vital status tracing study in Swiss spinal cord injured patients. <i>BMJ Open</i> , 2020 , 10, e035752	3	0
111	TASCI-transcutaneous tibial nerve stimulation in patients with acute spinal cord injury to prevent neurogenic detrusor overactivity: protocol for a nationwide, randomised, sham-controlled, double-blind clinical trial. <i>BMJ Open</i> , 2020 , 10, e039164	3	6
110	Does engagement in productive activities affect mental health and well-being in older adults with a chronic physical disability? Observational evidence from a Swiss cohort study. <i>Aging and Mental Health</i> , 2020 , 24, 732-739	3.5	5
109	Gender, class, employment status and social mobility following spinal cord injury in Denmark, the Netherlands, Norway and Switzerland. <i>Spinal Cord</i> , 2020 , 58, 224-231	2.7	5
108	All-cause and cause-specific mortality following non-traumatic spinal cord injury: evidence from a population-based cohort study in Switzerland. <i>Spinal Cord</i> , 2020 , 58, 157-164	2.7	9
107	Poor adherence to influenza vaccination guidelines in spinal cord injury: results from a community-based survey in Switzerland. <i>Spinal Cord</i> , 2020 , 58, 18-24	2.7	0
106	Does well-being suffer when control in productive activities is low? A dyadic longitudinal analysis in the disability setting. <i>Journal of Psychosomatic Research</i> , 2019 , 122, 13-23	4.1	3
105	Participation in People Living With Spinal Cord Injury in Switzerland: Degree and Associated Factors. <i>Archives of Physical Medicine and Rehabilitation</i> , 2019 , 100, 1894-1906	2.8	7
104	Excess burden of a chronic disabling condition: life lost due to traumatic spinal cord injury in a Swiss population-based cohort study. <i>International Journal of Public Health</i> , 2019 , 64, 1097-1105	4	0
103	Productive activities, mental health and quality of life in disability: exploring the role enhancement and the role strain hypotheses. <i>BMC Psychology</i> , 2019 , 7, 1	2.8	14
102	Comparison of All-Cause and Cause-Specific Mortality of Persons with Traumatic Spinal Cord Injuries to the General Swiss Population: Results from a National Cohort Study. <i>Neuroepidemiology</i> , 2019 , 52, 205-213	5.4	14
101	Bladder emptying method is the primary determinant of urinary tract infections in patients with spinal cord injury: results from a prospective rehabilitation cohort study. <i>BJU International</i> , 2019 , 123, 342-352	5.6	18
100	Social inequalities in the burden of care: a dyadic analysis in the caregiving partners of persons with a physical disability. <i>International Journal for Equity in Health</i> , 2019 , 19, 3	4.6	9

99	Survival after non-traumatic spinal cord injury: evidence from a population-based rehabilitation cohort in Switzerland. <i>Spinal Cord</i> , 2019 , 57, 267-275	2.7	8
98	Shoulder pain in the Swiss spinal cord injury community: prevalence and associated factors. <i>Disability and Rehabilitation</i> , 2018 , 40, 798-805	2.4	21
97	The impact of loneliness and relationship quality on life satisfaction: A longitudinal dyadic analysis in persons with physical disabilities and their partners. <i>Journal of Psychosomatic Research</i> , 2018 , 110, 61-67	4.1	8
96	Work and wellbeing-related consequences of different return-to-work pathways of persons with spinal cord injury living in Switzerland. <i>Spinal Cord</i> , 2018 , 56, 1166-1175	2.7	12
95	Differential survival after traumatic spinal cord injury: evidence from a multi-center longitudinal cohort study in Switzerland. <i>Spinal Cord</i> , 2018 , 56, 920-930	2.7	12
94	Work and family conflicts in employees with spinal cord injury and their caregiving partners. <i>Spinal Cord</i> , 2018 , 56, 63-70	2.7	2
93	Environmental barriers, functioning and quality of life in 2008 Wenchuan earthquake victims with spinal cord injury eight years after the disaster: A cross-sectional study. <i>Journal of Rehabilitation Medicine</i> , 2018 , 50, 866-871	3.4	9
92	Longitudinal study of social participation and well-being among persons with spinal cord injury and their partners (pro-WELL). <i>BMJ Open</i> , 2017 , 7, e011597	3	13
91	Study Protocol of the International Spinal Cord Injury (InSCI) Community Survey. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2017 , 96, S23-S34	2.6	33
90	Vitality and mental health in disability: Associations with social relationships in persons with spinal cord injury and their partners. <i>Disability and Health Journal</i> , 2017 , 10, 294-302	4.2	12
89	Chronic pain, depression and quality of life in individuals with spinal cord injury: Mediating role of participation. <i>Journal of Rehabilitation Medicine</i> , 2017 , 49, 489-496	3.4	37
88	The rehabilitation research matrix: producing knowledge at micro, meso, and macro levels. <i>Disability and Rehabilitation</i> , 2017 , 39, 1983-1989	2.4	13
87	Prevalence and associated factors of pain in the Swiss spinal cord injury population. <i>Spinal Cord</i> , 2017 , 55, 346-354	2.7	24
86	Health impact of objective burden, subjective burden and positive aspects of caregiving: an observational study among caregivers in Switzerland. <i>BMJ Open</i> , 2017 , 7, e017369	3	34
85	Estimating the incidence of traumatic spinal cord injuries in Switzerland: Using administrative data to identify potential coverage error in a cohort study. <i>Swiss Medical Weekly</i> , 2017 , 147, w14430	3.1	10
84	Determinants of handbike use in persons with spinal cord injury: results of a community survey in Switzerland. <i>Disability and Rehabilitation</i> , 2016 , 38, 81-6	2.4	7
83	Validation of the Italian version of the Spinal Cord Independence Measure (SCIM III) Self-Report. <i>Spinal Cord</i> , 2016 , 54, 553-60	2.7	16
82	Age-related variation in mobility independence among wheelchair users with spinal cord injury: A cross-sectional study. <i>Journal of Spinal Cord Medicine</i> , 2016 , 39, 180-9	1.9	7

81	Labor Market Integration of People with Disabilities: Results from the Swiss Spinal Cord Injury Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0166955	3.7	21
80	308 Epidemiological trends in the swiss rehabilitation setting for traumatic spinal cord injury. <i>Injury Prevention</i> , 2016 , 22, A112.2-A113	3.2	
79	Swiss national community survey on functioning after spinal cord injury: Protocol, characteristics of participants and determinants of non-response. <i>Journal of Rehabilitation Medicine</i> , 2016 , 48, 120-30	3.4	63
78	Metric properties of the Spinal Cord Independence Measure - Self Report in a community survey. <i>Journal of Rehabilitation Medicine</i> , 2016 , 48, 149-64	3.4	24
77	Metric properties of the Utrecht Scale for Evaluation of Rehabilitation-Participation (USER-Participation) in persons with spinal cord injury living in Switzerland. <i>Journal of Rehabilitation Medicine</i> , 2016 , 48, 165-74	3.4	17
76	Toward standardized reporting for a cohort study on functioning: The Swiss Spinal Cord Injury Cohort Study. <i>Journal of Rehabilitation Medicine</i> , 2016 , 48, 189-96	3.4	12
75	Perceived impact of environmental barriers on participation among people living with spinal cord injury in Switzerland. <i>Journal of Rehabilitation Medicine</i> , 2016 , 48, 210-8	3.4	26
74	Health conditions in people with spinal cord injury: Contemporary evidence from a population-based community survey in Switzerland. <i>Journal of Rehabilitation Medicine</i> , 2016 , 48, 197-209 ^{3,4}		64
73	The meaning of employment from the perspective of persons with spinal cord injuries in six European countries. <i>Work</i> , 2016 , 55, 133-144	1.6	21
72	Subgroups in epidemiological studies on spinal cord injury: Evaluation of international recommendations in the Swiss Spinal Cord Injury Cohort Study. <i>Journal of Rehabilitation Medicine</i> , 2016 , 48, 141-8	3.4	13
71	Social skills: a resource for more social support, lower depression levels, higher quality of life, and participation in individuals with spinal cord injury?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015 , 96, 447-55	2.8	28
70	Mortality and longevity after a spinal cord injury: systematic review and meta-analysis. <i>Neuroepidemiology</i> , 2015 , 44, 182-98	5.4	83
69	Participation rates, response bias and response behaviours in the community survey of the Swiss Spinal Cord Injury Cohort Study (SwiSCI). <i>BMC Medical Research Methodology</i> , 2015 , 15, 80	4.7	40
68	Epidemiology and contemporary risk profile of traumatic spinal cord injury in Switzerland. <i>Injury Epidemiology</i> , 2015 , 2, 28	1.7	38
67	Psychometric properties of the Nottwil Environmental Factors Inventory Short Form. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015 , 96, 233-40	2.8	20
66	Participation and Life Satisfaction in Aged People with Spinal Cord Injury: Does Age at Onset Make a Difference?. <i>Topics in Spinal Cord Injury Rehabilitation</i> , 2015 , 21, 233-40	1.5	13
65	Disability: Social and Psychological Aspects 2015 , 467-471		
64	Non-pharmacological interventions for chronic pain in people with spinal cord injury. <i>The Cochrane Library</i> , 2014 , CD009177	5.2	69

63	Work stress and quality of life in persons with disabilities from four European countries: the case of spinal cord injury. <i>Quality of Life Research</i> , 2014 , 23, 1661-71	3.7	17
62	Decreasing risk of hepatitis A infection in LeŃ, Nicaragua: evidence from cross-sectional and longitudinal seroepidemiology studies. <i>PLoS ONE</i> , 2014 , 9, e87643	3.7	9
61	Is financial hardship associated with reduced health in disability? The case of spinal cord injury in Switzerland. <i>PLoS ONE</i> , 2014 , 9, e90130	3.7	25
60	Kinetics of maternally acquired anti-hepatitis A antibodies: prediction of waning based on maternal or cord blood antibody levels. <i>Vaccine</i> , 2013 , 31, 1490-5	4.1	18
59	Development and validation of a self-report version of the Spinal Cord Independence Measure (SCIM III). <i>Spinal Cord</i> , 2013 , 51, 40-7	2.7	96
58	Acromioclavicular joint arthrosis in persons with spinal cord injury and able-bodied persons. <i>Spinal Cord</i> , 2013 , 51, 59-63	2.7	9
57	Social inequalities of functioning and perceived health in Switzerland--a representative cross-sectional analysis. <i>PLoS ONE</i> , 2012 , 7, e38782	3.7	7
56	Immune response increases predation risk. <i>Evolution; International Journal of Organic Evolution</i> , 2012 , 66, 732-739	3.8	35
55	Acromioclavicular joint arthritis in persons with spinal cord injury compared to able-bodied persons. <i>Topics in Spinal Cord Injury Rehabilitation</i> , 2012 , 18, 128-31	1.5	3
54	Measuring body structures and body functions from the International Classification of Functioning, Disability, and Health perspective: considerations for biomedical parameters in spinal cord injury research. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2011 , 90, S50-65	2.6	7
53	Domain sets and measurement instruments on participation and environmental factors in spinal cord injury research. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2011 , 90, S66-78	2.6	16
52	Design of the Swiss Spinal Cord Injury Cohort Study. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2011 , 90, S5-16	2.6	96
51	Tuberculosis in HIV programmes in lower-income countries: practices and risk factors. <i>International Journal of Tuberculosis and Lung Disease</i> , 2011 , 15, 620-7	2.1	30
50	Functioning and disability in people living with spinal cord injury in high- and low-resourced countries: a comparative analysis of 14 countries. <i>International Journal of Public Health</i> , 2011 , 56, 341-52 ⁴		19
49	Outcomes and associated risk factors of patients traced after being lost to follow-up from antiretroviral treatment in Lilongwe, Malawi. <i>BMC Infectious Diseases</i> , 2011 , 11, 31	4	52
48	Measuring impact of environmental factors on human functioning and disability: a review of various scientific approaches. <i>Disability and Rehabilitation</i> , 2011 , 33, 2151-65	2.4	35
47	Correcting mortality for loss to follow-up: a nomogram applied to antiretroviral treatment programmes in sub-Saharan Africa. <i>PLoS Medicine</i> , 2011 , 8, e1000390	11.6	125
46	Universal definition of loss to follow-up in HIV treatment programs: a statistical analysis of 111 facilities in Africa, Asia, and Latin America. <i>PLoS Medicine</i> , 2011 , 8, e1001111	11.6	140

45	Mortality after failure of antiretroviral therapy in sub-Saharan Africa. <i>Tropical Medicine and International Health</i> , 2010 , 15, 251-8	2.3	66
44	Growth response to antiretroviral treatment in HIV-infected children: a cohort study from Lilongwe, Malawi. <i>Tropical Medicine and International Health</i> , 2010 , 15, 934-44	2.3	45
43	Early mortality and loss to follow-up in HIV-infected children starting antiretroviral therapy in Southern Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2010 , 54, 524-32	3.1	76
42	Mortality associated with discordant responses to antiretroviral therapy in resource-constrained settings. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2010 , 53, 70-7	3.1	36
41	Derivation of parameters used in Spectrum for eligibility for antiretroviral therapy and survival on antiretroviral therapy. <i>Sexually Transmitted Infections</i> , 2010 , 86 Suppl 2, ii28-34	2.8	22
40	Suicide in HIV-infected individuals and the general population in Switzerland, 1988-2008. <i>American Journal of Psychiatry</i> , 2010 , 167, 143-50	11.9	84
39	Adjusting mortality for loss to follow-up: analysis of five ART programmes in sub-Saharan Africa. <i>PLoS ONE</i> , 2010 , 5, e14149	3.7	62
38	Mortality of patients lost to follow-up in antiretroviral treatment programmes in resource-limited settings: systematic review and meta-analysis. <i>PLoS ONE</i> , 2009 , 4, e5790	3.7	365
37	Mortality of HIV-infected patients starting antiretroviral therapy in sub-Saharan Africa: comparison with HIV-unrelated mortality. <i>PLoS Medicine</i> , 2009 , 6, e1000066	11.6	143
36	Switching to second-line antiretroviral therapy in resource-limited settings: comparison of programmes with and without viral load monitoring. <i>Aids</i> , 2009 , 23, 1867-74	3.5	123
35	Antiretroviral therapy in resource-limited settings 1996 to 2006: patient characteristics, treatment regimens and monitoring in sub-Saharan Africa, Asia and Latin America. <i>Tropical Medicine and International Health</i> , 2008 , 13, 870-9	2.3	140
34	Early loss of HIV-infected patients on potent antiretroviral therapy programmes in lower-income countries. <i>Bulletin of the World Health Organization</i> , 2008 , 86, 559-67	8.2	259
33	Diel variation in a dynamic sexual display and its association with female mate-searching behaviour. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2008 , 275, 579-85	4.4	14
32	Gender and the use of antiretroviral treatment in resource-constrained settings: findings from a multicenter collaboration. <i>Journal of Women's Health</i> , 2008 , 17, 47-55	3	156
31	Antiretroviral treatment during pregnancy. <i>Aids</i> , 2008 , 22, 2323-30	3.5	15
30	Long-term immunologic response to antiretroviral therapy in low-income countries: a collaborative analysis of prospective studies. <i>Aids</i> , 2008 , 22, 2291-302	3.5	142
29	Public-health and individual approaches to antiretroviral therapy: township South Africa and Switzerland compared. <i>PLoS Medicine</i> , 2008 , 5, e148	11.6	99
28	Electronic medical record systems, data quality and loss to follow-up: survey of antiretroviral therapy programmes in resource-limited settings. <i>Bulletin of the World Health Organization</i> , 2008 , 86, 939-47	8.2	127

27	The Effect of Age on a Sexually Selected Acoustic Display. <i>Ethology</i> , 2007 , 113, 615-620	1.7	30
26	Tuberculosis after initiation of antiretroviral therapy in low-income and high-income countries. <i>Clinical Infectious Diseases</i> , 2007 , 45, 1518-21	11.6	86
25	Discordant responses to potent antiretroviral treatment in previously naive HIV-1-infected adults initiating treatment in resource-constrained countries: the antiretroviral therapy in low-income countries (ART-LINC) collaboration. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2007 , 45, 52-9	3.1	86
24	Immunologic response to antiretroviral therapy in hepatitis C virus-coinfected adults in a population-based HIV/AIDS treatment program. <i>Journal of Infectious Diseases</i> , 2006 , 193, 259-68	7	41
23	Mortality of HIV-1-infected patients in the first year of antiretroviral therapy: comparison between low-income and high-income countries. <i>Lancet, The</i> , 2006 , 367, 817-24	40	923
22	Mortality of HIV-infected patients in low-income countries [Authors]response. <i>Lancet, The</i> , 2006 , 368, 2207-2208	40	2
21	What sets the odds of winning and losing?. <i>Trends in Ecology and Evolution</i> , 2006 , 21, 16-21	10.9	214
20	Evaluation of p24-based antiretroviral treatment monitoring in pediatric HIV-1 infection: prediction of the CD4+ T-cell changes between consecutive visits. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2006 , 41, 557-62	3.1	7
19	Sleepless night, the moon is bright: longitudinal study of lunar phase and sleep. <i>Journal of Sleep Research</i> , 2006 , 15, 149-53	5.8	41
18	Influenza-attributable mortality among the elderly in Switzerland. <i>Swiss Medical Weekly</i> , 2006 , 136, 302-9	9.1	22
17	Juvenile immune status affects the expression of a sexually selected trait in field crickets. <i>Journal of Evolutionary Biology</i> , 2005 , 18, 1060-8	2.3	49
16	Juvenile immune system activation induces a costly upregulation of adult immunity in field crickets <i>Gryllus campestris</i> . <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2005 , 272, 63-9	4.4	80
15	Female preference for multiple condition-dependent components of a sexually selected signal. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2004 , 271, 2453-7	4.4	84
14	Costs of an induced immune response on sexual display and longevity in field crickets. <i>Evolution; International Journal of Organic Evolution</i> , 2004 , 58, 2280-6	3.8	124
13	Condition dependence of a multicomponent sexual signal in the field cricket <i>Gryllus campestris</i> . <i>Animal Behaviour</i> , 2003 , 65, 721-727	2.8	126
12	Induced responses of nestling great tits reduce hen flea reproduction. <i>Oikos</i> , 2003 , 102, 67-74	4	16
11	Which chick is tasty to parasites? The importance of host immunology vs. parasite life history. <i>Journal of Animal Ecology</i> , 2003 , 72, 75-81	4.7	76
10	The effect of past condition on a multicomponent sexual signal. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2003 , 270, 1779-84	4.4	74

9	Condition-dependent signaling affects male sexual attractiveness in field crickets, <i>Gryllus campestris</i> . <i>Behavioral Ecology</i> , 2003 , 14, 353-359	2.3	110
8	Timing of current reproduction directly affects future reproductive output in European coots. <i>Evolution; International Journal of Organic Evolution</i> , 2002 , 56, 400-11	3.8	48
7	The quantitative genetic basis of offspring solicitation and parental response in a passerine bird with biparental care. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2000 , 267, 2127-32	4.4	113
6	Immunocompetence of nestling great tits in relation to rearing environment and parentage. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 1999 , 266, 2315-2322	4.4	142
5	Ectoparasite infestation and sex-biased local recruitment of hosts. <i>Nature</i> , 1999 , 400, 63-5	50.4	67
4	Forced dissociation of food- and light- entrainable circadian rhythms of rats in a skeleton photoperiod. <i>Physiology and Behavior</i> , 1998 , 65, 225-31	3.5	14
3	Food supply and seasonal variation in breeding success: an experiment in the European coot. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 1997 , 264, 291-296	4.4	43
2	Mixed blessings for middle-aged mothers. <i>Nature</i> , 1997 , 389, 922	50.4	
1	Timing of Reproduction and Fledging Success in the Coot <i>Fulica atra</i> : Evidence for a Causal Relationship. <i>Journal of Animal Ecology</i> , 1993 , 62, 577	4.7	82