

Gerardus J M Versteegh

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6855140/publications.pdf>

Version: 2024-02-01

86
papers

4,507
citations

87723

38
h-index

106150

65
g-index

88
all docs

88
docs citations

88
times ranked

3505
citing authors

#	ARTICLE	IF	CITATIONS
1	Export flux succession of dinoflagellate cysts and planktonic foraminifera in an active upwelling cell off Cape Blanc (NW Africa). <i>European Journal of Phycology</i> , 2022, 57, 29-47.	0.9	2
2	Geochemical consequences of oxygen diffusion from the oceanic crust into overlying sediments and its significance for biogeochemical cycles based on sediments of the northeast Pacific. <i>Biogeosciences</i> , 2021, 18, 4965-4984.	1.3	6
3	Better molecular preservation of organic matter in an oxic than in a sulfidic depositional environment: evidence from <i>Thalassiphora pelagica</i> (Dinoflagellata). <i>Journal of Paleontology</i> , 2021, 95, 130-134.	0.7843	4
4	Detection of new long-chain mid-chain keto-ol isomers from marine sediments by means of HPLC-APCI-MS and comparison with long-chain mid-chain diols from the same samples. <i>Organic Geochemistry</i> , 2019, 133, 92-102.	0.9	5
5	Quantitative analysis of diverse sporomorph-derived sporopollenins. <i>Phytochemistry</i> , 2019, 162, 207-215.	1.4	8
6	Postdepositional aerobic and anaerobic particulate organic matter degradation succession reflected by dinoflagellate cysts: The Madeira Abyssal Plain revisited. <i>Marine Geology</i> , 2019, 408, 87-109.	0.9	16
7	<i>Nucicla umbiliphora</i> gen. et sp. nov.: a Quaternary peridinioid dinoflagellate cyst from the Antarctic margin. <i>Palynology</i> , 2019, 43, 94-103.	0.7	3
8	Linking biological and geological data on dinoflagellates using the genus <i>Spiniferites</i> as an example: the implications of species concepts, taxonomy and dual nomenclature. <i>Palynology</i> , 2018, 42, 221-230.	0.7	15
9	The dinoflagellate cyst genera <i>Achomosphaera</i> Evitt 1963 and <i>Spiniferites</i> Mantell 1850 in Pliocene to modern sediments: a summary of round table discussions. <i>Palynology</i> , 2018, 42, 10-44.	0.7	21
10	Transport of organic-walled dinoflagellate cysts in nepheloid layers off Cape Blanc (N-W Africa). <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2018, 139, 55-67.	0.6	9
11	The cyst-theca relationship of the dinoflagellate cyst <i>Trinovantedinium pallidifulum</i> , with erection of <i>Protoperidinium lousianensis</i> sp. nov. and their phylogenetic position within the <i>Conica</i> group. <i>Palynology</i> , 2017, 41, 183-202.	0.7	20
12	Species-specific sensitivity of dinoflagellate cysts to aerobic degradation: A five-year natural exposure experiment. <i>Review of Palaeobotany and Palynology</i> , 2017, 247, 175-187.	0.8	15
13	Cryogenian evolution of stigmasteroid biosynthesis. <i>Science Advances</i> , 2017, 3, e1700887.	4.7	56
14	Stratification of archaeal membrane lipids in the ocean and implications for adaptation and chemotaxonomy of planktonic archaea. <i>Environmental Microbiology</i> , 2016, 18, 4324-4336.	1.8	47
15	Geochemistry of Middle Holocene sediments from south Yellow Sea: Implications to provenance and climate change. <i>Journal of Earth Science (Wuhan, China)</i> , 2016, 27, 751-762.	1.1	13
16	Protosalvinia revisited, new evidence for a land plant affinity. <i>Review of Palaeobotany and Palynology</i> , 2016, 227, 52-64.	0.8	9
17	Evolution of the East China Sea sedimentary environment in the past 14 kyr: Insights from tetraethers-based proxies. <i>Science China Earth Sciences</i> , 2016, 59, 927-938.	2.3	8
18	Detection of microbial biomass in subseafloor sediment by pyrolysis-GC/MS. <i>Journal of Analytical and Applied Pyrolysis</i> , 2016, 118, 175-180.	2.6	13

#	ARTICLE	IF	CITATIONS
19	Rapid and simultaneous analysis of three molecular sea surface temperature proxies and application to sediments from the Sea of Marmara. <i>Organic Geochemistry</i> , 2015, 85, 42-53.	0.9	34
20	The 2.1 Ga Old Francevillian Biota: Biogenicity, Taphonomy and Biodiversity. <i>PLoS ONE</i> , 2014, 9, e99438.	1.1	53
21	Distribution of intact and core tetraether lipids in water column profiles of suspended particulate matter off Cape Blanc, NW Africa. <i>Organic Geochemistry</i> , 2014, 72, 1-13.	0.9	59
22	Sources and distribution of isoprenoid glycerol dialkyl glycerol tetraethers (GDGTs) in sediments from the east coastal sea of China: Application of GDGT-based paleothermometry to a shallow marginal sea. <i>Organic Geochemistry</i> , 2014, 75, 24-35.	0.9	40
23	Differences in the chemical composition of organic-walled dinoflagellate resting cysts from phototrophic and heterotrophic dinoflagellates. <i>Journal of Phycology</i> , 2014, 50, 254-266.	1.0	56
24	Tetraether lipids from the southern Yellow Sea of China: Implications for the variability of East Asia Winter Monsoon in the Holocene. <i>Organic Geochemistry</i> , 2014, 70, 10-19.	0.9	31
25	The Glacial-Interglacial transition and Holocene environmental changes in sediments from the Gulf of Taranto, central Mediterranean. <i>Marine Geology</i> , 2014, 348, 88-102.	0.9	24
26	Distribution and stable isotopes of plant wax derived n-alkanes in lacustrine, fluvial and marine surface sediments along an Eastern Italian transect and their potential to reconstruct the hydrological cycle. <i>Geochimica Et Cosmochimica Acta</i> , 2013, 117, 16-32.	1.6	44
27	Atlas of modern dinoflagellate cyst distribution based on 2405 data points. <i>Review of Palaeobotany and Palynology</i> , 2013, 191, 1-197.	0.8	369
28	What do SST proxies really tell us? A high-resolution multiproxy (UK ²³⁷ , TEXH86 and foraminifera $\delta^{18}O$) study in the Gulf of Taranto, central Mediterranean Sea. <i>Quaternary Science Reviews</i> , 2013, 73, 115-131.	1.4	41
29	Paleoclimate of the Southern Adriatic Sea region during the "Medieval Climate Anomaly" reflected by organic walled dinoflagellate cysts. <i>Holocene</i> , 2013, 23, 645-655.	0.9	10
30	The composition and diversity of dinosporin in species of the Apectodinium complex (Dinoflagellata). <i>Review of Palaeobotany and Palynology</i> , 2012, 183, 21-31.	0.8	27
31	Infra red spectroscopy, flash pyrolysis, thermally assisted hydrolysis and methylation (THM) in the presence of tetramethylammonium hydroxide (TMAH) of cultured and sediment-derived <i>Lingulodinium polyedrum</i> (Dinoflagellata) cyst walls. <i>Organic Geochemistry</i> , 2012, 43, 92-102.	0.9	53
32	The effect of meter-scale lateral oxygen gradients at the sediment-water interface on selected organic matter based alteration, productivity and temperature proxies. <i>Biogeosciences</i> , 2012, 9, 1553-1570.	1.3	32
33	The use of dinoflagellate cysts to separate human-induced from natural variability in the trophic state of the Po River discharge plume over the last two centuries. <i>Marine Pollution Bulletin</i> , 2012, 64, 114-132.	2.3	51
34	Aliphatic and aromatic biomarkers from Carboniferous coal deposits at Dunbar (East Lothian, UK). <i>Palaeoclimatology, Palaeoecology</i> , 2011, 309, 309-326.	1.0	46
35	Aliphatic and aromatic biomarkers from Gondwanan sediments of Late Ordovician to Early Devonian age: An early terrestrialization approach. <i>Organic Geochemistry</i> , 2011, 42, 605-617.	0.9	40
36	Short term climate variability during the Roman Classical Period in the eastern Mediterranean. <i>Quaternary Science Reviews</i> , 2011, 30, 3880-3891.	1.4	28

#	ARTICLE	IF	CITATIONS
37	Selective aerobic and anaerobic degradation of lipids and palynomorphs in the Eastern Mediterranean since the onset of sapropel S1 deposition. <i>Marine Geology</i> , 2010, 278, 177-192.	0.9	29
38	Laser Raman micro-spectroscopy of Proterozoic and Palaeozoic organic-walled microfossils (acritarchs and prasinophytes) from the Ghadamis Basin, Libya and Volta Basin, Ghana. <i>Spectroscopy</i> , 2010, 24, 207-212.	0.8	5
39	Core-top calibration of the lipid-based U ₃₇ K ² and TEX ₈₆ temperature proxies on the southern Italian shelf (SW Adriatic Sea, Gulf of Taranto). <i>Earth and Planetary Science Letters</i> , 2010, 300, 112-124.	1.8	95
40	Occurrence of retene in upper Silurian-lower Devonian sediments from North Africa: Origin and implications. <i>Organic Geochemistry</i> , 2010, 41, 302-306.	0.9	40
41	Identification of polar lipid precursors of the ubiquitous branched GDGT orphan lipids in a peat bog in Northern Germany. <i>Organic Geochemistry</i> , 2010, 41, 653-660.	0.9	66
42	An organic geochemical perspective on terrestrialization. <i>Geological Society Special Publication</i> , 2010, 339, 11-36.	0.8	13
43	Palaeoenvironmental changes of the early Pliocene (Zanclean) in the eastern Mediterranean Pissouri Basin (Cyprus) evidenced from calcareous dinoflagellate cyst assemblages. <i>Marine Micropaleontology</i> , 2009, 73, 49-56.	0.5	7
44	Late-Holocene succession of dinoflagellates in an Antarctic fjord using a multi-proxy approach: paleoenvironmental genomics, lipid biomarkers and palynomorphs. <i>Geobiology</i> , 2009, 7, 265-281.	1.1	42
45	A DISCUSSION AND PROPOSAL CONCERNING THE USE OF THE TERM CALCISPHERES. <i>Palaeontology</i> , 2009, 52, 343-348.	1.0	36
46	Silurian calcispheres (Calcitarcha) of Gotland (Sweden): Comparisons with calcareous dinoflagellates. <i>Comptes Rendus - Palevol</i> , 2009, 8, 527-534.	0.1	12
47	An experimental field study to test the stability of lipids used for the TEX ₈₆ and palaeothermometers. <i>Geochimica Et Cosmochimica Acta</i> , 2009, 73, 2888-2898.	1.6	73
48	Palynology, organic geochemistry and carbon isotope analysis of a latest Ordovician through Silurian clastic succession from borehole Tt1, Ghadamis Basin, southern Tunisia, North Africa: Palaeoenvironmental interpretation. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2009, 273, 378-394.	1.0	74
49	Preservation and organic chemistry of Late Cenozoic organic-walled dinoflagellate cysts: A review. <i>Marine Micropaleontology</i> , 2008, 68, 179-197.	0.5	149
50	Establishing an Agenda for Calcareous Dinoflagellate Research (Thoracosphaeraceae, Dinophyceae) including a nomenclatural synopsis of generic names. <i>Taxon</i> , 2008, 57, 1289-1303.	0.4	57
51	Calcareous dinoflagellate turnover in relation to the Messinian salinity crisis in the eastern Mediterranean Pissouri Basin, Cyprus. <i>Journal of Micropalaeontology</i> , 2007, 26, 103-116.	1.3	3
52	Macromolecular composition of the dinoflagellate cyst <i>Thalassiphora pelagica</i> (Oligocene, SW Tj ETQq0 0 0 rgBT / Overlock 10 Tf 50 14	0.9	30
53	Temperature and productivity influences on U ₃₇ K ² and their possible relation to solar forcing of the Mediterranean winter. <i>Geochemistry, Geophysics, Geosystems</i> , 2007, 8, .	1.0	39
54	Chemical fingerprinting of algaenans using RuO ₄ degradation. <i>Organic Geochemistry</i> , 2006, 37, 871-881.	0.9	14

#	ARTICLE	IF	CITATIONS
55	Biomacromolecules of Algae and Plants and their Fossil Analogues. <i>Plant Ecology</i> , 2006, 182, 209-233.	0.7	205
56	High-resolution last deglaciation record from the Congo fan reveals significance of mangrove pollen and biomarkers as indicators of shelf transgression. <i>Quaternary Research</i> , 2005, 64, 57-69.	1.0	47
57	Impacts of rapid sea-level rise on mangrove deposit erosion: application of taraxerol and Rhizophora records. <i>Journal of Quaternary Science</i> , 2005, 20, 221-225.	1.1	32
58	Do Planetary Motions Drive Solar Variability?. <i>Solar Physics</i> , 2005, 229, 175-179.	1.0	38
59	Solar Forcing of Climate. 2: Evidence from the Past. <i>Space Science Reviews</i> , 2005, 120, 243-286.	3.7	78
60	Organic-walled dinoflagellate cyst production in relation to upwelling intensity and lithogenic influx in the Cape Blanc region (off north-west Africa). <i>Phycological Research</i> , 2005, 53, 97-112.	0.8	40
61	A palynological reconstruction of the Agulhas Retroflexion (South Atlantic Ocean) during the Late Quaternary. <i>Global and Planetary Change</i> , 2004, 41, 31-62.	1.6	28
62	Lipid biomarkers as major source and preservation indicators in SE Atlantic surface sediments. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2004, 51, 1199-1228.	0.6	46
63	An example of oxidative polymerization of unsaturated fatty acids as a preservation pathway for dinoflagellate organic matter. <i>Organic Geochemistry</i> , 2004, 35, 1129-1139.	0.9	76
64	Taraxerol and Rhizophora pollen as proxies for tracking past mangrove ecosystems. <i>Geochimica Et Cosmochimica Acta</i> , 2004, 68, 411-422.	1.6	129
65	<i>Tetratropis terrina</i> sp. nov., a new calcareous dinoflagellate cyst from the Upper Campanian polyploum zone of Lagerdorf (NW Tj ETQq1 1 01784314 rjBT /Over	1.7	14
66	Resistant macromolecules of extant and fossil microalgae. <i>Phycological Research</i> , 2004, 52, 325-339.	0.8	98
67	Use of selective degradation to separate preservation from productivity. <i>Geology</i> , 2002, 30, 615.	2.0	96
68	Periodical breakdown of the Arabian Sea oxygen minimum zone caused by deep convective mixing. <i>Geological Society Special Publication</i> , 2002, 195, 407-419.	0.8	10
69	Internally and externally forced climate variability: A dynamical systems approach using the central England temperature record. <i>Geophysical Research Letters</i> , 2001, 28, 759-762.	1.5	3
70	$\delta^{13}C$ values for <i>Isochrysis galbana</i> as a function of culture temperature, light intensity and nutrient concentrations. <i>Organic Geochemistry</i> , 2001, 32, 785-794.	0.9	95
71	Palaeoproductivity and post-depositional aerobic organic matter decay reflected by dinoflagellate cyst assemblages of the Eastern Mediterranean S1 sapropel. <i>Marine Geology</i> , 2001, 172, 181-195.	0.9	164
72	Integrated marine and terrestrial evidence for abrupt Congo River palaeodischarge fluctuations during the last deglaciation. <i>Journal of Quaternary Science</i> , 2001, 16, 761-766.	1.1	66

#	ARTICLE	IF	CITATIONS
73	Mid-chain diols and keto-ols in se atlantic sediments: a new tool for tracing past sea surface water masses?. <i>Geochimica Et Cosmochimica Acta</i> , 2000, 64, 1879-1892.	1.6	61
74	Variations in calcareous dinoflagellate associations from the Maastrichtian to Middle Eocene of the western South Atlantic Ocean (SÃ£o Paulo Plateau, DSDP Leg 39, Site 356). <i>Review of Palaeobotany and Palynology</i> , 1999, 106, 57-87.	0.8	34
75	Orbital signatures in a late Miocene dinoflagellate record from Crete (Greece). <i>Marine Micropaleontology</i> , 1998, 33, 273-297.	0.5	41
76	Dinoflagellate-based sea surface temperature reconstructions across the Cretaceousâ€“Tertiary boundary. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1998, 141, 67-83.	1.0	158
77	Postdepositional oxic degradation of alkenones: Implications for the measurement of palaeo sea surface temperatures. <i>Paleoceanography</i> , 1998, 13, 42-49.	3.0	117
78	Mechanisms forcing abrupt fluctuations of the indian ocean summer monsoon during the last deglaciation. <i>Quaternary Science Reviews</i> , 1997, 16, 187-201.	1.4	80
79	Potential palaeoenvironmental information of C24 to C36 mid-chain diols, keto-ols and mid-chain hydroxy fatty acids; a critical review. <i>Organic Geochemistry</i> , 1997, 27, 1-13.	0.9	149
80	Preservation of organic-walled dinoflagellate cysts in different oxygen regimes: a 10,000 year natural experiment. <i>Marine Micropaleontology</i> , 1997, 29, 393-405.	0.5	184
81	The onset of major Northern Hemisphere glaciations and their impact on dinoflagellate cysts and acritarchs from the Singa section, Calabria (southern Italy) and DSDP Holes 607/607A (North Atlantic). <i>Marine Micropaleontology</i> , 1997, 30, 319-343.	0.5	54
82	The relation between productivity and temperature in the Pliocene North Atlantic at the onset of northern hemisphere glaciation: a palynological study. <i>Global and Planetary Change</i> , 1996, 11, 155-165.	1.6	33
83	New genera and species of dinoflagellate cysts from the Mediterranean Neogene. <i>Review of Palaeobotany and Palynology</i> , 1995, 85, 213-229.	0.8	32
84	Recognition of cyclic and non-cyclic environmental changes in the Mediterranean Pliocene: A palynological approach. <i>Marine Micropaleontology</i> , 1994, 23, 147-183.	0.5	121
85	Determination of (palaeo-)ecological preferences of dinoflagellates by applying Detrended and Canonical Correspondence analysis to Late Pliocene dinoflagellate cyst assemblages of the south Italian Singa section. <i>Review of Palaeobotany and Palynology</i> , 1994, 84, 181-199.	0.8	64
86	New Pliocene and Pleistocene calcareous dinoflagellate cysts from southern Italy and Crete. <i>Review of Palaeobotany and Palynology</i> , 1993, 78, 353-380.	0.8	30