

# Ali A El-Emam

## List of Publications by Citations

Source: <https://exaly.com/author-pdf/6857787/ali-a-el-emam-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

219

papers

2,480

citations

23

h-index

42

g-index

228

ext. papers

2,768

ext. citations

2.8

avg, IF

4.92

L-index

#	Paper	IF	Citations
219	Synthesis, antimicrobial, and anti-HIV-1 activity of certain 5-(1-adamantyl)-2-substituted thio-1,3,4-oxadiazoles and 5-(1-adamantyl)-3-substituted aminomethyl-1,3,4-oxadiazoline-2-thiones. <i>Bioorganic and Medicinal Chemistry</i> , <b>2004</b> , 12, 5107-13	3.4	312
218	Synthesis, antimicrobial, and anti-inflammatory activities of novel 2-(1-adamantyl)-5-substituted-1,3,4-oxadiazoles and 2-(1-adamantylamino)-5-substituted-1,3,4-thiadiazoles. <i>European Journal of Medicinal Chemistry</i> , <b>2007</b> , 42, 235-42	6.8	227
217	Synthesis, antimicrobial and anti-inflammatory activities of novel 5-(1-adamantyl)-1,3,4-thiadiazole derivatives. <i>European Journal of Medicinal Chemistry</i> , <b>2010</b> , 45, 5006-11	6.8	137
216	Synthesis and antimicrobial activity of novel 5-(1-adamantyl)-2-aminomethyl-4-substituted-1,2,4-triazoline-3-thiones. <i>European Journal of Medicinal Chemistry</i> , <b>2013</b> , 68, 96-102	6.8	77
215	Synthesis, antimicrobial, and anti-inflammatory activities of novel 5-(1-adamantyl)-4-arylideneamino-3-mercaptop-1,2,4-triazoles and related derivatives. <i>Molecules</i> , <b>2010</b> , 15, 2526-50	4.8	71
214	Synthesis, antimicrobial and antiviral evaluation of certain thienopyrimidine derivatives. <i>European Journal of Medicinal Chemistry</i> , <b>1995</b> , 30, 445-449	6.8	53
213	Determination of lisinopril in dosage forms and spiked human plasma through derivatization with 7-chloro-4-nitrobenzo-2-oxa-1,3-diazole (NBD-Cl) followed by spectrophotometry or HPLC with fluorimetric detection. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2004</b> , 34, 35-44	3.5	48
212	Synthesis of novel 6-phenyl-2,4-disubstituted pyrimidine-5-carbonitriles as potential antimicrobial agents. <i>European Journal of Medicinal Chemistry</i> , <b>2011</b> , 46, 4642-7	6.8	39
211	Spectroscopic, quantum chemical studies, Fukui functions, in vitro antiviral activity and molecular docking of 5-chloro-N-(3-nitrophenyl)pyrazine-2-carboxamide. <i>Journal of Molecular Structure</i> , <b>2016</b> , 1119, 188-199	3.4	39
210	Vibrational spectroscopic studies, Fukui functions, HOMO-LUMO, NLO, NBO analysis and molecular docking study of (E)-1-(1,3-benzodioxol-5-yl)-4,4-dimethylpent-1-en-3-one, a potential precursor to bioactive agents. <i>Journal of Molecular Structure</i> , <b>2016</b> , 1123, 375-383	3.4	38
209	Spectroscopic investigations, NBO, HOMO-LUMO, NLO analysis and molecular docking of 5-(adamantan-1-yl)-3-anilinomethyl-2,3-dihydro-1,3,4-oxadiazole-2-thione, a potential bioactive agent. <i>Journal of Molecular Structure</i> , <b>2015</b> , 1096, 1-14	3.4	36
208	A combined experimental and theoretical DFT (B3LYP, CAM-B3LYP and M06-2X) study on electronic structure, hydrogen bonding, solvent effects and spectral features of methyl 1H-indol-5-carboxylate. <i>Journal of Molecular Structure</i> , <b>2017</b> , 1137, 725-741	3.4	32
207	Structural and spectroscopic characterization of a novel potential chemotherapeutic agent 3-(1-adamantyl)-1-[[4-(2-methoxyphenyl)piperazin-1-yl]methyl]-4-methyl-1H-1,2,4-triazole-5(4H)-thione by first principle calculations. <i>Journal of Molecular Structure</i> , <b>2012</b> , 1022, 49-60	3.4	32
206	Spectroscopic investigation (FT-IR and FT-Raman), vibrational assignments, HOMO-LUMO analysis and molecular docking study of 2-(Adamantan-1-yl)-5-(4-nitrophenyl)-1,3,4-oxadiazole. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , <b>2015</b> , 135, 973-83	4.4	31
205	Adamantane-Isothiourea Hybrid Derivatives: Synthesis, Characterization, In Vitro Antimicrobial, and In Vivo Hypoglycemic Activities. <i>Molecules</i> , <b>2017</b> , 22,	4.8	31
204	Synthesis, antimicrobial, and anti-inflammatory activity, of novel S-substituted and N-substituted 5-(1-adamantyl)-1,2,4-triazole-3-thiols. <i>Drug Design, Development and Therapy</i> , <b>2014</b> , 8, 505-18	4.4	31
203	FT-IR, FT-Raman, molecular structure, first order hyperpolarizability, HOMO and LUMO analysis, MEP and NBO analysis of 3-(adamantan-1-yl)-4-(prop-2-en-1-yl)-1H-1,2,4-triazole-5(4H)-thione, a potential bioactive agent. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , <b>2014</b> , 132, 225-231	4.4	31

202	Vibrational and structural observations and molecular docking study on 1-{3-(4-chlorophenyl)-5-[4-(propan-2-yl)phenyl]-4,5-dihydro-1H-pyrazol-1-yl}-ethanone. <i>Journal of Molecular Structure</i> , <b>2016</b> , 1112, 136-146	3.4	27
201	Synthesis, antimicrobial, and anti-inflammatory activities of novel 2-[3-(1-adamantyl)-4-substituted-5-thioxo-1,2,4-triazolin-1-yl] acetic acids, 2-[3-(1-adamantyl)-4-substituted-5-thioxo-1,2,4-triazolin-1-yl]propionic acids and related hydrazones. <i>Journal of Inflammation Research</i> , <b>2001</b> , 14, 107		27
200	Crystal structure, Hirshfeld surface analysis and DFT studies of 5-(adamantan-1-yl)-3-[(4-chlorobenzyl)sulfanyl]-4-methyl-4H-1,2,4-triazole, a potential 11 $\beta$ HSD1 inhibitor. <i>Scientific Reports</i> , <b>2019</b> , 9, 19745	4.9	27
199	Spectrophotometric determination of propranolol in formulations via oxidative coupling with 3-methylbenzothiazoline-2-one hydrazone. <i>Il Farmaco</i> , <b>2003</b> , 58, 1179-86		26
198	Synthesis of Certain 6-(Arylthio)uracils and Related Derivatives as Potential Antiviral Agents. <i>Bulletin of the Korean Chemical Society</i> , <b>2004</b> , 25, 991-996	1.2	25
197	3-(1-Adamant-yl)-1-{[4-(2-methoxy-phenyl)piperazin-1-yl)methyl}-4-methyl-1H-1,2,4-triazole-5(4H)-thione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2010</b> , 66, o1756		24
196	Synthesis of novel uracil non-nucleoside derivatives as potential reverse transcriptase inhibitors of HIV-1. <i>Archiv Der Pharmazie</i> , <b>2009</b> , 342, 663-70	4.3	23
195	Synthesis, antimicrobial and antiviral testing of some new 1-adamantyl analogues. <i>Saudi Pharmaceutical Journal</i> , <b>2010</b> , 18, 123-8	4.4	22
194	Vibrational spectroscopic and molecular docking study of 2-Benzylsulfanyl-4-[(4-methylphenyl)sulfanyl]-6-pentylpyrimidine-5-carbonitrile, a potential chemotherapeutic agent. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , <b>2015</b> , 137, 519-526	4.4	21
193	Theoretical investigations on the molecular structure, vibrational spectra, HOMO-LUMO analyses and NBO study of 1-[(Cyclopropylmethoxy)methyl]-5-ethyl-6-(4-methylbenzyl)-1,2,3,4-tetrahydropyrimidine-2,4-dione. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , <b>2014</b> , 133, 639-50	4.4	21
192	Synthesis, Antimicrobial and Hypoglycemic Activities of Novel N-(1-Adamantyl)carbothioamide Derivatives. <i>Molecules</i> , <b>2015</b> , 20, 8125-43	4.8	20
191	Theoretical investigations of two adamantane derivatives: A combined X-ray, DFT, QTAIM analysis and molecular docking. <i>Journal of Molecular Structure</i> , <b>2018</b> , 1159, 233-245	3.4	19
190	Vibrational spectra, NBO analysis, HOMO-LUMO and first hyperpolarizability of 2-{{[2-Methylprop-2-en-1-yl)oxy]methyl}-6-phenyl-2,3,4,5-tetrahydro-1,2,4-triazine-3,5-dione, a potential chemotherapeutic agent based on density functional theory calculations. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , <b>2014</b> , 133, 449-56	4.4	18
189	Synthesis of Diazen-1-ium-1,2-diolates Monitored by the NOtizer Apparatus: Relationship between Formation Rates, Molecular Structure and the Release of Nitric Oxide. <i>European Journal of Organic Chemistry</i> , <b>2007</b> , 2007, 616-624	3.2	18
188	FT-IR and FT-Raman characterization and investigation of reactive properties of N-(3-iodo-4-methylphenyl)pyrazine-2-carboxamide by molecular dynamics simulations and DFT calculations. <i>Journal of Molecular Structure</i> , <b>2017</b> , 1136, 14-24	3.4	17
187	Quantitative assessment of the nature of noncovalent interactions in $\alpha$ -substituted-5-(adamantan-1-yl)-1,3,4-thiadiazole-2-amines: insights from crystallographic and QTAIM analysis.. <i>RSC Advances</i> , <b>2020</b> , 10, 9840-9853	3.7	17
186	Probing vibrational activities, electronic properties, molecular docking and Hirshfeld surfaces analysis of 4-chlorophenyl ({[(1E)-3-(1H-imidazol-1-yl)-1-phenylpropylidene]amino}oxy)methanone: A promising anti-Candida agent. <i>Journal of Molecular Structure</i> , <b>2018</b> , 1159, 83-95	3.4	16
185	Structural, spectroscopic (FT-IR, FT-Raman and UV) studies, HOMO-LUMO, NBO, NLO analysis and reactivity descriptors of 2,3-Difluoroaniline and 2,4-Difluoroaniline. <i>Journal of Molecular Structure</i> , <b>2014</b> , 1074, 457-466	3.4	16

184	3-(Adamantan-1-yl)-4-(prop-2-en-1-yl)-1H-1,2,4-triazole-5(4H)-thione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o656	16
183	Synthesis of Novel Uracil Non-Nucleosides Analogues of 3,4-Dihydro-2-Alkylthio-6-benzyl-4-oxopyrimidines and 6-benzyl-1-ethoxymethyl-5-isopropyluracil. <i>Journal of Chemical Research</i> , <b>2007</b> , 2007, 263-267	0.6 16
182	Triazoles and fused triazoles, III: Facile and efficient synthesis of 2,5-disubstituted-s-triazolo[3,4-b]-1,3,4-thiadiazoles. <i>Monatshefte für Chemie</i> , <b>1990</b> , 121, 221-225	1.4 16
181	Experimental and theoretical DFT (B3LYP, X3LYP, CAM-B3LYP and M06-2X) study on electronic structure, spectral features, hydrogen bonding and solvent effects of 4-methylthiadiazole-5-carboxylic acid. <i>Molecular Simulation</i> , <b>2019</b> , 45, 1029-1043	2 15
180	Raman, infrared and DFT studies of N'-(adamantan-2-ylidene)benzohydrazide, a potential antibacterial agent. <i>Journal of Molecular Structure</i> , <b>2016</b> , 1115, 258-266	3.4 15
179	Experimental FT-IR, Laser-Raman and DFT spectroscopic analysis of a potential chemotherapeutic agent 6-(2-methylpropyl)-4-oxo-2-sulfanylidene-1,2,3,4-tetrahydropyrimidine-5-carbonitrile. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , <b>2014</b> , 120, 97-105	4.4 15
178	Spectroscopic investigation (FT-IR and FT-Raman), vibrational assignments, HOMO-LUMO, NBO, MEP analysis and molecular docking study of 2-[ (4-chlorobenzyl)sulfanyl]-4-(2-methylpropyl)-6-(phenylsulfanyl)-pyrimidine-5-carbonitrile, a potential chemotherapeutic agent. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , <b>2014</b> , 139, 413-424	4.4 15
177	Structural and spectroscopic characterization of a novel potential anti-inflammatory agent 3-(adamantan-1-yl)-4-ethyl-1H-1,2,4-triazole-5(4H)-thione by first principle calculations. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , <b>2014</b> , 124, 108-23	4.4 15
176	Synthesis and antimicrobial activity of N'-heteroarylidene-1-adamantylcarbohydrazides and (E)-2-(1-adamantyl)-4-acetyl-5-[5-(4-substituted phenyl-3-isoxazolyl)]-1,3,4-oxadiazolines. <i>Molecules</i> , <b>2012</b> , 17, 3475-83	4.8 15
175	Vibrational spectroscopic (FT-IR and FT-Raman) studies, HOMO-LUMO, NBO analysis and MEP of 6-methyl-1-{{[(2E)-2-methyl-3-phenyl-prop-2-en-1-yl]oxy}methyl}-1,2,3,4-tetra-hydroquinazoline-2,4-dione, a potential chemotherapeutic agent, using density functional methods. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , <b>2014</b> , 124, 316-325	4.4 14
174	Synthesis, spectroscopic analyses, chemical reactivity and molecular docking study and anti-tubercular activity of pyrazine and condensed oxadiazole derivatives. <i>Journal of Molecular Structure</i> , <b>2018</b> , 1164, 459-469	3.4 14
173	Spectroscopic investigations and molecular docking study of (2E)-1-(4-Chlorophenyl)-3-[4-(propan-2-yl)phenyl]prop-2-en-1-one using quantum chemical calculations. <i>Journal of Molecular Structure</i> , <b>2016</b> , 1120, 317-326	3.4 14
172	Synthesis, vibrational spectroscopic investigations, molecular docking, antibacterial and antimicrobial studies of 5-ethylsulphonyl-2-(p-aminophenyl)benzoxazole. <i>Journal of Molecular Structure</i> , <b>2016</b> , 1115, 94-104	3.4 13
171	Investigation of potential anti-malarial lead candidate 2-(4-fluorobenzylthio)-5-(5-bromothiophen-2-yl)-1,3,4-oxadiazole: Insights from crystal structure, DFT, QTAIM and hybrid QM/MM binding energy analysis. <i>Journal of Molecular Structure</i> , <b>2019</b> , 1175, 230-240	3.4 13
170	Spectroscopic (FT-IR, FT-Raman, and UV-visible) and quantum chemical studies on molecular geometry, Frontier molecular orbitals, NBO, NLO and thermodynamic properties of 1-acetylindole. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , <b>2014</b> , 133, 626-38	4.4 13
169	Vibrational spectroscopic studies (FT-IR, FT-Raman) and quantum chemical calculations on 5-(Adamantan-1-yl)-3-[(4-fluoroanilino)methyl]-2,3-dihydro-1,3,4-oxadiazole-2-thione, a potential chemotherapeutic agent. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , <b>2015</b> , 140, 1-10	4.4 13
168	FT-IR and FT-Raman spectroscopic signatures, vibrational assignments, NBO, NLO analysis and molecular docking study of 2-{{[5-(adamantan-1-yl)-4-methyl-4H-1,2,4-triazol-3-yl]sulfanyl}-N,N-dimethylethanamine. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , <b>2015</b> , 140, 1-14	4.4 13
167	Pyrimidine-5-carbonitriles II: synthesis and antimicrobial activity of novel 6-alkyl-2,4-disubstituted pyrimidine-5-carbonitriles. <i>Drug Research</i> , <b>2014</b> , 64, 31-9	1.8 13

166	Pyrimidine-5-carbonitriles [part III: synthesis and antimicrobial activity of novel 6-(2-substituted propyl)-2,4-disubstituted pyrimidine-5-carbonitriles. <i>Heterocyclic Communications</i> , <b>2013</b> , 19,	1.7	12
165	Reactive, spectroscopic and antimicrobial assessments of 5-[(4-methylphenyl)acetamido]-2-(4-tert-butylphenyl)benzoxazole: Combined experimental and computational study. <i>Journal of Molecular Structure</i> , <b>2017</b> , 1128, 694-706	3.4	12
164	1,3,4-THIADIAZOLES. REGIOSELECTIVE O-DEMETHYLATION ON DEHYDRATIVE CYCLIZATION OF 1-(3,4,5-TRIMETHOXYBENZOYL)4-SUBSTITUTED THIOSEMICARBAZIDES WITH SULPHURIC ACID. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , <b>2004</b> , 179, 2509-2517	1	12
163	Insight into the reactive properties of newly synthesized 1,2,4-triazole derivative by combined experimental (FT-IR and FR-Raman) and theoretical (DFT and MD) study. <i>Journal of Molecular Structure</i> , <b>2017</b> , 1141, 542-550	3.4	11
162	Study on the structure, vibrational analysis and molecular docking of fluorophenyl derivatives using FT-IR and density functional theory computations. <i>Journal of Molecular Structure</i> , <b>2018</b> , 1164, 172-179	3.4	11
161	SYNTHESIS OF CERTAIN 6-(ARYLTHIO)URACILS AS POTENTIAL ANTIVIRAL AGENTS. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , <b>2001</b> , 174, 25-35	1	11
160	Microwave-Assisted Dehydrosulfurization: An Efficient, Solvent-Free Synthesis of 5-(1-Adamantyl)-2-arylamino-1,2,4-triazolo[3,4-b][1,3,4]thiadiazoles. <i>Heterocycles</i> , <b>2007</b> , 71, 379	0.8	11
159	Spectroscopic investigations and molecular docking study of 3-(1H-imidazol-1-yl)-1-phenylpropan-1-one, a potential precursor to bioactive agents. <i>Journal of Molecular Structure</i> , <b>2016</b> , 1109, 131-138	3.4	10
158	Use of vibrational spectroscopy to study 4-benzyl-3-(thiophen-2-yl)-4,5-dihydro-1H-1,2,4-triazole-5-thione: A combined theoretical and experimental approach. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , <b>2014</b> , 125, 280-290	4.4	10
157	Antimicrobial and hypoglycemic activities of novel N-Mannich bases derived from 5-(1-adamantyl)-4-substituted-1,2,4-triazoline-3-thiones. <i>International Journal of Molecular Sciences</i> , <b>2014</b> , 15, 22995-3010	6.3	10
156	4-[(4-acetylphenyl)amino]-2-methylidene-4-oxobutanoic acid, a newly synthesized amide with hydrophilic and hydrophobic segments: Spectroscopic characterization and investigation of its reactive properties. <i>Journal of the Serbian Chemical Society</i> , <b>2018</b> , 83, 1-18	0.9	10
155	Synthesis and antimicrobial activity of some novel 5-alkyl-6-substituted uracils and related derivatives. <i>Molecules</i> , <b>2011</b> , 16, 4764-74	4.8	10
154	Study on molecular structure, spectroscopic behavior, NBO, and NLO analysis of 3-methylbezothiazole-2-thione. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , <b>2015</b> , 146, 129-41	4.4	9
153	The biomolecule, 2-[(2-methoxy)sulfanyl]-4-(2-methylpropyl)-6-oxo-1,6-dihdropyrimidine-5-carbonitrile: FT-IR, Laser-Raman spectra and DFT. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , <b>2014</b> , 126, 81-97	4.4	9
152	Vibrational spectroscopic investigations and molecular docking studies of biologically active 2-[4-(4-phenylbutanamido)phenyl]-5-ethylsulphonyl-benzoxazole. <i>Journal of Molecular Structure</i> , <b>2017</b> , 1148, 119-133	3.4	9
151	Some Observations on the Base-Catalyzed Cyclocondensation of 2,6-Dihalobenzaldehydes, Ethyl Cyanoacetate, and Thiourea. <i>Synthetic Communications</i> , <b>2010</b> , 40, 1530-1538	1.7	9
150	Synthesis, Antimicrobial, and Anti-Proliferative Activities of Novel 4-(Adamantan-1-yl)-1-arylidene-3-thiosemicarbazides, 4-Arylmethyl -(Adamantan-1-yl)piperidine-1-carbothioimidates, and Related Derivatives. <i>Molecules</i> , <b>2019</b> , 24,	4.8	9
149	Structural and spectroscopic analysis of 3-[(4-phenylpiperazin-1-yl)methyl]-5-(thiophen-2-yl)-2,3-dihydro-1,3,4-oxadiazole-2-thione with experimental (FT-IR, Laser-Raman) techniques and ab initio calculations. <i>Journal of Molecular Structure</i> , <b>2014</b> , 1076, 664-672	3.4	8

148	Molecular conformational analysis, reactivity, vibrational spectral analysis and molecular dynamics and docking studies of 6-chloro-5-isopropylpyrimidine-2,4(1H,3H)-dione, a potential precursor to bioactive agent. <i>Journal of Molecular Structure</i> , <b>2017</b> , 1127, 427-436	3.4	8
147	Ethyl 4-{{[3-(adamantan-1-yl)-4-phenyl-5-sulfanyl-idene-4,5-dihydro-1H-1,2,4-triazol-1-yl]meth-yl}piperazine-1-carboxy}-ate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o531	8	
146	Synthesis of Certain S-Triazole and s-Triazolo[3,4-B] 1,3,4-Thiadiazole Derivatives of Expected Pharmacological Activity. <i>Journal of the Chinese Chemical Society</i> , <b>1988</b> , 35, 393-397	1.5	8
145	1,3,4-Oxadiazole -Mannich Bases: Synthesis, Antimicrobial, and Anti-Proliferative Activities. <i>Molecules</i> , <b>2021</b> , 26,	4.8	8
144	Synthesis, vibrational spectroscopic investigations, molecular docking, antibacterial studies and molecular dynamics study of 5-[(4-nitrophenyl)acetamido]-2-(4-tert-butylphenyl)benzoxazole. <i>Journal of Molecular Structure</i> , <b>2017</b> , 1133, 557-573	3.4	7
143	Insights into the nature of weak noncovalent interactions in 3-(4-fluorophenyl)-6-(2-fluorophenyl)-1,2,4-triazolo[3,4-b][1,3,4]thiadiazole, a potential bioactive agent: X-ray, QTAIM and molecular docking analysis. <i>Journal of Molecular Structure</i> , <b>2019</b> , 1183, 331-341	3.4	7
142	Spectroscopic investigation (FT-IR, FT-Raman), HOMO-LUMO, NBO analysis and molecular docking study of 2-[(4-chlorobenzyl)sulfanyl]-4-(2-methylpropyl)-6-[3-trifluoromethyl]-anilino]pyrimidine-5-carbonitrile, a potential chemotherapeutic agent. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , <b>2013</b> , 100, 100-106	4.4	7
141	Synthesis of novel 2-(substituted amino)alkylthiopyrimidin-4(3H)-ones as potential antimicrobial agents. <i>Molecules</i> , <b>2013</b> , 19, 279-90	4.8	7
140	NO-donors, part 9 : diazeniumdiolates inhibit human platelet aggregation and induce a transient vasodilatation of porcine pulmonary arteries in accordance with the NO-releasing rates. <i>European Journal of Medicinal Chemistry</i> , <b>2005</b> , 40, 281-7	6.8	7
139	Synthesis of 2-Alkylthio Analogues of AZT and Their Activity against HIV-1. <i>Heterocycles</i> , <b>1995</b> , 41, 2507	0.8	7
138	Vibrational spectroscopy of N'-(Adamantan-2-ylidene)thiophene-2-carbohydrazide, a potential antibacterial agent. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , <b>2014</b> , 128, 874-9	4.4	6
137	N'-(Adamantan-2-yl-idene)thio-phene-2-carbohydrazide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2011</b> , 67, o3127	6	
136	2-(Adamantan-1-yl)-5-(4-nitro-phen-yl)-1,3,4-oxadiazole. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o795	6	
135	3-(Adamantan-1-yl)-1-[(4-ethyl-piperazin-1-yl)meth-yl]-4-[(E)-(4-hy-droxy-benzyl-idene)amino]-1H-1,2,4-triazole-5(4H)-thione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o657-8	6	
134	3-(Adamantan-1-yl)-4-phenyl-1-[(4-phenyl-piperazin-1-yl)meth-yl]-1H-1,2,4-triazole-5(4H)-thione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o345	6	
133	The NOTizer--a device for the convenient preparation of diazen-1-iun-1,2-diolates. <i>Methods in Enzymology</i> , <b>2005</b> , 396, 17-26	1.7	6
132	Reactivity properties and adsorption behavior of a triazole derivative DFT and MD simulation studies. <i>Journal of Molecular Liquids</i> , <b>2021</b> , 341, 117439	6	6
131	1,4,5,6,7,8-Hexahydroquinolines and 5,6,7,8-tetrahydronaphthalenes: A new class of antitumor agents targeting the colchicine binding site of tubulin. <i>Bioorganic Chemistry</i> , <b>2020</b> , 99, 103831	5.1	5

130	Spectroscopic and electronic structure calculation of a potential antibacterial agent incorporating pyrido-dipyrimidine-dione moiety using first principles. <i>Journal of Molecular Structure</i> , <b>2016</b> , 1110, 128-137	3.4	5
129	Crystal structure of 1-(adamantan-1-yl)-3-phenylthiourea, C17H22N2S. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 593-595	0.2	5
128	Conformational search, spectral analysis and electronic properties of 5-(4-Pyridinyl)-1,3,4-thiadiazol-2-amine. <i>Journal of Molecular Structure</i> , <b>2016</b> , 1108, 112-125	3.4	5
127	Molecular docking, Hirshfeld surface analysis and spectroscopic investigations of 1-(adamantan-1-yl)-3-(4-fluorophenyl)thiourea: A potential bioactive agent. <i>Chemical Physics Letters</i> , <b>2019</b> , 735, 136762	2.5	5
126	3-[(4-Phenyl-piperazin-1-yl)meth-yl]-5-(thio-phen-2-yl)-2,3-di-hydro-1,3,4-oxa-diazole-2-thione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2013</b> , 69, o684		5
125	Synthesis of 1-phenyl-1H-tetrazolo[4,5-d]tetrazole and 5-aryl-1-(4-bromophenyl)-1,2,4-triazolo[4,3-d]tetrazoles. <i>Journal of the Chinese Chemical Society</i> , <b>1991</b> , 38, 199-201	1.5	5
124	Triazoles and Fused Triazoles II: Synthesis of Certain Substituted s-Triazoles, s-Triazolo[3,4-b]-1,3,4-Thiadiazoles and s-Triazolo [3,4-b]-1,3,4-Thiadiazines. <i>Journal of the Chinese Chemical Society</i> , <b>1989</b> , 36, 353-356	1.5	5
123	Thienobenzothiopyranones III new 4H-thieno[2,3-b][1]benzothiopyran-4-ones carrying different heterocyclic moieties of expected pharmacological interest. <i>Archives of Pharmacal Research</i> , <b>1990</b> , 13, 24-27	6.1	5
122	Synthesis of an AZT-HEPT hybrid and homologous AzddU derivatives. <i>Acta Chemica Scandinavica</i> , <b>1996</b> , 50, 417-21		5
121	Insights into the weak Csp3-H-Csp3 mediated supramolecular architecture in ethyl 2-(5-bromopentanamido)-4,5,6,7-tetrahydrobenzo[b]thiophene-3-carboxylate, a probable selective COX-2 lead molecule: An integrated crystallographic and theoretical approach. <i>Journal of Molecular Spectroscopy</i> , <b>2018</b> , 316, 127-136	3.4	5
120	Spectroscopic (FT-IR, FT-Raman, UV, 1H and 13C NMR) insights, electronic profiling and DFT computations on {{(E)}-[3-(1H-imidazol-1-yl)-1-phenylpropylidene]amino}oxy)(4-nitrophenyl)methanone, an imidazole-bearing anti-Candida agent. <i>Open Chemistry</i> , <b>2018</b> , 16, 50-63	1.6	4
119	Structure of N <sup>2</sup> -(adamantan-2-ylidene)benzohydrazide, a potential antibacterial agent, in solution: Molecular dynamics simulations, quantum chemical calculations and Ultraviolet-visible spectroscopy studies. <i>Journal of Chemical Sciences</i> , <b>2016</b> , 128, 1933-1942	1.8	4
118	Theoretical and experimental spectroscopic studies, XPS analysis, dimer interaction energies and molecular docking study of 5-(adamantan-1-yl)-N-methyl-1,3,4-thiadiazol-2-amine. <i>Journal of Physics and Chemistry of Solids</i> , <b>2019</b> , 135, 109091	3.9	4
117	Molecular structure and vibrational spectra of 2-Ethoxymethyl-6-ethyl-2,3,4,5-tetrahydro-1,2,4-triazine-3,5-dione, a potential chemotherapeutic agent, by density functional methods. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , <b>2014</b> , 133, 439-48	4.4	4
116	Crystal structure of 4-bromobenzyl (Z)-N <sup>2</sup> -(adamantan-1-yl)-4-phenylpiperazine-1-carbothioimidate, C28H34BrN3S. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2017</b> , 232, 189-191	0.2	4
115	3-(Adamantan-1-yl)-4-benzyl-1H-1,2,4-triazole-5(4H)-thione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2014</b> , 70, o766-7		4
114	N'-[(2-n-Butyl-4-chloro-1H-imidazol-5-yl)-methyl-iden]adamantane-1-carbo-hydrazide sesquihydrate ethanol hemi-solvate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2010</b> , 66, o2131		4
113	6-(3,5-Dimethyl-benz-yl)-5-ethyl-1-[(2-phen-oxy-eth-oxy)meth-yl]-1,2,3,4-tetra-hydro-pyrimidine-2,4-dione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2011</b> , 67, o2839		4

112	5-(Adamantan-1-yl)-3-[(4-benzyl-piperazin-1-yl)meth-yl]-1,3,4-oxadiazole-2(3H)-thione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o2172-3	4
111	3-(Adamantan-1-yl)-1-[(4-benzyl-piperazin-1-yl)meth-yl]-4-phenyl-1H-1,2,4-triazole-5(4H)-thione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o344	4
110	3-(Adamantan-1-yl)-4-ethyl-1H-1,2,4-triazole-5(4H)-thione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o1347	4
109	3-[(N-Methyl-anilino)meth-yl]-5-(thio-phen-2-yl)-1,3,4-oxadiazole-2(3H)-thione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o1345-6	4
108	Adamantane-linked isothiourea derivatives suppress the growth of experimental hepatocellular carcinoma inhibition of TLR4-MyD88-NF- $\kappa$ B signaling. <i>American Journal of Cancer Research</i> , <b>2021</b> , 11, 350-369	4.4 4
107	DFT Study on the Electronic Properties, Spectroscopic Profile, and Biological Activity of 2-Amino-5-trifluoromethyl-1,3,4-thiadiazole with Anticancer Properties. <i>ACS Omega</i> , <b>2020</b> , 5, 30073-30087	4
106	Crystal structure of N-(adamantan-1-yl)-4-phenylpiperazine-1-carbothioamide, C <sub>21</sub> H <sub>29</sub> N <sub>3</sub> S. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 991-993	0.2 4
105	X-ray and theoretical investigation of ()-3-(adamantan-1-yl)-1-(phenyl or 3-chlorophenyl)-(4-bromobenzyl)isothioureas: an exploration involving weak non-covalent interactions, chemotherapeutic activities and QM/MM binding energy. <i>Journal of Biomolecular Structure and Dynamics</i> , <b>2020</b> , 37, 1-16	3.6 3
104	Synthesis and Structure Insights of Two Novel Broad-Spectrum Antibacterial Candidates Based on (O'-[(Heteroaryl)methylene]adamantane-1-carbohydrazides. <i>Molecules</i> , <b>2020</b> , 25,	4.8 3
103	Experimental (FT-IR, Laser-Raman and NMR) and theoretical comparative study on 2-benzylsulfanyl-4-pentyl-6-(phenylsulfanyl)pyrimidine-5-carbonitrile, a potential bioactive agent. <i>Journal of Theoretical and Computational Chemistry</i> , <b>2018</b> , 17, 1850035	1.8 3
102	Crystal structure of 2-(adamantan-1-yl)-5-(4-bromo-phen-yl)-1,3,4-oxa-diazole. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2014</b> , 70, o1231-2	3
101	5-Propyl-6-(p-tolyl-sulfan-yl)pyrimidine-2,4(1H,3H)-dione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2014</b> , 70, o179-80	3
100	4-(2-Meth-oxy-phen-yl)piperazin-1-i um 6-chloro-5-isopropyl-2,4-dioxopyrimidin-1-ide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2014</b> , 70, o245-6	3
99	5-(Adamantan-1-yl)-N-methyl-1,3,4-thia-diazol-2-amine. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2013</b> , 69, o683	3
98	3-(Adamantan-1-yl)-4-[(E)-(2,6-di-fluoro-benzyl-idene)amino]-1-[(4-ethyl-piperazin-1-yl)meth-yl]-4,5-di-hydro-1H-1,2,4-tria	3
97	Acta Crystallographica Section E: Structure Reports Online, <b>2013</b> , 69, o685-6	
96	6-(2-Methyl-prop-yl)-4-oxo-2-sulfanyl-idene-1,2,3,4-tetra-hydro-pyrimidine-5-carbonitrile. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o676-7	3
95	2-[(5-(Adamantan-1-yl)-4-methyl-4H-1,2,4-triazol-3-yl)sulfan-yl]-N,N-dimethyl-ethanamine. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o1356	3
	2-[(2-Meth-oxy-eth-yl)sulfan-yl]-4-(2-methyl-prop-yl)-6-oxo-1,6-dihydro-pyrimidine-5-carbonitrile. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o1379	3

94	1-(Adamantan-1-yl)-3-(4-fluoro-phen-yl)thio-urea. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o1523	3
93	Synthesis of certain uracil-6-yl or tetrazol-5-ylpyrazolin-5-one and pyrazole derivatives as potential anti-inflammatory agents. <i>Archives of Pharmacal Research</i> , <b>1990</b> , 13, 204-206	6.1 3
92	Synthesis of certain thianthrones as potential schistosomicidal agents. <i>Archives of Pharmacal Research</i> , <b>1986</b> , 9, 25-28	6.1 3
91	Crystal structures and Hirshfeld surface analysis of 2-(adamantan-1-yl)-5-(4-fluoro-phen-yl)-1,3,4-oxa-diazole and 2-(adamantan-1-yl)-5-(4-chloro-phen-yl)-1,3,4-oxa-diazole. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , <b>2012</b> , 75, 111-115	0.7 3
90	Structural and spectroscopic characterization of $\text{N}^{\text{E}}\text{[(1E)-(4-fluorophenyl)methylidene]thiophene-2-carbohydrazide}$ , a potential precursor to bioactive agents. <i>Macedonian Journal of Chemistry and Chemical Engineering</i> , <b>2016</b> , 35, 63	1.1 3
89	Quantitative analysis of hydrogen and chalcogen bonds in two pyrimidine-5-carbonitrile derivatives, potential DHFR inhibitors: an integrated crystallographic and theoretical study.. <i>RSC Advances</i> , <b>2020</b> , 10, 36806-36817	3.7 3
88	Design, synthesis and biological evaluation of new series of hexahydroquinoline and fused quinoline derivatives as potent inhibitors of wild-type EGFR and mutant EGFR (L858R and T790M). <i>Bioorganic Chemistry</i> , <b>2020</b> , 105, 104274	5.1 3
87	Supramolecular Self-Assembly Built by Weak Hydrogen, Chalcogen, and Unorthodox Nonbonded Motifs in 4-(4-Chlorophenyl)-3-[(4-fluorobenzyl)sulfanyl]-5-(thiophen-2-yl)-4-1,2,4-triazole, a Selective COX-2 Inhibitor: Insights from X-ray and Theoretical Studies. <i>ACS Omega</i> , <b>2021</b> , 6, 6996-7007	3.9 3
86	Crystal structure of 4-bromobenzyl (Z)-N-(adamantan-1-yl)morpholine-4-carbothioimidate, C22H29BrN2OS. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2019</b> , 234, 1001-1003	0.2 3
85	Crystal structure of 3,5-bis(trifluoromethyl)benzyl(Z)-N-(adamantan-1-yl)morpholine-4-carbothioimidate, C24H28F6N2OS. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2018</b> , 233, 607-609	0.2 3
84	Comparative MD Study of Inhibitory Activity of Opaganib and Adamantane-Isothiourea Derivatives toward COVID-19 Main Protease M.. <i>ChemistrySelect</i> , <b>2021</b> , 6, 8603-8610	1.8 3
83	Experimental (FT-IR, Laser-Raman and NMR) and theoretical spectroscopic analysis of 3-[(N-methylanilino)methyl]-5-(thiophen-2-yl)-1,3,4-oxadiazole-2(3H)-thione. <i>Journal of Theoretical and Computational Chemistry</i> , <b>2017</b> , 16, 1750024	1.8 2
82	First principle study of a potential bioactive molecule with tetrahydroisoquinoline, carbothiomide and adamantanane scaffolds. <i>Journal of Molecular Structure</i> , <b>2017</b> , 1143, 204-216	3.4 2
81	Spectroscopic and electronic structure calculation of a potential chemotherapeutic agent 5-propyl-6-(p-tolylsulfanyl)pyrimidine-2,4(1H,3H)-dione using first principles. <i>Journal of Molecular Structure</i> , <b>2015</b> , 1100, 225-236	3.4 2
80	Crystal structure of N $^{\text{E}}$ -(adamantan-2-ylidene)pyridine-3-carbohydrazide, C16H19N3O. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 573-575	0.2 2
79	Crystal structure of 1-(adamantan-1-yl)-3-(4-chlorophenyl)thiourea, C17H21ClN2S. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 707-709	0.2 2
78	Crystal structure of N $^{\text{E}}$ -[(1E)-(2,6-dichlorophenyl)-methylidene]adamantane-1-carbohydrazide, C18H20Cl2N2O. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 1037-1039	0.2 2
77	Crystal structure of N $^{\text{E}}$ -(adamantan-2-ylidene)-isonicotinohydrazide, C16H19N3O. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 273-275	0.2 2

76	Crystal structure of (Z)-3-(adamantan-1-yl)-1-(3-chlorophenyl)-S-benzylisothiourea, C <sub>24</sub> H <sub>27</sub> ClN <sub>2</sub> S. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2017</b> , 232, 453-456	0.2	2
75	Syntheses and crystal structures of two adamantyl-substituted 1,2,4-triazole-5-thione -Mannich bases. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , <b>2017</b> , 73, 1135-1139	0.7	2
74	3-(Adamantan-1-yl)-4-ethyl-1-{{[4-(2-methoxy-phenyl)piperazin-1-yl]meth-yl}-1H-1,2,4-triazole-5(4H)-thione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2014</b> , 70, o25-6	2	
73	N-(Adamantan-1-yl)-1,2,3,4-tetra-hydro-iso-quinoline-2-carbo-thio-amide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2013</b> , 69, o1815	2	
72	3-(Adamantan-1-yl)-1-[(4-benzyl-piperazin-1-yl)meth-yl]-4-[(E)-(2-hydroxy-benzyl-idene)amino]-1H-1,2,4-triazole-5(4H)-thione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o1766-7	2	
71	6-(3,5-Dimethyl-benz-yl)-5-ethyl-1-[(3-phenyl-prop-oxy)meth-yl]-1,2,3,4-tetra-hydro-pyrimidine-2,4-dione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o316	2	
70	N'-(1E)-(2,6-Difluoro-phenyl)methyl-idene]thio-phene-2-carbohydrazide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o315	2	
69	5-(Adamantan-1-yl)-3-[(2-methoxy-eth-yl)sulfan-yl]-4-phenyl-4H-1,2,4-triazole. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o2326	2	
68	2-Eth-oxy-methyl-6-ethyl-2,3,4,5-tetra-hydro-1,2,4-triazine-3,5-dione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o346	2	
67	6-Chloro-1-{{[(2E)-2-methyl-3-phenyl-prop-2-en-1-yl]oxy}meth-yl}-1,2,3,4-tetra-hydro-quinazoline-2,4-dione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o1770-1	2	
66	N'-(Adamantan-2-yl-idene)benzo-hydrazide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o2247-8	2	
65	3-(Adamantan-1-yl)-4-ethyl-1-[(4-phenyl-piperazin-1-yl)meth-yl]-1H-1,2,4-triazole-5(4H)-thione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2012</b> , 68, o2380-1	2	
64	Synthesis of certain substituted pyrimidines as potential schistosomicidal agents. <i>Journal of Heterocyclic Chemistry</i> , <b>1989</b> , 26, 913-915	1.9	2
63	Synthesis of certain mercapto-and aminopyrimidine derivatives as potential antimicrobial agents. <i>Archives of Pharmacal Research</i> , <b>1990</b> , 13, 142-146	6.1	2
62	3-(Adamantan-1-yl)-1-[(4-benzyl-piperazin-1-yl)meth-yl]-4-ethyl-1H-1,2,4-triazole-5(4H)-thione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2013</b> , 69, o1813-4	2	
61	Crystal structure of 1-(adamantan-1-yl)-3-(3-chlorophenyl)thiourea, C <sub>17</sub> H <sub>21</sub> ClN <sub>2</sub> S. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2017</b> , 232, 33-35	0.2	2
60	Synthesis and crystal structure of 3-(adamantan-1-yl)-4-(2-bromo-4-fluoro-phenyl)-1-1,2,4-triazole-5(4)-thione. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , <b>2020</b> , 76, 162-166	0.7	2
59	5-(Adamantan-1-yl)-3-[(4-fluoro-anilino)meth-yl]-2,3-di-hydro-1,3,4-oxa-diazole-2-thione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2013</b> , 69, o730	2	

58	5-(Adamantan-1-yl)-3-anilinomethyl-2,3-di-hydro-1,3,4-oxa-diazole-2-thione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2013</b> , 69, o729	2
57	Synthesis and Biological Evaluation of Thiazole-Based Derivatives as Potential Acetylcholinesterase Inhibitors. <i>ACS Omega</i> , <b>2021</b> , 6, 19202-19211	3.9 2
56	Crystal structure of 6-oxo-4-propyl-2-(propylthio)-1,6-dihdropyrimidine-5-carbonitrile, C11H15N3OS. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 583-585	0.2 2
55	Probing the Effect of Halogen Substituents (Br, Cl, and F) on the Non-covalent Interactions in 1-(Adamantan-1-yl)-3-arylthiourea Derivatives: A Theoretical Study. <i>ACS Omega</i> , <b>2021</b> , 6, 4816-4830	3.9 2
54	Vibrational Spectra of 3-(Adamantan-1-YL)-4-(2-Propen-1-YL)-1H-1,2,4-Triazole-5(4H)-Thione. <i>Journal of Applied Spectroscopy</i> , <b>2017</b> , 83, 924-930	0.7 1
53	Spectral and quantum chemical analysis of ethyl 4-[3-(adamantan-1-yl)-4-phenyl-5-sulfanylidene-4,5-dihydro-1H-1,2,4-triazole-1-yl]methylpiperazine-1-carboxylate. <i>Journal of Theoretical and Computational Chemistry</i> , <b>2019</b> , 18, 1950029	10.0 1
52	Crystal structure of 3-(adamantan-1-yl)-4-(4-chloro-phen-yl)-1H-1,2,4-triazole-5(4H)-thione. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , <b>2015</b> , 71, o115-6	0.7 1
51	Crystal structure of 3-[(4-benzyl-piperazin-1-yl)meth-yl]-5-(thio-phen-2-yl)-2,3-di-hydro-1,3,4-oxa-diazole-2-thione. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , <b>2015</b> , 71, o175-6	0.7 1
50	Crystal structure of 2-[3,5-bis(trifluoromethyl)benzylsulfanyl]-5-(5-bromothiophen-2-yl)-1,3,4-oxadiazole, C15H7BrF6N2OS2. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2017</b> , 232, 131-133	0.2 1
49	Crystal structure of 6-(4-chlorophenyl)-3-(thiophen-2-yl)-[1,2,4]triazolo[3,4-b][1,3,4]-thiadiazole, C13H7ClN4S2. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 931-932	0.2 1
48	Crystal structure of 5-(adamantan-1-yl)-3-[(4-chloroanilino)methyl]-2,3-dihydro-1,3,4-oxadiazole-2-thione, C19H22ClN3OS. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 301-303	0.2 1
47	Crystal structure of 6-(2-fluorophenyl)-3-phenyl-[1,2,4]-triazolo[3,4-b][1,3,4]thiadiazole, C15H9FN4S. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2016</b> , 231, 661-663	0.2 1
46	Spectral Analysis of 3-(Adamantan-1-yl)-4-Ethyl-1-[(4-Phenylpiperazin-1-yl)Methyl]-1H-1,2,4-Triazole-5(4H)-Thione. <i>Journal of Applied Spectroscopy</i> , <b>2018</b> , 85, 203-215	0.7 1
45	Crystal structure of 3,5-bis(trifluoromethyl)benzyl (Z)-N?-(adamantan-1-yl)-4-phenylpiperazine-1-carbothioimidate, C30H33F6N3S. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2019</b> , 234, 1009-1012	0.2 1
44	Crystal structure of 3-(adamantan-1-yl)-4-(4-fluorophenyl)-1H-1,2,4-triazole-5(4H)-thione, C18H20FN3S. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2017</b> , 232, 443-445	0.2 1
43	Crystal structure of 3-(adamantan-1-yl)-1-(4-bromophenyl)urea, C17H21BrN2O. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , <b>2017</b> , 232, 37-39	0.2 1
42	6-[(2-Methyl-phen-yl)sulfan-yl]-5-propyl-pyrimidine-2,4(1H,3H)-dione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2014</b> , 70, o768-9	1
41	2-Benzyl-sulfanyl-4-pentyl-6-(phenyl-sulfan-yl)pyrimidine-5-carbonitrile. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2011</b> , 67, o3126	1

- 40 2-{{(2-Methyl-prop-2-en-1-yl)-oxy]meth-yl}-6-phenyl-2,3,4,5-tetra-hydro-1,2,4-triazine-3,5-dione. *Acta Crystallographica Section E: Structure Reports Online*, **2012**, 68, o347 1
- 39 2-[(Cyclo-hex-3-en-1-ylmeth-oxy)meth-yl]-6-phenyl-1,2,4-triazine-3,5(2H,4H)-dione. *Acta Crystallographica Section E: Structure Reports Online*, **2012**, 68, o1776-7 1
- 38 3-(1-Adamant-yl)-4-amino-1-(2-benzoyl-1-phenyl-eth-yl)-1H-1,2,4-triazol-5(4H)-thione. *Acta Crystallographica Section E: Structure Reports Online*, **2012**, 68, o1439-40 1
- 37 5-Meth-oxy-2-[(5-meth-oxy-1H-indol-1-yl)carbon-yl]-1H-indole. *Acta Crystallographica Section E: Structure Reports Online*, **2012**, 68, o1775 1
- 36 3-(Adamantan-1-yl)-4-methyl-1-[(4-phenyl-piperazin-1-yl)meth-yl]-1H-1,2,4-triazole-5(4H)-thione dichloro-methane hemisolvate. *Acta Crystallographica Section E: Structure Reports Online*, **2012**, 68, o1772-3 1
- 35 1-{{(2,3-Dihydro-1H-inden-2-yl)-oxy]meth-yl}quinazoline-2,4(1H,3H)-dione. *Acta Crystallographica Section E: Structure Reports Online*, **2012**, 68, o1866-7 1
- 34 3-(Adamantan-1-yl)-4-[(E)-(2,6-difluoro-benzyl-idene)amino]-1-[(4-phenyl-piperazin-1-yl)meth-yl]-1H-1,2,4-triazole-5(4H)-t *Acta Crystallographica Section E: Structure Reports Online*, **2012**, 68, o2031 1
- 33 5-(Adamantan-1-yl)-3-(benzyl-sulfan-yl)-4-methyl-4H-1,2,4-triazole. *Acta Crystallographica Section E: Structure Reports Online*, **2012**, 68, o2427-8 1
- 32 Percentages of the deuterium retained after para-hydroxylation of (R)(+)-4-2H-phenytoin and (S)(-)4-2H-phenytoin in rat. *Archives of Pharmacal Research*, **1991**, 14, 35-40 6.1 1
- 31 Nucleosides: Synthesis of Some New Naphthimidazole Ribonucleosides as Potential Antibacterial Agents. *Journal of the Chinese Chemical Society*, **1992**, 39, 257-261 1.5 1
- 30 Synthesis of substituted arylazothioxanthones as potential schistosomicidal agents. *Archives of Pharmacal Research*, **1989**, 12, 5-7 6.1 1
- 29 Crystal structure of 3-{{[4-(2-meth-oxy-phen-yl)piperazin-1-yl)meth-yl}-5-(thio-phen-2-yl)-1,3,4-oxa-diazole-2(3H)-thione. *Acta Crystallographica Section E: Crystallographic Communications*, **2016**, 72, 269-72 0.7 1
- 28 Interplay of weak intermolecular interactions in two Schiff's bases with organic fluorine derived from 5-nitrothiophene-2-carboxaldehyde: Crystal structures, DFT calculation and in vitro evaluation of bioactivities. *Journal of Molecular Structure*, **2020**, 1221, 128883 3.4 1
- 27 Structural Insights of Three 2,4-Disubstituted Dihydropyrimidine-5-carbonitriles as Potential Dihydrofolate Reductase Inhibitors. *Molecules*, **2021**, 26, 4.8 1
- 26 Crystal structure of 5-(adamantan-1-yl)-3-[(2-trifluoromethylanilino)methyl]-2,3-dihydro-1,3,4-oxadiazole-2-thione, C<sub>20</sub>H<sub>22</sub>F<sub>3</sub>N<sub>3</sub>OS. *Zeitschrift Fur Kristallographie - New Crystal Structures*, **2016**, 231, 815-817 0.2 1
- 25 Crystal structure of 1-(adamantan-1-yl)-3-(4-bromophenyl)thiourea, C<sub>17</sub>H<sub>21</sub>BrN<sub>2</sub>S. *Zeitschrift Fur Kristallographie - New Crystal Structures*, **2016**, 231, 1033-1035 0.2 1
- 24 Crystal structure of 2-[(4-fluorobenzyl)sulfanyl]-4-(2-methylpropyl)-6-oxo-1,6-dihydropyrimidine-5-carbonitrile, C<sub>16</sub>H<sub>16</sub>FN<sub>3</sub>OS. *Zeitschrift Fur Kristallographie - New Crystal Structures*, **2016**, 231, 285-287 0.2 1
- 23 Structural, Vibrational and UV/Vis Studies of Adamantane-Containing Triazole Thiones by Spectral, DFT and Multi-reference ab initio Methods. *Zeitschrift Fur Physikalische Chemie*, **2020**, 234, 85-106 3.1 1

22	Spectroscopic, Solvation Effects and MD Simulation of an Adamantane-Carbohydrazide Derivative, a Potential Antiviral Agent. <i>Polycyclic Aromatic Compounds</i> , 1-15	1.3	1
21	Crystal structures of 4-phenyl-piperazin-1-ium 6-chloro-5-ethyl-2,4-dioxopyrimidin-1-ide and 4-phenyl-piperazin-1-ium 6-chloro-5-isopropyl-2,4-dioxopyrimidin-1-ide. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, 956-9	0.7	0
20	Investigation of the electronic properties of solvents (water, benzene, methanol) using IEFPCM model, spectroscopic investigation with docking and MD simulations of a thiadiazole derivative with anti-tumor activities. <i>Journal of Molecular Liquids</i> , 2021, 118061	6	0
19	Crystallographic and Theoretical Exploration of Weak Hydrogen Bonds in Arylmethyl '-(adamantan-1-yl)piperidine-1-carbothioimides and Molecular Docking Analysis. <i>ACS Omega</i> , 2021, 6, 27026-27037	3.9	0
18	Invariant and Variable Supramolecular Self-Assembly in 6-Substituted Uracil Derivatives: Insights from X-ray Structures and Quantum Chemical Study. <i>Crystal Growth and Design</i> , 2021, 21, 3234-3250	3.5	0
17	Supramolecular Self-Assembly Mediated by Multiple Hydrogen Bonds and the Importance of C-SIIN Chalcogen Bonds in '-(Adamantan-2-ylidene)hydrazide Derivatives.. <i>ACS Omega</i> , 2022, 7, 10608-10621	3.9	0
16	Crystal structure of 3-[{4-(4-fluorophenyl)piperazin-1-yl]methyl}-5-(thiophen-2-yl)-2,3-dihydro-1,3,4-oxadiazole-2-thione, C17H17FN4OS2. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , 2015, 230, 267-268	0.2	
15	Crystal structure of 6-(phenylsulfanyl)-5-propylpyrimidine-2,4(1H,3H)- dione, C13H14N2O2S. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , 2015, 230, 289-291	0.2	
14	Unusual Sulfuric Acid-Induced Thiol Oxidation on Dehydrative Cyclization of Potassium N?-(1-Adamantylcarbonyl)Dithiocarbazate at Room Temperature. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2014, 189, 477-482	1	
13	4-Benzyl-3-(thio-phen-2-yl)-4,5-di-hydro-1H-1,2,4-triazole-5-thione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2013, 69, o697		
12	2-Benzyl-sulfanyl-4-[{(4-methyl-phen-yl)sulfan-yl]-6-pentyl-pyrimidine-5-carbonitrile. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2012, 68, o2054		
11	4-Benzyl-N-methyl-piperazine-1-carbothio-amide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2012, 68, o712-3		
10	1-[(Cyclo-propyl-meth-oxy)meth-yl]-5-ethyl-6-(4-methyl-benzyl)-1,2,3,4-tetra-hydro-pyrimidine-2,4-dione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2012, 68, o348		
9	1-[(Cyclo-propyl-meth-oxy)meth-yl]-6-(3,4-dimeth-oxy-benzyl)-5-ethyl-1,2,3,4-tetra-hydro-pyrimidine-2,4-dione ethanol hemisolvate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2012, 68, o349-50		
8	2-[(4-Chloro-benz-yl)sulfan-yl]-4-(2-methyl-prop-yl)-6-(phenyl-sulfan-yl)pyrimidine-5-carbonitrile. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2012, 68, o2055-6		
7	2-[(4-Chloro-benz-yl)sulfanyl]-4-(2-methyl-prop-yl)-6-[3-(trifluoro-meth-yl)anilino]-pyrimidine-5-carbonitrile. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2012, 68, o2059-60		
6	Crystal structure of 1-(adamantan-1-yl)-3-aminothiourea, C11H19N3S. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , 2020, 235, 1115-1117	0.2	
5	Crystal structure of 6-chloro-5-iso-propyl-pyrimidine-2,4(1H,3H)-dione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o1144-5		

- 4 3-(Adamantan-1-yl)-4-methyl-1-({4-[3-(tri-fluoro-meth-yl)phen-yl]piperazin-1-yl}meth-yl)-4,5-di-hydro-1H-1,2,4-triazole-5-t  
*Acta Crystallographica Section E: Structure Reports Online*, **2013**, 69, o695-6
- 3 Crystal structure of 5-ethyl-6-[(3-methylphenyl)sulfanyl]pyrimidine-2,4(1H,3H)-dione, C13H14N2O2S. *Zeitschrift Fur Kristallographie - New Crystal Structures*, **2016**, 231, 601-603 O.2
- 2 Crystal structure of 3-(adamantan-1-yl)-1-[(4-benzylpiperazin-1-yl)methyl]-4-[(E)-(2,6-difluorobenzylidene)amino]-1H-1,2,4-triazole-5(4H)-thio C31H36F2N6S. *Zeitschrift Fur Kristallographie - New Crystal Structures*, **2016**, 231, 927-929
- 1 Crystal structure of 4-[(E)-(2-chloro-6-fluorobenzylidene)amino]-1,2-dihydro-2,3-dimethyl-1-phenylpyrazol-5-one, C18H15ClFN3O. *Zeitschrift Fur Kristallographie - New Crystal Structures*, **2016**, 231, 777-780 O.2