

Xuming Zhang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6858105/xuming-zhang-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

136
papers

4,061
citations

30
h-index

60
g-index

152
ext. papers

4,917
ext. citations

5.1
avg, IF

5.52
L-index

#	Paper	IF	Citations
136	Co-Ni Basic Carbonate Nanowire/Carbon Nanotube Network With High Electrochemical Capacitive Performance via Electrochemical Conversion. <i>Frontiers in Chemistry</i> , 2021 , 9, 655025	5	1
135	Au/CQDs-TiO ₂ composite nanorod array film with simple preparation route and enhanced visible light response. <i>Micro and Nano Letters</i> , 2021 , 16, 132-141	0.9	1
134	Microfluidics-Based Plasmonic Biosensing System Based on Patterned Plasmonic Nanostructure Arrays. <i>Micromachines</i> , 2021 , 12,	3.3	13
133	Electric-Field-Mediated Electron Tunneling of Supramolecular Naphthalimide Nanostructures for Biomimetic H ₂ Production. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 1235-1243	16.4	10
132	Electric-Field-Mediated Electron Tunneling of Supramolecular Naphthalimide Nanostructures for Biomimetic H ₂ Production. <i>Angewandte Chemie</i> , 2021 , 133, 1255-1263	3.6	1
131	Enhancing plasmonic hot-carrier generation by strong coupling of multiple resonant modes. <i>Nanoscale</i> , 2021 , 13, 2792-2800	7.7	9
130	Temperature Tolerance Electric Cell-Substrate Impedance Sensing for Joint Assessment of Cell Viability and Vitality. <i>ACS Sensors</i> , 2021 , 6, 3640-3649	9.2	0
129	Enhanced solar water splitting using plasmon-induced resonance energy transfer and unidirectional charge carrier transport. <i>Optics Express</i> , 2021 , 29, 34810-34825	3.3	1
128	Enhancement of the volume refractive index sensing by ROTe and its application on cancer and normal cells discrimination. <i>Sensors and Actuators A: Physical</i> , 2020 , 313, 112177	3.9	1
127	Fiber-Tip Polymer Microcantilever for Fast and Highly Sensitive Hydrogen Measurement. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 33163-33172	9.5	9
126	Aberration-free aspherical in-plane tunable liquid lenses by regulating local curvatures. <i>Lab on a Chip</i> , 2020 , 20, 995-1001	7.2	10
125	Parity-time symmetry based on resonant optical tunneling effect for biosensing. <i>Optics Communications</i> , 2020 , 475, 125815	2	2
124	Electrically generated optical waveguide in a lithium-niobate thin film. <i>Optics Express</i> , 2020 , 28, 29895-29903	3.9	1
123	Photocatalytic ozonation for sea water decontamination. <i>Journal of Water Process Engineering</i> , 2020 , 37, 101501	6.7	3
122	Microfluidic immobilized enzyme reactors for continuous biocatalysis. <i>Reaction Chemistry and Engineering</i> , 2020 , 5, 9-32	4.9	49
121	Hot Electron Tunneling of Metal-Insulator-TOF Nanostructures for Efficient Hydrogen Production. <i>Angewandte Chemie</i> , 2019 , 131, 18458-18462	3.6	17
120	Dual Mach-Zehnder Interferometer Based on Side-Hole Fiber for High-Sensitivity Refractive Index Sensing. <i>IEEE Photonics Journal</i> , 2019 , 11, 1-13	1.8	12

119	Continuous artificial synthesis of glucose precursor using enzyme-immobilized microfluidic reactors. <i>Nature Communications</i> , 2019 , 10, 4049	17.4	26
118	Quantitative investigation of plasmonic hot-electron injection by KPFM. <i>Applied Surface Science</i> , 2019 , 492, 644-650	6.7	8
117	Highly Sensitive Cell Concentration Detection by Resonant Optical Tunneling Effect. <i>Journal of Lightwave Technology</i> , 2019 , 37, 2800-2806	4	8
116	. <i>IEEE Transactions on Terahertz Science and Technology</i> , 2019 , 9, 209-214	3.4	25
115	Hot Electron Tunneling of Metal-Insulator-COF Nanostructures for Efficient Hydrogen Production. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 18290-18294	16.4	55
114	Microfluidic Reactors for Plasmonic Photocatalysis Using Gold Nanoparticles. <i>Micromachines</i> , 2019 , 10,	3.3	7
113	One-pot synthesis of CuO/C@H-TiO nanocomposites with enhanced visible-light photocatalytic activity.. <i>RSC Advances</i> , 2019 , 9, 41540-41548	3.7	7
112	High photoelectrochemical activity and stability of Au-WS ₂ /silicon heterojunction photocathode. <i>Solar Energy Materials and Solar Cells</i> , 2018 , 174, 300-306	6.4	13
111	Planar polarization-routing optical cross-connects using nematic liquid crystal waveguides. <i>Optics Express</i> , 2018 , 26, 402-418	3.3	3
110	Dielectrophoresis-actuated in-plane optofluidic lens with tunability of focal length from negative to positive. <i>Optics Express</i> , 2018 , 26, 6532-6541	3.3	12
109	Optical and quantum models of resonant optical tunneling effect. <i>Optics Communications</i> , 2018 , 428, 191-199	2	4
108	Optofluidic Tunable Lenses for In-Plane Light Manipulation. <i>Micromachines</i> , 2018 , 9,	3.3	16
107	Plasmonic Au/TiO ₂ -Dumbbell-On-Film Nanocavities for High-Efficiency Hot-Carrier Generation and Extraction. <i>Advanced Functional Materials</i> , 2018 , 28, 1800383	15.6	35
106	. <i>IEEE Photonics Journal</i> , 2018 , 10, 1-17	1.8	0
105	Ultrafast polarization bio-imaging based on coherent detection and time-stretch techniques. <i>Biomedical Optics Express</i> , 2018 , 9, 6556-6568	3.5	4
104	Electrically controlled polarization rotator using nematic liquid crystal. <i>Optics Express</i> , 2018 , 26, 32317-32323	3.3	1
103	Dielectrophoresis-actuated liquid lenses with dual air/liquid interfaces tuned from biconcave to biconvex. <i>Lab on A Chip</i> , 2018 , 18, 3849-3854	7.2	8
102	Review on optofluidic microreactors for artificial photosynthesis. <i>Beilstein Journal of Nanotechnology</i> , 2018 , 9, 30-41	3	20

101	PPy enhanced Fe, W Co-doped Co ₃ O ₄ free-standing electrode for highly-efficient oxygen evolution reaction. <i>Journal of Applied Electrochemistry</i> , 2018 , 48, 1189-1195	2.6	0
100	Enhancement of photo-electrochemical reactions in MAPbI ₃ /Au. <i>Materials Today Energy</i> , 2018 , 9, 303-310	6	
99	Tunable active edge sites in PtSe ₂ films towards hydrogen evolution reaction. <i>Nano Energy</i> , 2017 , 42, 26-33	17.1	77
98	Recycled waste black polyurethane sponges for solar vapor generation and distillation. <i>Applied Energy</i> , 2017 , 206, 63-69	10.7	89
97	Photoelectrocatalytic microreactor for seawater decontamination with negligible chlorine generation. <i>Microsystem Technologies</i> , 2017 , 23, 4495-4500	1.7	10
96	Tunable Visible Cloaking Using Liquid Diffusion (Laser Photonics Rev. 11(6)/2017). <i>Laser and Photonics Reviews</i> , 2017 , 11, 1770062	8.3	2
95	Tunable Visible Cloaking Using Liquid Diffusion. <i>Laser and Photonics Reviews</i> , 2017 , 11, 1700066	8.3	18
94	Enhanced Photocatalytic Activity of WS Film by Laser Drilling to Produce Porous WS/WO Heterostructure. <i>Scientific Reports</i> , 2017 , 7, 3125	4.9	25
93	Plasmonic Black Absorbers for Enhanced Photocurrent of Visible-Light Photocatalysis. <i>Advanced Optical Materials</i> , 2017 , 5, 1600399	8.1	20
92	Tunable transformation optical waveguide bends in liquid. <i>Optica</i> , 2017 , 4, 839	8.6	20
91	Rapid Screening of Graphitic Carbon Nitrides for Photocatalytic Cofactor Regeneration Using a Drop Reactor. <i>Micromachines</i> , 2017 , 8, 175	3.3	9
90	Theoretical Analysis of an Optical Accelerometer Based on Resonant Optical Tunneling Effect. <i>Sensors</i> , 2017 , 17,	3.8	11
89	Optofluidic UV-Vis spectrophotometer for online monitoring of photocatalytic reactions. <i>Scientific Reports</i> , 2016 , 6, 28928	4.9	18
88	Precise Sorting of Gold Nanoparticles in a Flowing System. <i>ACS Photonics</i> , 2016 , 3, 2497-2504	6.3	29
87	Microfluidic chip-based one-step fabrication of an artificial photosystem I for photocatalytic cofactor regeneration. <i>RSC Advances</i> , 2016 , 6, 101974-101980	3.7	19
86	Measuring the Charge of a Single Dielectric Nanoparticle Using a High-Q Optical Microresonator. <i>Physical Review Applied</i> , 2016 , 6,	4.3	21
85	Rough gold films as broadband absorbers for plasmonic enhancement of TiO ₂ photocurrent over 400-800 nm. <i>Scientific Reports</i> , 2016 , 6, 33049	4.9	37
84	Clam-inspired nanoparticle immobilization method using adhesive tape as microchip substrate. <i>Sensors and Actuators B: Chemical</i> , 2016 , 222, 106-111	8.5	17

83	Optofluidic tunable lenses using laser-induced thermal gradient. <i>Lab on A Chip</i> , 2016 , 16, 104-11	7.2	30
82	Biomimetic microchannels of planar reactors for optimized photocatalytic efficiency of water purification. <i>Biomicrofluidics</i> , 2016 , 10, 014123	3.2	16
81	Electrochemical Surface Plasmon Resonance Fiber-Optic Sensor: In Situ Detection of Electroactive Biofilms. <i>Analytical Chemistry</i> , 2016 , 88, 7609-16	7.8	43
80	TiO ₂ nanosheet array thin film for self-cleaning coating. <i>RSC Advances</i> , 2015 , 5, 9861-9864	3.7	19
79	A digitally generated ultrafine optical frequency comb for spectral measurements with 0.01-pm resolution and 0.7- μ s response time. <i>Light: Science and Applications</i> , 2015 , 4, e300-e300	16.7	38
78	Tunable self-imaging effect using hybrid optofluidic waveguides. <i>Lab on A Chip</i> , 2015 , 15, 4398-403	7.2	24
77	Variable Optical Delay Line Using Discrete Harmonic Oscillation in Waveguide Lattices. <i>Journal of Lightwave Technology</i> , 2015 , 33, 5095-5102	4	1
76	Hierarchic random nanosphere model for broadband solar energy absorbers. <i>Optical Materials Express</i> , 2015 , 5, 2777	2.6	5
75	Lensed Water-Core Teflon-Amorphous Fluoroplastics Optical Fiber. <i>Journal of Lightwave Technology</i> , 2014 , 32, 1538-1542	4	5
74	Microfluidic reactors for visible-light photocatalytic water purification assisted with thermolysis. <i>Biomicrofluidics</i> , 2014 , 8, 054122	3.2	24
73	Microfluidic reactors for photocatalytic water purification. <i>Lab on A Chip</i> , 2014 , 14, 1074-82	7.2	112
72	Surface Plasmon Resonance Sensor Based on an Angled Optical Fiber. <i>IEEE Sensors Journal</i> , 2014 , 14, 3229-3235	4	12
71	Synthesis of reduced graphene oxide/ $\text{Bi}_2\text{Mo}_3\text{O}_{12}$ @ Bi_2O_3 heterojunctions by organic electrolytes assisted UV-excited method. <i>Chemical Engineering Journal</i> , 2014 , 257, 309-316	14.7	22
70	Meta-microwindmill structure with multiple absorption peaks for the detection of ketamine and amphetamine type stimulants in terahertz domain. <i>Optical Materials Express</i> , 2014 , 4, 1876	2.6	16
69	Controllable parabolic lensed liquid-core optical fiber by using electrostatic force. <i>Optics Express</i> , 2014 , 22, 20948-53	3.3	1
68	Broadband efficient light absorbing in the visible regime by a metanancing array. <i>Annalen Der Physik</i> , 2014 , 526, 112-117	2.6	9
67	Photocatalytic microreactors for water purification: Selective control of oxidation pathways 2013 ,		1
66	Resonant Optical Tunneling Effect: Recent Progress in Modeling and Applications. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2013 , 19, 9000310-9000310	3.8	26

65	Plasmonic photocatalysis. <i>Reports on Progress in Physics</i> , 2013 , 76, 046401	14.4	942
64	UV-curable liquid-core fiber lenses with controllable focal length. <i>Optics Express</i> , 2013 , 21, 5505-10	3.3	3
63	Microfluidic flow direction control using continuous-wave laser. <i>Sensors and Actuators A: Physical</i> , 2012 , 188, 329-334	3.9	6
62	Multifunctional optical MEMS sensor platform with heterogeneous fiber optic Fabry-Pérot sensors for wireless sensor networks. <i>Sensors and Actuators A: Physical</i> , 2012 , 188, 471-480	3.9	18
61	Optofluidic waveguide as a transformation optics device for lightwave bending and manipulation. <i>Nature Communications</i> , 2012 , 3, 651	17.4	123
60	Microfluidic photoelectrocatalytic reactors for water purification with an integrated visible-light source. <i>Lab on A Chip</i> , 2012 , 12, 3983-90	7.2	72
59	Narrow-Linewidth Tunable Lasers With Retro-Reflective External Cavity. <i>IEEE Photonics Technology Letters</i> , 2012 , 24, 1591-1593	2.2	5
58	Time-variant 1D photonic crystals using flowing microdroplets. <i>Optics Express</i> , 2012 , 20, 24330-41	3.3	4
57	Liquid refractive index sensors using resonant optical tunneling effect for ultra-high sensitivity. <i>Sensors and Actuators A: Physical</i> , 2011 , 169, 347-351	3.9	9
56	A Micromachined Reconfigurable Metamaterial via Reconfiguration of Asymmetric Split-Ring Resonators. <i>Advanced Functional Materials</i> , 2011 , 21, 3589-3594	15.6	135
55	Switchable magnetic metamaterials using micromachining processes. <i>Advanced Materials</i> , 2011 , 23, 1792-4	2.6	167
54	Laser-induced thermal bubbles for microfluidic applications. <i>Lab on A Chip</i> , 2011 , 11, 1389-95	7.2	96
53	Laser-actuated micro-valves and micro-pumps 2011 ,		1
52	A comparative study of preparation methods of nanoporous TiO ₂ films for microfluidic photocatalysis. <i>Microelectronic Engineering</i> , 2011 , 88, 2797-2799	2.5	27
51	High-frequency ultrasonic transducer based on lead-free BSZT piezoceramics. <i>Ultrasonics</i> , 2011 , 51, 811-4.5	3.5	30
50	An integrated microfluidic chip with 40 MHz lead-free transducer for fluid analysis. <i>Review of Scientific Instruments</i> , 2011 , 82, 024903	1.7	
49	Optofluidic planar reactors for photocatalytic water treatment using solar energy. <i>Biomicrofluidics</i> , 2010 , 4, 43004	3.2	91
48	Optofluidic microcavities: Dye-lasers and biosensors. <i>Biomicrofluidics</i> , 2010 , 4, 043002	3.2	39

47	Discretely tunable micromachined injection-locked lasers. <i>Journal of Micromechanics and Microengineering</i> , 2010 , 20, 085018	2	0
46	Optofluidic refractometer using resonant optical tunneling effect. <i>Biomicrofluidics</i> , 2010 , 4, 43008	3.2	16
45	Pure angular momentum generator using a ring resonator. <i>Optics Express</i> , 2010 , 18, 21651-62	3.3	19
44	Miniature surface-mountable Fabry-Perot pressure sensor constructed with a 45 degrees angled fiber. <i>Optics Letters</i> , 2010 , 35, 1701-3	3	25
43	Microfluidic droplet grating for reconfigurable optical diffraction. <i>Optics Letters</i> , 2010 , 35, 1890-2	3	32
42	Tunable visual color filter using microfluidic grating. <i>Biomicrofluidics</i> , 2010 , 4, 43013	3.2	14
41	Exact step-coupling theory for mode-coupling behavior in geometrical variation photonic crystal waveguides. <i>Physical Review B</i> , 2009 , 80,	3.3	7
40	Understanding fly-ear inspired directional microphones 2009 ,		4
39	Phase modulation with micromachined resonant mirrors for low-coherence fiber-tip pressure sensors. <i>Optics Express</i> , 2009 , 17, 23965-74	3.3	19
38	Miniature fiber optic pressure sensor with composite polymer-metal diaphragm for intradiscal pressure measurements. <i>Journal of Biomedical Optics</i> , 2008 , 13, 044040	3.5	39
37	Asymmetric Tuning Schemes of MEMS Dual-Shutter VOA. <i>Journal of Lightwave Technology</i> , 2008 , 26, 569-579	4	12
36	A micromachined tunable coupled-cavity laser for wide tuning range and high spectral purity. <i>Optics Express</i> , 2008 , 16, 16670-9	3.3	16
35	A miniature tunable coupled-cavity laser constructed by micromachining technology. <i>Applied Physics Letters</i> , 2008 , 92, 031105	3.4	9
34	A micromachined optical double well for thermo-optic switching via resonant tunneling effect. <i>Applied Physics Letters</i> , 2008 , 92, 251101	3.4	16
33	Tunable dual-wavelength laser constructed by silicon micromachining. <i>Applied Physics Letters</i> , 2008 , 92, 051113	3.4	4
32	Biomimetic optical directional microphone with structurally coupled diaphragms. <i>Applied Physics Letters</i> , 2008 , 93, 243902	3.4	33
31	Retro-Axial VOA Using Parabolic Mirror Pair. <i>IEEE Photonics Technology Letters</i> , 2007 , 19, 692-694	2.2	14
30	Thermal-Optic Switch by Total Internal Reflection of Micromachined Silicon Prism. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2007 , 13, 348-358	3.8	10

29	Differential single living cell refractometry using grating resonant cavity with optical trap. <i>Applied Physics Letters</i> , 2007 , 91, 243901	3.4	49
28	Micromachined optical well structure for thermo-optic switching. <i>Applied Physics Letters</i> , 2007 , 91, 261106	3.4	15
27	A Real Pivot Structure for MEMS Tunable Lasers. <i>Journal of Microelectromechanical Systems</i> , 2007 , 16, 269-278	2.5	10
26	A review of MEMS external-cavity tunable lasers. <i>Journal of Micromechanics and Microengineering</i> , 2007 , 17, R1-R13	2	89
25	Light switching via thermo-optic effect of micromachined silicon prism. <i>Applied Physics Letters</i> , 2006 , 88, 243501	3.4	8
24	Self-Latched Micromachined Mechanism With Large Displacement Ratio. <i>Journal of Microelectromechanical Systems</i> , 2006 , 15, 1576-1585	2.5	3
23	Refractive index measurement of single living cells using on-chip Fabry-Pérot cavity. <i>Applied Physics Letters</i> , 2006 , 89, 203901	3.4	102
22	Continuous wavelength tuning in micromachined Littrow external-cavity lasers. <i>IEEE Journal of Quantum Electronics</i> , 2005 , 41, 187-197	2	22
21	Linear MEMS variable optical attenuator using reflective elliptical mirror. <i>IEEE Photonics Technology Letters</i> , 2005 , 17, 402-404	2.2	39
20	A monolithically integrated photonic MEMS subsystem for optical network applications. <i>Optics Communications</i> , 2005 , 249, 579-586	2	6
19	Miniaturized injection-locked laser using microelectromechanical systems technology. <i>Applied Physics Letters</i> , 2005 , 87, 101101	3.4	6
18	Discrete wavelength tunable laser using microelectromechanical systems technology. <i>Applied Physics Letters</i> , 2004 , 84, 329-331	3.4	41
17	Vibration measurement with a micromachined mirror in a very-short external cavity laser. <i>Sensors and Actuators A: Physical</i> , 2004 , 116, 232-240	3.9	8
16	Tunable laser using micromachined grating with continuous wavelength tuning. <i>Applied Physics Letters</i> , 2004 , 85, 3684-3686	3.4	29
15	Optical and mechanical models for a variable optical attenuator using a micromirror drawbridge. <i>Journal of Micromechanics and Microengineering</i> , 2003 , 13, 400-411	2	32
14	Polysilicon micromachined fiber-optical attenuator for DWDM applications. <i>Sensors and Actuators A: Physical</i> , 2003 , 108, 28-35	3.9	13
13	Single-/multi-mode tunable lasers using MEMS mirror and grating. <i>Sensors and Actuators A: Physical</i> , 2003 , 108, 49-54	3.9	17
12	New near-field and far-field attenuation models for free-space variable optical attenuators. <i>Journal of Lightwave Technology</i> , 2003 , 21, 3417-3426	4	5

11	Micromachined wavelength tunable laser with an extended feedback model. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2002 , 8, 73-79	3.8	18
10	Finite element simulation and theoretical analysis of fiber-optical switches. <i>Sensors and Actuators A: Physical</i> , 2002 , 96, 167-178	3.9	2
9	Integrated micromachined tunable lasers for all optical network (AON) applications. <i>Sensors and Actuators A: Physical</i> , 2002 , 97-98, 54-60	3.9	6
8	An optical crossconnect (OXC) using drawbridge micromirrors. <i>Sensors and Actuators A: Physical</i> , 2002 , 97-98, 227-238	3.9	26
7	MEMS variable optical attenuator using low driving voltage for DWDM systems. <i>Electronics Letters</i> , 2002 , 38, 382	1.1	37
6	MEMS widely tunable lasers for WDM system applications 2002 ,		3
5	A study of the static characteristics of a torsional micromirror. <i>Sensors and Actuators A: Physical</i> , 2001 , 90, 73-81	3.9	144
4	A novel integrated micromachined tunable laser using polysilicon 3-D mirror. <i>IEEE Photonics Technology Letters</i> , 2001 , 13, 427-429	2.2	26
3	4x4 MEMS optical cross-connections (OXCs) 2000 , 4230, 174		
2	Modeling of the optical torsion micromirror 1999 , 3899, 109		7
1	Determination of refractive index for single living cell using integrated biochip		13