

Mathias Holm

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6858568/publications.pdf>

Version: 2024-02-01

74
papers

1,760
citations

257450

24
h-index

315739

38
g-index

75
all docs

75
docs citations

75
times ranked

2754
citing authors

#	ARTICLE	IF	CITATIONS
1	A three-generation study on the association of tobacco smoking with asthma. <i>International Journal of Epidemiology</i> , 2018, 47, 1106-1117.	1.9	92
2	The Gothenburg H70 Birth cohort study 2014-2016: design, methods and study population. <i>European Journal of Epidemiology</i> , 2019, 34, 191-209.	5.7	89
3	Trends in smoking initiation in Europe over 40 years: A retrospective cohort study. <i>PLoS ONE</i> , 2018, 13, e0201881.	2.5	86
4	Menopause Is Associated with Accelerated Lung Function Decline. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2017, 195, 1058-1065.	5.6	79
5	Cleaning at Home and at Work in Relation to Lung Function Decline and Airway Obstruction. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2018, 197, 1157-1163.	5.6	77
6	Longterm follow-up in European respiratory health studies - patterns and implications. <i>BMC Pulmonary Medicine</i> , 2014, 14, 63.	2.0	75
7	Menopause as a predictor of new-onset asthma: A longitudinal Northern European population study. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 137, 50-57.e6.	2.9	75
8	Predictors of smoking cessation: A longitudinal study in a large cohort of smokers. <i>Respiratory Medicine</i> , 2017, 132, 164-169.	2.9	59
9	Leisure-time vigorous physical activity is associated with better lung function: the prospective ECRHS study. <i>Thorax</i> , 2018, 73, 376-384.	5.6	58
10	Father's environment before conception and asthma risk in his children: a multi-generation analysis of the Respiratory Health In Northern Europe study. <i>International Journal of Epidemiology</i> , 2017, 46, dyw151.	1.9	56
11	Occupational exposures and 20-year incidence of COPD: the European Community Respiratory Health Survey. <i>Thorax</i> , 2018, 73, 1008-1015.	5.6	56
12	The Urban-Rural Gradient In Asthma: A Population-Based Study in Northern Europe. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 93.	2.6	52
13	Lifelong exposure to air pollution and greenness in relation to asthma, rhinitis and lung function in adulthood. <i>Environment International</i> , 2021, 146, 106219.	10.0	51
14	Body mass index and weight change are associated with adult lung function trajectories: the prospective ECRHS study. <i>Thorax</i> , 2020, 75, 313-320.	5.6	49
15	Women with symptoms of sleep-disordered breathing are less likely to be diagnosed and treated for sleep apnea than men. <i>Sleep Medicine</i> , 2017, 35, 17-22.	1.6	48
16	Place of upbringing in early childhood as related to inflammatory bowel diseases in adulthood: a population-based cohort study in Northern Europe. <i>European Journal of Epidemiology</i> , 2014, 29, 429-437.	5.7	44
17	Respiratory Health in Cleaners in Northern Europe: Is Susceptibility Established in Early Life?. <i>PLoS ONE</i> , 2015, 10, e0131959.	2.5	39
18	A clear urban-rural gradient of allergic rhinitis in a population-based study in Northern Europe. <i>European Clinical Respiratory Journal</i> , 2016, 3, 33463.	1.5	30

#	ARTICLE	IF	CITATIONS
19	Agreement in reporting of asthma by parents or offspring – the RHINESSA generation study. <i>BMC Pulmonary Medicine</i> , 2018, 18, 122.	2.0	30
20	Dampness, mould, onset and remission of adult respiratory symptoms, asthma and rhinitis. <i>European Respiratory Journal</i> , 2019, 53, 1801921.	6.7	30
21	Residential surrounding greenspace and age at menopause: A 20-year European study (ECRHS). <i>Environment International</i> , 2019, 132, 105088.	10.0	29
22	Impact of occupational exposures on exacerbation of asthma: a population-based asthma cohort study. <i>BMC Pulmonary Medicine</i> , 2016, 16, 148.	2.0	28
23	Second-hand smoke exposure in adulthood and lower respiratory health during 20-year follow up in the European Community Respiratory Health Survey. <i>Respiratory Research</i> , 2019, 20, 33.	3.6	27
24	Asthma and COPD overlap (ACO) is related to a high burden of sleep disturbance and respiratory symptoms: Results from the RHINE and Swedish GA2LEN surveys. <i>PLoS ONE</i> , 2018, 13, e0195055.	2.5	26
25	Body silhouettes as a tool to reflect obesity in the past. <i>PLoS ONE</i> , 2018, 13, e0195697.	2.5	25
26	Associations of Preconception Exposure to Air Pollution and Greenness with Offspring Asthma and Hay Fever. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5828.	2.6	24
27	Physical activity and asthma: A longitudinal and multi-country study. <i>Journal of Asthma</i> , 2017, 54, 938-945.	1.7	21
28	Indoor bacteria and asthma in adults: a multicentre case-control study within ECRHS II. <i>European Respiratory Journal</i> , 2018, 51, 1701241.	6.7	21
29	Being overweight in childhood, puberty, or early adulthood: Changing asthma risk in the next generation?. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 145, 791-799.e4.	2.9	21
30	Maternal preconception occupational exposure to cleaning products and disinfectants and offspring asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2022, 149, 422-431.e5.	2.9	21
31	Prenatal and prepubertal exposures to tobacco smoke in men may cause lower lung function in future offspring: a three-generation study using a causal modelling approach. <i>European Respiratory Journal</i> , 2021, 58, 2002791.	6.7	19
32	Asthma and treatment with inhaled corticosteroids: associations with hospitalisations with pneumonia. <i>BMC Pulmonary Medicine</i> , 2019, 19, 254.	2.0	18
33	Long-term effect of asthma on the development of obesity among adults: an international cohort study, ECRHS. <i>Thorax</i> , 2023, 78, 128-135.	5.6	18
34	Pharmacological treatment of asthma in a cohort of adults during a 20-year period: results from the European Community Respiratory Health Survey I, II and III. <i>ERJ Open Research</i> , 2019, 5, 00073-2018.	2.6	17
35	A prospective study on the role of smoking, environmental tobacco smoke, indoor painting and living in old or new buildings on asthma, rhinitis and respiratory symptoms. <i>Environmental Research</i> , 2021, 192, 110269.	7.5	17
36	Occupational exposures and incidence of chronic bronchitis and related symptoms over two decades: the European Community Respiratory Health Survey. <i>Occupational and Environmental Medicine</i> , 2019, 76, oemed-2018-105274.	2.8	17

#	ARTICLE	IF	CITATIONS
37	Prevalence, progression and impact of chronic cough on employment in Northern Europe. <i>European Respiratory Journal</i> , 2021, 57, 2003344.	6.7	17
38	Incidence of rhinitis and asthma related to welding in Northern Europe. <i>European Respiratory Journal</i> , 2015, 46, 1290-1297.	6.7	16
39	Residential air pollution does not modify the positive association between physical activity and lung function in current smokers in the ECRHS study. <i>Environment International</i> , 2018, 120, 364-372.	10.0	15
40	Agreement of offspring-reported parental smoking status: the RHINESSA generation study. <i>BMC Public Health</i> , 2019, 19, 94.	2.9	15
41	Parental occupational exposure pre- and post-conception and development of asthma in offspring. <i>International Journal of Epidemiology</i> , 2021, 49, 1856-1869.	1.9	15
42	Polycystic ovary syndrome, body mass index and hypertensive disorders in pregnancy. <i>Pregnancy Hypertension</i> , 2018, 11, 32-37.	1.4	14
43	Incident Chronic Rhinosinusitis Is Associated With Impaired Sleep Quality: Results of the RHINE Study. <i>Journal of Clinical Sleep Medicine</i> , 2019, 15, 899-905.	2.6	14
44	Dampness and mold at home and at work and onset of insomnia symptoms, snoring and excessive daytime sleepiness. <i>Environment International</i> , 2020, 139, 105691.	10.0	14
45	Cumulative Occupational Exposures and Lung-Function Decline in Two Large General-Population Cohorts. <i>Annals of the American Thoracic Society</i> , 2021, 18, 238-246.	3.2	14
46	Parents' smoking onset before conception as related to body mass index and fat mass in adult offspring: Findings from the RHINESSA generation study. <i>PLoS ONE</i> , 2020, 15, e0235632.	2.5	12
47	Exogenous female sex steroids may reduce lung ageing after menopause: A 20-year follow-up study of a general population sample (ECRHS). <i>Maturitas</i> , 2019, 120, 29-34.	2.4	10
48	Sleep time and sleep-related symptoms across two generations – results of the community-based RHINE and RHINESSA studies. <i>Sleep Medicine</i> , 2020, 69, 8-13.	1.6	10
49	Insomnia associated with traffic noise and proximity to traffic – a cross-sectional study of the Respiratory Health in Northern Europe III population. <i>Journal of Clinical Sleep Medicine</i> , 2020, 16, 545-552.	2.6	8
50	Lifelong exposure to residential greenspace and the premenstrual syndrome: A population-based study of Northern European women. <i>Environment International</i> , 2022, 158, 106975.	10.0	8
51	Asthma and selective migration from farming environments in a three-generation cohort study. <i>European Journal of Epidemiology</i> , 2019, 34, 601-609.	5.7	7
52	The risk of respiratory tract infections and antibiotic use in a general population and among people with asthma. <i>ERJ Open Research</i> , 2021, 7, 00429-2021.	2.6	6
53	Premature menopause and autoimmune primary ovarian insufficiency in two international multi-center cohorts. <i>Endocrine Connections</i> , 2022, 11, .	1.9	6
54	Offspring Reports on Parental Place of Upbringing. <i>Epidemiology</i> , 2019, 30, e16-e18.	2.7	5

#	ARTICLE	IF	CITATIONS
55	Does parental farm upbringing influence the risk of asthma in offspring? A three-generation study. <i>International Journal of Epidemiology</i> , 2021, 49, 1874-1882.	1.9	5
56	Smokers with insomnia symptoms are less likely to stop smoking. <i>Respiratory Medicine</i> , 2020, 170, 106069.	2.9	4
57	Describing the status of reproductive ageing simply and precisely: A reproductive ageing score based on three questions and validated with hormone levels. <i>PLoS ONE</i> , 2020, 15, e0235478.	2.5	4
58	Breathlessness across generations: results from the RHINESSA generation study. <i>Thorax</i> , 2022, 77, 172-177.	5.6	4
59	Parental Prepuberty Overweight and Offspring Lung Function. <i>Nutrients</i> , 2022, 14, 1506.	4.1	4
60	Nasal symptoms increase the risk of snoring and snoring increases the risk of nasal symptoms. A longitudinal population study. <i>Sleep and Breathing</i> , 2021, 25, 1851-1857.	1.7	3
61	Occupational Asthma: The Knowledge Needs for a Better Management. <i>Annals of Work Exposures and Health</i> , 2022, 66, 287-290.	1.4	3
62	Acute effects after occupational endotoxin exposure at a spa. <i>Scandinavian Journal of Work, Environment and Health</i> , 2009, 35, 153-155.	3.4	2
63	Incidence of new-onset wheeze: a prospective study in a large middle-aged general population. <i>BMC Pulmonary Medicine</i> , 2015, 15, 163.	2.0	1
64	O40-4â€¦Lung function decline and copd prevalence in relation to occupational exposures in a prospective cohort study: the ecrhs III. , 2016, , .		0
65	Title is missing!. , 2020, 15, e0235632.		0
66	Title is missing!. , 2020, 15, e0235632.		0
67	Title is missing!. , 2020, 15, e0235632.		0
68	Title is missing!. , 2020, 15, e0235632.		0
69	Title is missing!. , 2020, 15, e0235478.		0
70	Title is missing!. , 2020, 15, e0235478.		0
71	Title is missing!. , 2020, 15, e0235478.		0
72	Title is missing!. , 2020, 15, e0235478.		0

#	ARTICLE	IF	CITATIONS
73	Title is missing!. , 2020, 15, e0235478.		0
74	Title is missing!. , 2020, 15, e0235478.		0