

Alvin Kuowei Tay

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6859959/publications.pdf>

Version: 2024-02-01

56
papers

1,180
citations

430442

18
h-index

414034

32
g-index

61
all docs

61
docs citations

61
times ranked

1137
citing authors

#	ARTICLE	IF	CITATIONS
1	Problem Management Plus (PM+): a WHO transdiagnostic psychological intervention for common mental health problems. <i>World Psychiatry</i> , 2015, 14, 354-357.	4.8	248
2	The culture, mental health and psychosocial wellbeing of Rohingya refugees: a systematic review. <i>Epidemiology and Psychiatric Sciences</i> , 2019, 28, 489-494.	1.8	93
3	The structure of post-traumatic stress disorder and complex post-traumatic stress disorder amongst West Papuan refugees. <i>BMC Psychiatry</i> , 2015, 15, 111.	1.1	61
4	Factorial structure of complicated grief: associations with loss-related traumatic events and psychosocial impacts of mass conflict amongst West Papuan refugees. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 395-406.	1.6	54
5	The HTQ-5: revision of the Harvard Trauma Questionnaire for measuring torture, trauma and DSM-5 PTSD symptoms in refugee populations. <i>European Journal of Public Health</i> , 2019, 29, 468-474.	0.1	38
6	The impact of detention on the social and emotional wellbeing of children seeking asylum: a comparison with community-based children. <i>European Child and Adolescent Psychiatry</i> , 2018, 27, 411-422.	2.8	36
7	Functional impairment as a proxy measure indicating high rates of trauma exposure, post-migration living difficulties, common mental disorders, and poor health amongst Rohingya refugees in Malaysia. <i>Translational Psychiatry</i> , 2019, 9, 213.	2.4	34
8	Examining the broader psychosocial effects of mass conflict on PTSD symptoms and functional impairment amongst West Papuan refugees resettled in Papua New Guinea (PNG). <i>Social Science and Medicine</i> , 2015, 132, 70-78.	1.8	32
9	The ADAPT model: bridging the gap between psychosocial and individual responses to mass violence and refugee trauma. <i>Epidemiology and Psychiatric Sciences</i> , 2017, 26, 142-145.	1.8	32
10	An Integrative Adapt Therapy for common mental health symptoms and adaptive stress amongst Rohingya, Chin, and Kachin refugees living in Malaysia: A randomized controlled trial. <i>PLoS Medicine</i> , 2020, 17, e1003073.	3.9	30
11	A high-risk group of pregnant women with elevated levels of conflict-related trauma, intimate partner violence, symptoms of depression and other forms of mental distress in post-conflict Timor-Leste. <i>Translational Psychiatry</i> , 2016, 6, e725-e725.	2.4	27
12	Prevalence and Risk Factors of Major Depressive Disorder Among Women at Public Antenatal Clinics From Refugee, Conflict-Affected, and Australian-Born Backgrounds. <i>JAMA Network Open</i> , 2019, 2, e193442.	2.8	27
13	Associations of Conflict-Related Trauma and Ongoing Stressors with the Mental Health and Functioning of West Papuan Refugees in Port Moresby, Papua New Guinea (PNG). <i>PLoS ONE</i> , 2015, 10, e0125178.	1.1	24
14	Heart rate variability and the relationship between trauma exposure age, and psychopathology in a post-conflict setting. <i>BMC Psychiatry</i> , 2016, 16, 133.	1.1	23
15	Associations of mental distress with residency in conflict zones, ethnic minority status, and potentially modifiable social factors following conflict in Sri Lanka: a nationwide cross-sectional study. <i>Lancet Psychiatry</i> , 2016, 3, 145-153.	3.7	23
16	The Relationship of Complex Post-traumatic Stress Disorder and Post-traumatic Stress Disorder in a Culturally Distinct, Conflict-Affected Population: A Study among West Papuan Refugees Displaced to Papua New Guinea. <i>Frontiers in Psychiatry</i> , 2017, 8, 73.	1.3	23
17	The coherence and correlates of intermittent explosive disorder amongst West Papuan refugees displaced to Papua New Guinea. <i>Journal of Affective Disorders</i> , 2015, 177, 86-94.	2.0	21
18	The Refugee-Mental Health Assessment Package (R-MHAP); rationale, development and first-stage testing amongst West Papuan refugees. <i>International Journal of Mental Health Systems</i> , 2015, 9, .	1.1	20

#	ARTICLE	IF	CITATIONS
19	The factor structures and correlates of PTSD in post-conflict Timor-Leste: an analysis of the Harvard Trauma Questionnaire. <i>BMC Psychiatry</i> , 2017, 17, 191.	1.1	19
20	Pathways to perinatal depressive symptoms after mass conflict in Timor-Leste: a modelling analysis using cross-sectional data. <i>Lancet Psychiatry</i> , 2015, 2, 161-167.	3.7	17
21	The role of grief symptoms and a sense of injustice in the pathways to post-traumatic stress symptoms in post-conflict Timor-Leste. <i>Epidemiology and Psychiatric Sciences</i> , 2017, 26, 403-413.	1.8	17
22	Factor structures of Complex Posttraumatic Stress Disorder and PTSD in a community sample of refugees from West Papua. <i>Comprehensive Psychiatry</i> , 2018, 85, 15-22.	1.5	17
23	Prevalence, predictors and associations of complex post-traumatic stress disorder with common mental disorders in refugees and forcibly displaced populations: a systematic review. <i>HÅtgre Utbildning</i> , 2021, 12, 1863579.	1.4	16
24	Pathways involving traumatic losses, worry about family, adult separation anxiety and posttraumatic stress symptoms amongst refugees from West Papua. <i>Journal of Anxiety Disorders</i> , 2015, 35, 1-8.	1.5	15
25	Six-year trajectories of post-traumatic stress and severe psychological distress symptoms and associations with timing of trauma exposure, ongoing adversity and sense of injustice: a latent transition analysis of a community cohort in conflict-affected Timor-Leste. <i>BMJ Open</i> , 2016, 6, e010205.	0.8	15
26	Assessing the factorial structure and measurement invariance of PTSD by gender and ethnic groups in Sri Lanka: An analysis of the modified Harvard Trauma Questionnaire (HTQ). <i>Journal of Anxiety Disorders</i> , 2017, 47, 45-53.	1.5	15
27	Defining a combined constellation of complicated bereavement and PTSD and the psychosocial correlates associated with the pattern amongst refugees from West Papua. <i>Psychological Medicine</i> , 2019, 49, 1481-1489.	2.7	15
28	Associations of adult separation anxiety disorder with conflict-related trauma, ongoing adversity, and the psychosocial disruptions of mass conflict among West Papuan refugees.. <i>American Journal of Orthopsychiatry</i> , 2016, 86, 224-235.	1.0	14
29	Symptoms of post-traumatic stress disorder, severe psychological distress, explosive anger and grief amongst partners of survivors of high levels of trauma in post-conflict Timor-Leste. <i>Psychological Medicine</i> , 2017, 47, 149-159.	2.7	14
30	Measurement invariance of the Hopkins Symptoms Checklist: a novel multigroup alignment analytic approach to a large epidemiological sample across eight conflict-affected districts from a nation-wide survey in Sri Lanka. <i>Conflict and Health</i> , 2017, 11, 8.	1.0	14
31	Theoretical background, first stage development and adaptation of a novel Integrative Adapt Therapy (IAT) for refugees. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e47.	1.8	14
32	Developing a measure of adaptive stress arising from the psychosocial disruptions experienced by refugees based on a sample of displaced persons from West Papua. <i>International Journal of Methods in Psychiatric Research</i> , 2019, 28, e1770.	1.1	12
33	Twelve-month trajectories of depressive and anxiety symptoms and associations with traumatic exposure and ongoing adversities: a latent trajectory analysis of a community cohort exposed to severe conflict in Sri Lanka. <i>Translational Psychiatry</i> , 2017, 7, e1200-e1200.	2.4	11
34	Risk of perpetrating intimate partner violence amongst men exposed to torture in conflict-affected Timor-Leste. <i>Global Mental Health (Cambridge, England)</i> , 2018, 5, e23.	1.0	10
35	Patterns of separation anxiety symptoms amongst pregnant women in conflict-affected Timor-Leste: Associations with traumatic loss, family conflict, and intimate partner violence. <i>Journal of Affective Disorders</i> , 2016, 205, 292-300.	2.0	9
36	Associations between bride price obligations and women's anger, symptoms of mental distress, poverty, spouse and family conflict and preoccupations with injustice in conflict-affected Timor-Leste. <i>BMJ Global Health</i> , 2016, 1, e000025.	2.0	9

#	ARTICLE	IF	CITATIONS
37	The structure and psychosocial correlates of complicated bereavement amongst refugees from West Papua. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 771-780.	1.6	9
38	Prevalence and correlates of explosive anger among pregnant and post-partum women in post-conflict Timor-Leste. <i>BJPsych Open</i> , 2015, 1, 34-41.	0.3	8
39	A wait-list controlled study of a trauma-focused cognitive behavioral treatment for intermittent explosive disorder in Timor-Leste.. <i>American Journal of Orthopsychiatry</i> , 2018, 88, 282-294.	1.0	8
40	Six-year longitudinal study of pathways leading to explosive anger involving the traumas of recurrent conflict and the cumulative sense of injustice in Timor-Leste. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 1281-1294.	1.6	7
41	Differentiating ICD-11 complex post-traumatic stress disorder from other common mental disorders based on levels of exposure to childhood adversities, the traumas of persecution and postmigration living difficulties among refugees from West Papua. <i>BJPsych Open</i> , 2018, 4, 361-367.	0.3	7
42	A Naturalistic Evaluation of Group Integrative Adapt Therapy (IAT-G) with Rohingya Refugees During the Emergency Phase of a Mass Humanitarian Crisis in Cox's Bazar, Bangladesh. <i>EClinicalMedicine</i> , 2021, 38, 100999.	3.2	7
43	Associations between bride price stress and intimate partner violence amongst pregnant women in Timor-Leste. <i>Globalization and Health</i> , 2017, 13, 66.	2.4	5
44	Variations in prevalence and risk profiles for Common Mental Disorders amongst Rohingya, Chin and Kachin refugees from Myanmar. <i>Psychological Medicine</i> , 2022, 52, 1306-1320.	2.7	5
45	Identifying a combined construct of grief and explosive anger as a response to injustice amongst survivors of mass conflict: A latent class analysis of data from Timor-Leste. <i>PLoS ONE</i> , 2017, 12, e0175019.	1.1	4
46	Pathways from conflict-related trauma and ongoing adversity to posttraumatic stress disorder symptoms amongst West Papuan refugees: The mediating role of anxiety and panic-like symptoms. <i>Comprehensive Psychiatry</i> , 2015, 63, 36-45.	1.5	3
47	Cohort Profile: Maternal mental health and child development in situations of past violent conflict and ongoing adversity: the DILI birth cohort study. <i>International Journal of Epidemiology</i> , 2018, 47, 17-17h.	0.9	3
48	The Role of Trauma-Related Injustice in Pathways to Posttraumatic Stress Symptoms Among Conjugal Couples: A Multilevel, Dyadic Analysis in Postconflict Timor-Leste. <i>SAGE Open</i> , 2017, 7, 215824401772368.	0.8	2
49	Parenting and Child Anxiety: The Role of Country of Birth and Acculturation in Indian-born Migrants to Australia Relative to Native-born Australians. <i>Journal of Child and Family Studies</i> , 2020, 29, 1757-1770.	0.7	2
50	Associations between family-level adversity and society-level trauma with emotional and behavioural problems amongst children of West Papuan refugees. <i>European Child and Adolescent Psychiatry</i> , 2021, 30, 909-920.	2.8	2
51	Mental distress and potentially modifiable social factors in post-conflict Sri Lanka's authors' response. <i>Lancet Psychiatry</i> , 2016, 3, 103.	3.7	1
52	No justice in sight: The mental health and wellbeing of West Papuan refugees. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 96-97.	1.3	1
53	Psychosocial mechanisms of change in symptoms of Persistent Complex Bereavement Disorder amongst refugees from Myanmar over the course of Integrative Adapt Therapy. <i>HÅrge Utbildning</i> , 2020, 11, 1807170.	1.4	1
54	Mental health services for refugees in Malaysia during the COVID-19 pandemic. <i>Lancet Psychiatry</i> , 2021, 8, e7.	3.7	1

#	ARTICLE	IF	CITATIONS
55	The mental health needs of displaced people exposed to armed conflict. <i>Lancet Public Health</i> , The, 2022, 7, e398-e399.	4.7	1
56	Psychosocial treatment outcomes of common mental disorders vary widely in persons in low- and middle-income countries affected by humanitarian crises and refugees in high-income countries. <i>BJPsych Open</i> , 2022, 8, .	0.3	0