

Laurent Orsi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6860915/publications.pdf>

Version: 2024-02-01

63
papers

2,352
citations

201674

27
h-index

214800

47
g-index

64
all docs

64
docs citations

64
times ranked

3137
citing authors

#	ARTICLE	IF	CITATIONS
1	Etiologic Heterogeneity Among Non-Hodgkin Lymphoma Subtypes: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 130-144.	2.1	265
2	Home pesticide exposures and risk of childhood leukemia: Findings from the childhood leukemia international consortium. <i>International Journal of Cancer</i> , 2015, 137, 2644-2663.	5.1	108
3	Childhood Acute Leukemia, Early Common Infections, and Allergy: The ESCALE Study. <i>American Journal of Epidemiology</i> , 2010, 172, 1015-1027.	3.4	103
4	Occupational exposure to pesticides and lymphoid neoplasms among men: results of a French case-control study. <i>Occupational and Environmental Medicine</i> , 2009, 66, 291-298.	2.8	93
5	Parental occupational pesticide exposure and the risk of childhood leukemia in the offspring: Findings from the childhood leukemia international consortium. <i>International Journal of Cancer</i> , 2014, 135, 2157-2172.	5.1	89
6	Childhood Acute Lymphoblastic Leukemia and Indicators of Early Immune Stimulation: A Childhood Leukemia International Consortium Study. <i>American Journal of Epidemiology</i> , 2015, 181, 549-562.	3.4	85
7	Caesarean delivery and risk of childhood leukaemia: a pooled analysis from the Childhood Leukemia International Consortium (CLIC). <i>Lancet Haematology</i> , 2016, 3, e176-e185.	4.6	83
8	Role of Goiter and of Menstrual and Reproductive Factors in Thyroid Cancer: A Population-based Case-Control Study in New Caledonia (South Pacific), a Very High Incidence Area. <i>American Journal of Epidemiology</i> , 2005, 161, 1056-1065.	3.4	80
9	Acute childhood leukaemia and residence next to petrol stations and automotive repair garages: the ESCALE study (SFCE). <i>Occupational and Environmental Medicine</i> , 2009, 66, 598-606.	2.8	74
10	Occupation and occupational exposure to endocrine disrupting chemicals in male breast cancer: a case-control study in Europe. <i>Occupational and Environmental Medicine</i> , 2010, 67, 837-844.	2.8	70
11	Genetic polymorphisms and childhood acute lymphoblastic leukemia: GWAS of the ESCALE study (SFCE). <i>Leukemia</i> , 2012, 26, 2561-2564.	7.2	68
12	Time trends and geographic variations for thyroid cancer in New Caledonia, a very high incidence area (1985-1999). <i>European Journal of Cancer Prevention</i> , 2007, 16, 62-70.	1.3	61
13	Road Traffic and Childhood Leukemia: The ESCALE Study (SFCE). <i>Environmental Health Perspectives</i> , 2011, 119, 566-572.	6.0	58
14	Association of Killer Cell Immunoglobulin-Like Receptor Genes with Hodgkin's Lymphoma in a Familial Study. <i>PLoS ONE</i> , 2007, 2, e406.	2.5	57
15	Folic acid supplementation, MTHFR and MTRR polymorphisms, and the risk of childhood leukemia: the ESCALE study (SFCE). <i>Cancer Causes and Control</i> , 2012, 23, 1265-1277.	1.8	56
16	Fetal growth and childhood acute lymphoblastic leukemia: Findings from the childhood leukemia international consortium. <i>International Journal of Cancer</i> , 2013, 133, 2968-2979.	5.1	56
17	Parental smoking, maternal alcohol, coffee and tea consumption during pregnancy, and childhood acute leukemia: the ESTELLE study. <i>Cancer Causes and Control</i> , 2015, 26, 1003-1017.	1.8	56
18	A variant at 9p21.3 functionally implicates CDKN2B in paediatric B-cell precursor acute lymphoblastic leukaemia aetiology. <i>Nature Communications</i> , 2016, 7, 10635.	12.8	44

#	ARTICLE	IF	CITATIONS
19	Parental Tobacco Smoking and Acute Myeloid Leukemia. <i>American Journal of Epidemiology</i> , 2016, 184, 261-273.	3.4	44
20	Cigarette smoking, alcohol drinking, and risk of lymphoid neoplasms: results of a French caseâ€“control study. <i>Cancer Causes and Control</i> , 2008, 19, 1147-1160.	1.8	43
21	Multiple myeloma and family history of lymphohaematopoietic cancers: Results from the International Multiple Myeloma Consortium. <i>British Journal of Haematology</i> , 2016, 175, 87-101.	2.5	43
22	Occupation and Risk of Non-Hodgkin Lymphoma and Its Subtypes: A Pooled Analysis from the InterLymph Consortium. <i>Environmental Health Perspectives</i> , 2016, 124, 396-405.	6.0	41
23	Childhood acute lymphoblastic leukaemia and indicators of early immune stimulation: the Estelle study (SFCE). <i>British Journal of Cancer</i> , 2015, 112, 1017-1026.	6.4	40
24	Maternal smoking during pregnancy, genetic polymorphisms of metabolic enzymes, and childhood acute leukemia: the ESCALE Study (SFCE). <i>Cancer Causes and Control</i> , 2012, 23, 329-345.	1.8	38
25	Fertility treatments, congenital malformations, fetal loss, and childhood acute leukemia: The ESCALE study (SFCE). <i>Pediatric Blood and Cancer</i> , 2013, 60, 301-308.	1.5	34
26	Maternal reproductive history, fertility treatments and folic acid supplementation in the risk of childhood acute leukemia: the ESTELLE Study. <i>Cancer Causes and Control</i> , 2014, 25, 1283-1293.	1.8	33
27	UV radiation exposure, skin type and lymphoid malignancies: results of a French caseâ€“control study. <i>Cancer Causes and Control</i> , 2008, 19, 305-315.	1.8	28
28	Childhood acute leukemia, maternal beverage intake during pregnancy, and metabolic polymorphisms. <i>Cancer Causes and Control</i> , 2013, 24, 783-793.	1.8	28
29	Confirmation of Childhood Acute Lymphoblastic Leukemia Variants, ARID5B and IKZF1, and Interaction with Parental Environmental Exposures. <i>PLoS ONE</i> , 2014, 9, e110255.	2.5	28
30	Childhood hodgkin's lymphoma, nonâ€“hodgkin's lymphoma and factors related to the immune system: The escale study (SFCE). <i>International Journal of Cancer</i> , 2011, 129, 2236-2247.	5.1	27
31	Occupational exposure to trichloroethylene and risk of non-Hodgkin lymphoma and its major subtypes: a pooled linterLymph analysis. <i>Occupational and Environmental Medicine</i> , 2013, 70, 795-802.	2.8	27
32	Risk of neuroblastoma, birthâ€“related characteristics, congenital malformations and perinatal exposures: A pooled analysis of the ESCALE and ESTELLE French studies (SFCE). <i>International Journal of Cancer</i> , 2016, 139, 1936-1948.	5.1	24
33	Factors related to pregnancy and birth and the risk of childhood brain tumours: The ESTELLE and ESCALE studies (SFCE, France). <i>International Journal of Cancer</i> , 2017, 140, 1757-1769.	5.1	23
34	Maternal residential pesticide use during pregnancy and risk of malignant childhood brain tumors: A pooled analysis of the ESCALE and ESTELLE studies (SFCE). <i>International Journal of Cancer</i> , 2018, 142, 489-497.	5.1	23
35	Risk of Childhood Cancer and Socioâ€“economic Disparities: Results of the French Nationwide Study Geocap 2002â€“2010. <i>Paediatric and Perinatal Epidemiology</i> , 2016, 30, 612-622.	1.7	22
36	ARID5B, IKZF1 and Non-Genetic Factors in the Etiology of Childhood Acute Lymphoblastic Leukemia: The ESCALE Study. <i>PLoS ONE</i> , 2015, 10, e0121348.	2.5	20

#	ARTICLE	IF	CITATIONS
37	Maternal consumption of coffee and tea during pregnancy and risk of childhood ALL: a pooled analysis from the childhood Leukemia International Consortium. <i>Cancer Causes and Control</i> , 2018, 29, 539-550.	1.8	20
38	Occupation and Lymphoid Malignancies: Results From a French Case-Control Study. <i>Journal of Occupational and Environmental Medicine</i> , 2007, 49, 1339-1350.	1.7	19
39	Living on a farm, contact with farm animals and pets, and childhood acute lymphoblastic leukemia: pooled and meta-analyses from the Childhood Leukemia International Consortium. <i>Cancer Medicine</i> , 2018, 7, 2665-2681.	2.8	18
40	Maternal use of household pesticides during pregnancy and risk of neuroblastoma in offspring. A pooled analysis of the ESTELLE and ESCALE French studies (SFCE). <i>Cancer Causes and Control</i> , 2017, 28, 1125-1132.	1.8	17
41	Occupational exposure to organic solvents and lymphoid neoplasms in men: results of a French case-control study. <i>Occupational and Environmental Medicine</i> , 2010, 67, 664-672.	2.8	16
42	Are ARID5B and IKZF1 polymorphisms also associated with childhood acute myeloblastic leukemia: the ESCALE study (SFCE)? <i>Leukemia</i> , 2013, 27, 746-748.	7.2	16
43	Coffee and tea consumption during pregnancy and risk of childhood acute myeloid leukemia: A Childhood Leukemia International Consortium (CLIC) study. <i>Cancer Epidemiology</i> , 2019, 62, 101581.	1.9	16
44	History of infections and vaccinations and risk of lymphoid neoplasms: does influenza immunization reduce the risk?. <i>Leukemia</i> , 2007, 21, 2075-2079.	7.2	15
45	Genetic association with B-cell acute lymphoblastic leukemia in allogeneic transplant patients differs by age and sex. <i>Blood Advances</i> , 2017, 1, 1717-1728.	5.2	15
46	Risk of Central Nervous System Tumors in Children Related to Parental Occupational Pesticide Exposures in three European Case-Control Studies. <i>Journal of Occupational and Environmental Medicine</i> , 2016, 58, 1046-1052.	1.7	13
47	Parental smoking, maternal alcohol, coffee and tea consumption and the risk of childhood brain tumours: the ESTELLE and ESCALE studies (SFCE, France). <i>Cancer Causes and Control</i> , 2017, 28, 719-732.	1.8	12
48	Pooled study of occupational exposure to aromatic hydrocarbon solvents and risk of multiple myeloma. <i>Occupational and Environmental Medicine</i> , 2018, 75, 798-806.	2.8	12
49	Parental smoking, maternal alcohol consumption during pregnancy and the risk of neuroblastoma in children. A pooled analysis of the ESCALE and ESTELLE French studies. <i>International Journal of Cancer</i> , 2019, 145, 2907-2916.	5.1	12
50	Residential exposure to ultraviolet light and risk of precursor B-cell acute lymphoblastic leukemia: assessing the role of individual risk factors, the ESCALE and ESTELLE studies. <i>Cancer Causes and Control</i> , 2017, 28, 1075-1083.	1.8	11
51	Childhood brain tumours, early infections and immune stimulation: A pooled analysis of the ESCALE and ESTELLE case-control studies (SFCE, France). <i>Cancer Epidemiology</i> , 2018, 52, 1-9.	1.9	10
52	Blood inflammatory phenotypes were associated with distinct clinical expressions of asthma in adults from a large population-based cohort. <i>EBioMedicine</i> , 2022, 76, 103875.	6.1	10
53	Increased frequency of hematopoietic malignancies in relatives of patients with lymphoid neoplasms: A French case-control study. <i>International Journal of Cancer</i> , 2009, 124, 1188-1195.	5.1	8
54	Environmental exposures related to parental habits in the perinatal period and the risk of Wilms' tumor in children. <i>Cancer Epidemiology</i> , 2020, 66, 101706.	1.9	8

#	ARTICLE	IF	CITATIONS
55	Genetic polymorphisms of Th2 interleukins, history of asthma or eczema and childhood acute lymphoid leukaemia: Findings from the ESCALE study (SFCE). <i>Cancer Epidemiology</i> , 2018, 55, 96-103.	1.9	7
56	Questionnaire as an alternative of skin prick tests to differentiate allergic from non-allergic rhinitis in epidemiological studies. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, 76, 2291-2294.	5.7	6
57	Maternal exposure to pesticides and risk of childhood lymphoma in France: A pooled analysis of the ESCALE and ESTELLE studies (SFCE). <i>Cancer Epidemiology</i> , 2020, 68, 101797.	1.9	6
58	Maternal and perinatal characteristics, congenital malformations and the risk of wilms tumor: the ESTELLE study. <i>Cancer Causes and Control</i> , 2020, 31, 491-501.	1.8	4
59	Family history of cancer and the risk of childhood brain tumors: a pooled analysis of the ESCALE and ESTELLE studies (SFCE). <i>Cancer Causes and Control</i> , 2019, 30, 1075-1085.	1.8	3
60	PID1 is associated to a respiratory endotype related to occupational exposures to irritants. <i>Free Radical Biology and Medicine</i> , 2021, 172, 503-507.	2.9	3
61	Genome-Wide Association Study of Fluorescent Oxidation Products Accounting for Tobacco Smoking Status in Adults from the French EGEA Study. <i>Antioxidants</i> , 2022, 11, 802.	5.1	3
62	Exposure to Occupational Contaminants and Risk of Male Breast Cancer: A European Case-Control Study. <i>Epidemiology</i> , 2006, 17, S308.	2.7	0
63	Visible moulds, smoking, rhinitis and asthma in adults: the EGEA study. , 2020, , .		0