

Serena Coiai

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6861593/serena-coiai-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

59
papers

1,122
citations

19
h-index

31
g-index

62
ext. papers

1,263
ext. citations

4
avg, IF

4.22
L-index

#	Paper	IF	Citations
59	Incorporation of 2D black phosphorus (2D-bP) in P3HT/PMMA mixtures for novel materials with tuned spectroscopic, morphological and electric features. <i>FlatChem</i> , 2021 , 30, 100314	5.1	2
58	Rosmarinic Acid and Ulvan from Terrestrial and Marine Sources in Anti-Microbial Bionanosystems and Biomaterials. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 9249	2.6	2
57	Agri-Food Extracts Effectiveness in Improving Antibacterial and Antiviral Properties of Face Masks: A Proof-of-Concept Study. <i>ChemistrySelect</i> , 2021 , 6, 2288-2297	1.8	3
56	Binary Green Blends of Poly(lactic acid) with Poly(butylene adipate--butylene terephthalate) and Poly(butylene succinate--butylene adipate) and Their Nanocomposites. <i>Polymers</i> , 2021 , 13,	4.5	10
55	Dispersion of Few-Layer Black Phosphorus in Binary Polymer Blend and Block Copolymer Matrices. <i>Nanomaterials</i> , 2021 , 11,	5.4	1
54	Antibacterial LDPE-based nanocomposites with salicylic and rosmarinic acid-modified layered double hydroxides. <i>Applied Clay Science</i> , 2021 , 214, 106276	5.2	2
53	Effects of organo-LDH dispersion on thermal stability, crystallinity and mechanical features of PLA. <i>Polymer</i> , 2020 , 208, 122952	3.9	4
52	Macromolecular Dyes by Chromophore-Initiated Ring Opening Polymerization of L-Lactide. <i>Polymers</i> , 2020 , 12,	4.5	2
51	Post-polymerization modification by nitroxide radical coupling. <i>Polymer International</i> , 2019 , 68, 27-63	3.3	19
50	A Perspective on Recent Advances in Phosphorene Functionalization and Its Applications in Devices. <i>European Journal of Inorganic Chemistry</i> , 2019 , 2019, 1476-1494	2.3	26
49	Polymer-Based Black Phosphorus (bP) Hybrid Materials by in Situ Radical Polymerization: An Effective Tool To Exfoliate bP and Stabilize bP Nanoflakes. <i>Chemistry of Materials</i> , 2018 , 30, 2036-2048	9.6	46
48	Fluorescent LDPE and PLA nanocomposites containing fluorescein-modified layered double hydroxides and their ON/OFF responsive behavior towards humidity. <i>European Polymer Journal</i> , 2018 , 99, 189-201	5.2	8
47	An insight into the interaction between functionalized thermoplastic elastomer and layered double hydroxides through rheological investigations. <i>Composites Part B: Engineering</i> , 2018 , 139, 47-54	10	13
46	Polymer surface modification by photografting of functional nitroxides. <i>European Polymer Journal</i> , 2017 , 87, 24-38	5.2	6
45	Poly(lactic acid) plasticized with low-molecular-weight polyesters: structural, thermal and biodegradability features. <i>Polymer International</i> , 2017 , 66, 761-769	3.3	14
44	Grafting of Hindered Phenol Groups onto Ethylene/Eolefin Copolymer by Nitroxide Radical Coupling. <i>Polymers</i> , 2017 , 9,	4.5	9
43	Thermo-oxidative stabilization of poly(lactic acid) with antioxidant intercalated layered double hydroxides. <i>Polymer Degradation and Stability</i> , 2016 , 133, 92-100	4.7	28

42	Structural, thermal and photo-physical data of azo-aromatic TEMPO derivatives before and after their grafting to polyolefins. <i>Data in Brief</i> , 2016 , 6, 562-70	1.2	4
41	Azo-aromatic functionalized polyethylene by nitroxide radical coupling (NRC) reaction: Preparation and photo-physical properties. <i>Polymer</i> , 2016 , 82, 366-377	3.9	10
40	Grafting of polymer chains on the surface of carbon nanotubes via nitroxide radical coupling reaction. <i>Polymer International</i> , 2016 , 65, 48-56	3.3	10
39	Co-agent mediated functionalization of LDPE/iPP mixtures for compatibilization of WEEE-recovered polyvinylchloride. <i>Polymer International</i> , 2016 , 65, 621-630	3.3	2
38	Preparation and testing of a solid secondary plasticizer for PVC produced by chemical degradation of post-consumer PET. <i>Waste Management</i> , 2015 , 46, 68-75	8.6	17
37	Advanced ultra-high molecular weight polyethylene/antioxidant-functionalized carbon nanotubes nanocomposites with improved thermo-oxidative resistance. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	16
36	Towards a better control of the radical functionalization of poly(lactic acid). <i>Polymer International</i> , 2015 , 64, 631-640	3.3	14
35	Nanocomposites Based on Thermoplastic Polymers and Functional Nanofiller for Sensor Applications. <i>Materials</i> , 2015 , 8, 3377-3427	3.5	60
34	Progress in Understanding of the Interactions between Functionalized Polyolefins and Organo-Layered Double Hydroxides. <i>Macromolecular Reaction Engineering</i> , 2014 , 8, 122-133	1.5	5
33	Heat-Resistant Fully Bio-Based Nanocomposite Blends Based on Poly(lactic acid). <i>Macromolecular Materials and Engineering</i> , 2014 , 299, 31-40	3.9	49
32	Functionalization of aliphatic polyesters by nitroxide radical coupling. <i>Polymer Chemistry</i> , 2014 , 5, 5656	4.9	15
31	Novel HDPE/ground tyre rubber composite materials obtained through in-situ polymerization and polymerization filling technique. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	11
30	Some recent advances in polyolefin functionalization. <i>Polymer International</i> , 2014 , 63, 12-21	3.3	40
29	The effect of layered double hydroxides dispersion on thermal and mechanical properties of poly(vinyl chloride)/poly(methyl methacrylate) blends. <i>Polymer International</i> , 2013 , 62, 554-565	3.3	11
28	Using matrix-assisted laser desorption/ionization time-of-flight mass spectrometry for the characterization of functionalized carbon nanotubes. <i>Rapid Communications in Mass Spectrometry</i> , 2013 , 27, 1359-66	2.2	6
27	Chemistry of Interfacial Interactions in a LDPE-Based Nanocomposite and Their Effect on the Nanoscale Hybrid Assembling. <i>Macromolecules</i> , 2013 , 46, 1563-1572	5.5	12
26	Strong Cation Exchange with Innocence: Synthesis and Characterization of Borate Containing Resins and Macroporous Monoliths. <i>Macromolecules</i> , 2013 , 46, 5423-5433	5.5	8
25	Fluorescent polyolefins by free radical post-reactor modification with functional nitroxides. <i>Reactive and Functional Polymers</i> , 2012 , 72, 695-702	4.6	23

24	Optimization of organo-layered double hydroxide dispersion in LDPE-based nanocomposites. <i>Polymers for Advanced Technologies</i> , 2011 , 22, 2285-2294	3.2	24
23	Nonisothermal crystallization kinetics of polypropylene-layered double hydroxide composites: Correlation with morphology. <i>Polymer Composites</i> , 2011 , 32, 986-993	3	5
22	Grafting of functional nitroxyl free radicals to polyolefins as a tool to postreactor modification of polyethylene-based materials with control of macromolecular architecture. <i>Journal of Polymer Science Part A</i> , 2011 , 49, 781-795	2.5	34
21	Morphology development and stability of polypropylene/organoclay nanocomposites. <i>Journal of Nanoscience and Nanotechnology</i> , 2010 , 10, 5814-25	1.3	7
20	Control of degradation of polypropylene during its radical functionalisation with furan and thiophene derivatives. <i>Polymer Degradation and Stability</i> , 2010 , 95, 298-305	4.7	28
19	Structure and rheology of polypropylene with various architectures prepared by coagent-assisted radical processing. <i>Polymer International</i> , 2010 , 59, 1499-1505	3.3	12
18	Thiol-Ene Radical Addition of L-Cysteine Derivatives to Low Molecular Weight Polybutadiene. <i>Macromolecular Chemistry and Physics</i> , 2009 , 210, 1471-1483	2.6	41
17	Grafting of polypropylene and its potential use as metal ion adsorption resin. <i>Journal of Applied Polymer Science</i> , 2009 , 113, 290-298	2.9	2
16	The influence of the compatibilizer on the morphology and thermal properties of polypropylene-layered double hydroxide composites. <i>Polymer Composites</i> , 2009 , 31, NA-NA	3	4
15	Control of macromolecular architecture during the reactive functionalization in the melt of olefin polymers. <i>Progress in Polymer Science</i> , 2009 , 34, 911-947	29.6	120
14	New functionalized polypropylenes as controlled architecture compatibilizers for polypropylene layered silicates nanocomposites. <i>Journal of Nanoscience and Nanotechnology</i> , 2009 , 9, 4858-69	1.3	1
13	Nanocomposites based on polyolefins and functional thermoplastic materials. <i>Polymer International</i> , 2008 , 57, 805-836	3.3	115
12	Nanostructured polyolefins/clay composites: role of the molecular interaction at the interface. <i>Polymers for Advanced Technologies</i> , 2008 , 19, 560-568	3.2	24
11	Effects of reactive melt mixing on the morphology and thermal behavior of linear low-density polyethylene/rubber blends. <i>Journal of Applied Polymer Science</i> , 2008 , 109, 1014-1021	2.9	4
10	Organophilic Boehmite nanoparticles by ATRP methacrylates polymerization: synthesis, characterization and dispersion in polypropylene. <i>Journal of Nanoscience and Nanotechnology</i> , 2008 , 8, 1803-11	1.3	
9	Gradient Density Grafted Polymers on Ground Tire Rubber Particles by Atom Transfer Radical Polymerization. <i>Macromolecular Chemistry and Physics</i> , 2006 , 207, 2289-2298	2.6	22
8	Modification of Cross-Linked Rubber Particles by Free Radical Polymerization. <i>Macromolecular Symposia</i> , 2006 , 234, 193-202	0.8	23
7	Coagent assisted polypropylene radical functionalization: monomer grafting modulation and molecular weight conservation. <i>Polymer</i> , 2006 , 47, 5243-5252	3.9	31

6	Modulated Crosslinking of Polyolefins through Radical Processes in the Melt. <i>Macromolecular Materials and Engineering</i> , 2004 , 289, 809-817	3.9	10
5	Control of Degradation Reactions during Radical Functionalization of Polypropylene in the Melt. <i>Macromolecules</i> , 2004 , 37, 8414-8423	5.5	70
4	Functionalization of polyolefins in the melt 2004 , 47-71		8
3	Functionalization of polyolefins by reactive processing: influence of starting reagents on content and type of grafted groups. <i>Macromolecular Symposia</i> , 2003 , 198, 147-160	0.8	25
2	Study of Grafting Reactions of Polar Groups onto Polystyrene (PS) by Reactive Mixing. <i>Macromolecular Symposia</i> , 2001 , 169, 61-70	0.8	
1	Nanocomposites Based on Phyllosilicates: From Petrochemicals to Renewable Thermoplastic Matrices 403-458		1