

Christopher L Osburn

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6861871/christopher-l-osburn-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

89
papers

3,469
citations

39
h-index

57
g-index

98
ext. papers

4,223
ext. citations

5.2
avg, IF

5.5
L-index

#	Paper	IF	Citations
89	Calcification-driven CO emissions exceed "Blue Carbon" sequestration in a carbonate seagrass meadow.. <i>Science Advances</i> , 2021 , 7, eabj1372	14.3	5
88	Elevated organic carbon pulses persist in estuarine environment after major storm events. <i>Limnology and Oceanography Letters</i> , 2021 , 6, 43-50	7.9	5
87	Representing the function and sensitivity of coastal interfaces in Earth system models. <i>Nature Communications</i> , 2020 , 11, 2458	17.4	55
86	Use of Geospatial, Hydrologic, and Geochemical Modeling to Determine the Influence of Wetland-Derived Organic Matter in Coastal Waters in Response to Extreme Weather Events. <i>Frontiers in Marine Science</i> , 2020 , 7,	4.5	8
85	Climate-Driven Changes in Dissolved Organic Carbon and Water Clarity in Arctic Lakes of West Greenland. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2020 , 125, e2019JG005170	3.7	5
84	A call for refining the role of humic-like substances in the oceanic iron cycle. <i>Scientific Reports</i> , 2020 , 10, 6144	4.9	17
83	Spatial patterns in dissolved organic matter composition controlled by watershed characteristics in a coastal river network: The Neuse River Basin, USA. <i>Water Research</i> , 2020 , 169, 115248	12.5	17
82	A Decade of Annual Arctic DOC Export With Polar Surface Water in the East Greenland Current. <i>Geophysical Research Letters</i> , 2020 , 47, e2020GL089686	4.9	2
81	Dityrosine formation via reactive oxygen consumption yields increasingly recalcitrant humic-like fluorescent organic matter in the ocean. <i>Limnology and Oceanography Letters</i> , 2020 , 5, 337-345	7.9	9
80	Bioavailability and compositional changes of dissolved organic matter in urban headwaters. <i>Aquatic Sciences</i> , 2020 , 82, 1	2.5	3
79	Centennial clonal stability of asexual in Greenland lakes despite climate variability. <i>Ecology and Evolution</i> , 2020 , 10, 14178-14188	2.8	1
78	Biogeochemical Response of Apalachicola Bay and the Shelf Waters to Hurricane Michael Using Ocean Color Semi-Analytic/Inversion and Hydrodynamic Models. <i>Frontiers in Marine Science</i> , 2019 , 6,	4.5	7
77	Arctic climate shifts drive rapid ecosystem responses across the West Greenland landscape. <i>Environmental Research Letters</i> , 2019 , 14, 074027	6.2	22
76	Linking chromophoric organic matter transformation with biomarker indices in a marine phytoplankton growth and degradation experiment. <i>Marine Chemistry</i> , 2019 , 214, 103665	3.7	4
75	Organic Functional Group Chemistry in Mineralized Deposits Containing U(IV) and U(VI) from the Jackpile Mine in New Mexico. <i>Environmental Science & Technology</i> , 2019 , 53, 5758-5767	10.3	12
74	Antecedent precipitation influences the bacterial processing of terrestrial dissolved organic matter in a North Carolina estuary. <i>Estuarine, Coastal and Shelf Science</i> , 2019 , 221, 119-131	2.9	12
73	Extreme weather events modulate processing and export of dissolved organic carbon in the Neuse River Estuary, NC. <i>Estuarine, Coastal and Shelf Science</i> , 2019 , 219, 189-200	2.9	10

72	Mechanisms of Organic Matter Export in Estuaries with Contrasting Carbon Sources. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2019 , 124, 3168-3188	3.7	5
71	Lingering Carbon Cycle Effects of Hurricane Matthew in North Carolina's Coastal Waters. <i>Geophysical Research Letters</i> , 2019 , 46, 2654-2661	4.9	21
70	Net heterotrophy and carbonate dissolution in two subtropical seagrass meadows. <i>Biogeosciences</i> , 2019 , 16, 4411-4428	4.6	9
69	Stable isotopes reveal independent carbon pools across an Arctic hydro-climatic gradient: Implications for the fate of carbon in warmer and drier conditions. <i>Limnology and Oceanography Letters</i> , 2019 , 4, 205-213	7.9	9
68	Formation of planktonic chromophoric dissolved organic matter in the ocean. <i>Marine Chemistry</i> , 2019 , 209, 1-13	3.7	15
67	Regional Groundwater and Storms Are Hydrologic Controls on the Quality and Export of Dissolved Organic Matter in Two Tropical Rainforest Streams, Costa Rica. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2018 , 123, 850-866	3.7	19
66	Two decades of tropical cyclone impacts on North Carolina estuarine carbon, nutrient and phytoplankton dynamics: implications for biogeochemical cycling and water quality in a stormier world. <i>Biogeochemistry</i> , 2018 , 141, 307-332	3.8	60
65	Formation of Chromophoric Dissolved Organic Matter by Bacterial Degradation of Phytoplankton-Derived Aggregates. <i>Frontiers in Marine Science</i> , 2018 , 4,	4.5	43
64	Seasonal Trends in Surface pCO ₂ and Air-Sea CO ₂ Fluxes in Apalachicola Bay, Florida, From VIIRS Ocean Color. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2018 , 123, 2466-2484	3.7	7
63	A landscape perspective of Holocene organic carbon cycling in coastal SW Greenland lake-catchments. <i>Quaternary Science Reviews</i> , 2018 , 202, 98-108	3.9	8
62	Shifting DOC concentration and quality in the freshwater lakes of the Kangerlussuaq region: An experimental assessment of possible mechanisms. <i>Arctic, Antarctic, and Alpine Research</i> , 2018 , 50, S1000-S1001	1.8	8
61	New insight into the applicability of spectroscopic indices for dissolved organic matter (DOM) source discrimination in aquatic systems affected by biogeochemical processes. <i>Water Research</i> , 2018 , 147, 164-176	12.5	50
60	Assessing chromophoric dissolved organic matter (CDOM) distribution, stocks, and fluxes in Apalachicola Bay using combined field, VIIRS ocean color, and model observations. <i>Remote Sensing of Environment</i> , 2017 , 191, 359-372	13.2	40
59	Marine snow formation by the toxin-producing diatom, <i>Pseudo-nitzschia australis</i> . <i>Harmful Algae</i> , 2017 , 61, 23-30	5.3	23
58	Stimulation of Phytoplankton Production by Anthropogenic Dissolved Organic Nitrogen in a Coastal Plain Estuary. <i>Environmental Science & Technology</i> , 2017 , 51, 13104-13112	10.3	12
57	The Arctic in the Twenty-First Century: Changing Biogeochemical Linkages across a Paraglacial Landscape of Greenland. <i>BioScience</i> , 2017 , 67, 118-133	5.7	45
56	A Preliminary Assessment of Fossil Fuel and Terrigenous Influences to Rainwater Organic Matter in Summertime in the Northern Gulf of Mexico. <i>Aquatic Geochemistry</i> , 2017 , 23, 217-231	1.7	4
55	Shifts in the Source and Composition of Dissolved Organic Matter in Southwest Greenland Lakes Along a Regional Hydro-climatic Gradient. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2017 , 122, 3431-3445	3.7	28

54	Turbidity in Apalachicola Bay, Florida from Landsat 5 TM and Field Data: Seasonal Patterns and Response to Extreme Events. <i>Remote Sensing</i> , 2017 , 9, 367	5	24
53	Predicting Sources of Dissolved Organic Nitrogen to an Estuary from an Agro-Urban Coastal Watershed. <i>Environmental Science & Technology</i> , 2016 , 50, 8473-84	10.3	63
52	Optical Proxies for Terrestrial Dissolved Organic Matter in Estuaries and Coastal Waters. <i>Frontiers in Marine Science</i> , 2016 , 2,	4.5	73
51	Linking Heterotrophic Microbial Activities with Particle Characteristics in Waters of the Mississippi River Delta in the Aftermath of Hurricane Isaac. <i>Frontiers in Marine Science</i> , 2016 , 3,	4.5	5
50	Thermal stratification in small arctic lakes of southwest Greenland affected by water transparency and epilimnetic temperatures. <i>Limnology and Oceanography</i> , 2016 , 61, 1530-1542	4.8	25
49	Deep Sediment-Sourced Methane Contribution to Shallow Sediment Organic Carbon: Atwater Valley, Texas-Louisiana Shelf, Gulf of Mexico. <i>Energies</i> , 2015 , 8, 1561-1583	3.1	13
48	Evaluation of Copper Oxide Oxidation for Quantification of Lignin in Municipal Solid Waste. <i>Environmental Engineering Science</i> , 2015 , 32, 486-496	2	5
47	Recent decrease in DOC concentrations in Arctic lakes of southwest Greenland. <i>Geophysical Research Letters</i> , 2015 , 42, 6703-6709	4.9	25
46	Seasonal variation in the quality of dissolved and particulate organic matter exchanged between a salt marsh and its adjacent estuary. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2015 , 120, 1430-1449	2.7	41
45	Seasonal changes in estuarine dissolved organic matter due to variable flushing time and wind-driven mixing events. <i>Estuarine, Coastal and Shelf Science</i> , 2014 , 151, 210-220	2.9	23
44	Colored Dissolved Organic Matter Dynamics in the Northern Gulf of Mexico from Ocean Color and Numerical Model Results. <i>Journal of Coastal Research</i> , 2014 , 296, 800-814	0.6	12
43	Deepwater Horizon oil in Gulf of Mexico waters after 2 years: transformation into the dissolved organic matter pool. <i>Environmental Science & Technology</i> , 2014 , 48, 9288-97	10.3	45
42	Runoff-mediated seasonal oscillation in the dynamics of dissolved organic matter in different branches of a large bifurcated estuary—the Changjiang Estuary. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2014 , 119, 776-793	3.7	72
41	Optical and chemical characterization of base-extracted particulate organic matter in coastal marine environments. <i>Marine Chemistry</i> , 2014 , 162, 96-113	3.7	41
40	Using in situ ultraviolet-visual spectroscopy to measure nitrogen, carbon, phosphorus, and suspended solids concentrations at a high frequency in a brackish tidal marsh. <i>Limnology and Oceanography: Methods</i> , 2014 , 12, 10-22	2.6	67
39	Fingerprinting the sources of suspended sediment delivery to a large municipal drinking water reservoir: Falls Lake, Neuse River, North Carolina, USA. <i>Journal of Soils and Sediments</i> , 2013 , 13, 1692-1707	3.4	40
38	Characterization of oil components from the Deepwater Horizon oil spill in the Gulf of Mexico using fluorescence EEM and PARAFAC techniques. <i>Marine Chemistry</i> , 2013 , 148, 10-21	3.7	87
37	Incorporation and mineralization of TNT and other anthropogenic organics by natural microbial assemblages from a small, tropical estuary. <i>Environmental Pollution</i> , 2013 , 174, 257-64	9.3	17

36	A connection to deep groundwater alters ecosystem carbon fluxes and budgets: Example from a Costa Rican rainforest. <i>Geophysical Research Letters</i> , 2013 , 40, 2066-2070	4.9	28
35	Enhanced transfer of terrestrially derived carbon to the atmosphere in a flooding event. <i>Geophysical Research Letters</i> , 2013 , 40, 116-122	4.9	82
34	Photobleaching response of different sources of chromophoric dissolved organic matter exposed to natural solar radiation using absorption and excitation-emission matrix spectra. <i>PLoS ONE</i> , 2013 , 8, e77515	3.7	47
33	LINKING OPTICAL AND CHEMICAL PROPERTIES OF DISSOLVED ORGANIC MATTER IN NATURAL WATERS. <i>Limnology and Oceanography Bulletin</i> , 2013 , 22, 78-82	0.9	3
32	Chromophoric Dissolved Organic Matter and Dissolved Organic Carbon from Sea-Viewing Wide Field-of-View Sensor (SeaWiFS), Moderate Resolution Imaging Spectroradiometer (MODIS) and MERIS Sensors: Case Study for the Northern Gulf of Mexico. <i>Remote Sensing</i> , 2013 , 5, 1439-1464	5	57
31	Physiological and biogeochemical traits of bleaching and recovery in the mounding species of coral <i>Porites lobata</i> : implications for resilience in mounding corals. <i>PLoS ONE</i> , 2013 , 8, e63267	3.7	70
30	Fluorescence tracking of dissolved and particulate organic matter quality in a river-dominated estuary. <i>Environmental Science & Technology</i> , 2012 , 46, 8628-36	10.3	217
29	Microbial activities and dissolved organic matter dynamics in oil-contaminated surface seawater from the Deepwater Horizon oil spill site. <i>PLoS ONE</i> , 2012 , 7, e34816	3.7	107
28	2,4,6-Trinitrotoluene Mineralization and Incorporation by Natural Bacterial Assemblages in Coastal Ecosystems. <i>ACS Symposium Series</i> , 2011 , 171-184	0.4	1
27	Methane hydrate-bearing seeps as a source of aged dissolved organic carbon to the oceans. <i>Nature Geoscience</i> , 2011 , 4, 37-41	18.3	69
26	Linking the chemical and optical properties of dissolved organic matter in the Baltic-North Sea transition zone to differentiate three allochthonous inputs. <i>Marine Chemistry</i> , 2011 , 126, 281-294	3.7	118
25	2,4,6-Trinitrotoluene mineralization and bacterial production rates of natural microbial assemblages from coastal sediments. <i>Environmental Pollution</i> , 2011 , 159, 3673-80	9.3	23
24	Dissolved organic matter composition and photoreactivity in prairie lakes of the U.S. Great Plains. <i>Limnology and Oceanography</i> , 2011 , 56, 2371-2390	4.8	138
23	Multiple tracers demonstrate distinct sources of dissolved organic matter to lakes of the Mackenzie Delta, western Canadian Arctic. <i>Limnology and Oceanography</i> , 2011 , 56, 1297-1309	4.8	50
22	Variation in ultrafiltered and LMW organic matter fluorescence properties under simulated estuarine mixing transects: 1. Mixing alone. <i>Journal of Geophysical Research</i> , 2010 , 115,		2
21	Variation in ultrafiltered and LMW organic matter fluorescence properties under simulated estuarine mixing transects: 2. Mixing with photoexposure. <i>Journal of Geophysical Research</i> , 2010 , 115,		1
20	PAH mineralization and bacterial organotolerance in surface sediments of the Charleston Harbor estuary. <i>Biodegradation</i> , 2010 , 21, 257-66	4.1	16
19	Tracing water mass mixing in the Baltic-North Sea transition zone using the optical properties of coloured dissolved organic matter. <i>Estuarine, Coastal and Shelf Science</i> , 2010 , 87, 156-162	2.9	51

18	Increases in the longwave photobleaching of chromophoric dissolved organic matter in coastal waters. <i>Limnology and Oceanography</i> , 2009 , 54, 145-159	4.8	50
17	Photoreactivity of chromophoric dissolved organic matter transported by the Mackenzie River to the Beaufort Sea. <i>Marine Chemistry</i> , 2009 , 115, 10-20	3.7	117
16	Desalination technology waste streams: Effect of pH and salinity on metabolism of marine microbial assemblages. <i>Desalination</i> , 2009 , 249, 861-864	10.3	10
15	Phytoplankton productivity across prairie saline lakes of the Great Plains (USA): a step toward deciphering patterns through lake classification models. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2009 , 66, 1435-1448	2.4	22
14	Distribution, origin and cycling of carbon in the Tana River (Kenya): a dry season basin-scale survey from headwaters to the delta. <i>Biogeosciences</i> , 2009 , 6, 2475-2493	4.6	70
13	Bacterial production and microbial food web structure in a large arctic river and the coastal Arctic Ocean. <i>Journal of Marine Systems</i> , 2008 , 74, 756-773	2.7	73
12	Increased Capacity for Polycyclic Aromatic Hydrocarbon Mineralization in Bioirrigated Coastal Marine Sediments. <i>Bioremediation Journal</i> , 2008 , 12, 98-110	2.3	8
11	Tidal marshes as a source of optically and chemically distinctive colored dissolved organic matter in the Chesapeake Bay. <i>Limnology and Oceanography</i> , 2008 , 53, 148-159	4.8	92
10	Photobleaching of dissolved organic material from a tidal marsh-estuarine system of the Chesapeake Bay. <i>Photochemistry and Photobiology</i> , 2007 , 83, 782-92	3.6	68
9	Comparison of the optical properties of dissolved organic matter in two river-influenced coastal regions of the Canadian Arctic. <i>Estuarine, Coastal and Shelf Science</i> , 2007 , 72, 261-272	2.9	88
8	The use of wet chemical oxidation with high-amplification isotope ratio mass spectrometry (WCO-IRMS) to measure stable isotope values of dissolved organic carbon in seawater. <i>Limnology and Oceanography: Methods</i> , 2007 , 5, 296-308	2.6	74
7	Compound-specific isotope analysis coupled with multivariate statistics to source-apportion hydrocarbon mixtures. <i>Environmental Science & Technology</i> , 2006 , 40, 1916-24	10.3	27
6	Photochemical production of hydrogen peroxide and methylhydroperoxide in coastal waters. <i>Marine Chemistry</i> , 2005 , 97, 14-33	3.7	80
5	The Role of Iron and Dissolved Organic Carbon in the Absorption of Ultraviolet Radiation in Humic Lake Water. <i>Biogeochemistry</i> , 2005 , 75, 393-407	3.8	56
4	Changes in CDOM fluorescence from allochthonous and autochthonous sources during tidal mixing and bacterial degradation in two coastal estuaries. <i>Marine Chemistry</i> , 2004 , 89, 189-210	3.7	97
3	Chemical and optical changes in freshwater dissolved organic matter exposed to solar radiation. <i>Biogeochemistry</i> , 2001 , 54, 251-278	3.8	119
2	Calculation of spectral weighting functions for the solar photobleaching of chromophoric dissolved organic matter in temperate lakes. <i>Limnology and Oceanography</i> , 2001 , 46, 1455-1467	4.8	47
1	Net heterotrophy and carbonate dissolution in two subtropical seagrass meadows		2

