

Fumiyuki Kiuchi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6863871/publications.pdf>

Version: 2024-02-01

120
papers

3,056
citations

126907

33
h-index

197818

49
g-index

137
all docs

137
docs citations

137
times ranked

2983
citing authors

#	ARTICLE	IF	CITATIONS
1	Inhibitors of prostaglandin biosynthesis from ginger.. Chemical and Pharmaceutical Bulletin, 1982, 30, 754-757.	1.3	146
2	Monoterpene Hydroperoxides with Trypanocidal Activity from <i>Chenopodium ambrosioides</i> . Journal of Natural Products, 2002, 65, 509-512.	3.0	111
3	Four New 2-(2-Phenylethyl)chromone Derivatives from Withered Wood of <i>Aquilaria sinensis</i> . Chemical and Pharmaceutical Bulletin, 2003, 51, 560-564.	1.3	106
4	New Icetexane and 20-Norabietane Diterpenes with Trypanocidal Activity from <i>Dracocephalum komarovi</i> . Journal of Natural Products, 2003, 66, 128-131.	3.0	92
5	Three novel diepoxy tetrahydrochromones from agarwood artificially produced by intentional wounding. Tetrahedron Letters, 2005, 46, 4395-4398.	1.4	89
6	Studies on crude drugs effective on visceral larva migrans. IV. Isolation and identification of larvicidal principles in pepper.. Chemical and Pharmaceutical Bulletin, 1988, 36, 2452-2465.	1.3	80
7	Stimulation of neurotrophic factor secretion from 1321N1 human astrocytoma cells by novel diterpenoids, scabronines A and G. European Journal of Pharmacology, 1999, 370, 79-84.	3.5	75
8	Two New Monoterpene Glycosides and Trypanocidal Terpenoids from <i>Dracocephalum kotschyi</i> . Chemical and Pharmaceutical Bulletin, 2004, 52, 1249-1250.	1.3	75
9	Anti-inflammatory activity of flavonoids in Nepalese propolis is attributed to inhibition of the IL-33 signaling pathway. International Immunopharmacology, 2015, 25, 189-198.	3.8	75
10	Studies on crude drugs effective on visceral larva migrans. I. Identification of larvicidal principles in betel nuts.. Chemical and Pharmaceutical Bulletin, 1987, 35, 2880-2886.	1.3	72
11	Inhibitors of prostaglandin biosynthesis from <i>Alpinia officinarum</i> .. Chemical and Pharmaceutical Bulletin, 1982, 30, 2279-2282.	1.3	71
12	Martefragin A, a Novel Indole Alkaloid Isolated from Red Alga, Inhibits Lipid Peroxidation.. Chemical and Pharmaceutical Bulletin, 1998, 46, 1527-1529.	1.3	66
13	Inhibition of phenylalanine ammonia-lyase by cinnamic acid derivatives and related compounds. Phytochemistry, 1982, 21, 845-850.	2.9	65
14	Inhibitors of prostaglandin biosynthesis from <i>Dalbergia odorifera</i> .. Chemical and Pharmaceutical Bulletin, 1985, 33, 5606-5609.	1.3	53
15	Inhibitors of Prostaglandin Biosynthesis from <i>Dalbergia odorifera</i> .. Chemical and Pharmaceutical Bulletin, 1992, 40, 2452-2457.	1.3	52
16	Paradisins C: a new CYP3A4 inhibitor from grapefruit juice. Tetrahedron, 2002, 58, 6631-6635.	1.9	52
17	Induction of Sesquiterpenoid Production by Methyl Jasmonate in <i>Aquilaria sinensis</i> Cell Suspension Culture. Journal of Essential Oil Research, 2005, 17, 175-180.	2.7	50
18	Structure of arnebinol, a new ANSA-type monoterpennybenzenoid with inhibitory effect to prostaglandin biosynthesis. Tetrahedron Letters, 1983, 24, 2407-2410.	1.4	46

#	ARTICLE	IF	CITATIONS
19	In Vitro Leishmanicidal Activity of Benzophenanthridine Alkaloids from <i>Bocconia pearcei</i> and Related Compounds. <i>Chemical and Pharmaceutical Bulletin</i> , 2010, 58, 1047-1050.	1.3	46
20	The structure of paeoniflorigenone, a new monoterpene isolated from <i>paenoniae radix</i> .. <i>Chemical and Pharmaceutical Bulletin</i> , 1983, 31, 577-583.	1.3	45
21	A trypanocidal diterpene with novel skeleton from <i>Dracocephalum komarovi</i> . <i>Tetrahedron Letters</i> , 2004, 45, 531-533.	1.4	44
22	Antichagasic Activity of Komaroviquinone Is Due to Generation of Reactive Oxygen Species Catalyzed by <i>Trypanosoma cruzi</i> Old Yellow Enzyme. <i>Antimicrobial Agents and Chemotherapy</i> , 2005, 49, 5123-5126.	3.2	44
23	Trypanocidal Terpenoids from <i>Laurus nobilis</i> L.. <i>Chemical and Pharmaceutical Bulletin</i> , 2002, 50, 1514-1516.	1.3	43
24	New Norditerpenoids with Trypanocidal Activity from <i>Vitex trifolia</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2004, 52, 1492-1494.	1.3	42
25	New Sesquiterpene Hydroperoxides with Trypanocidal Activity from <i>Pogostemon cablin</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2004, 52, 1495-1496.	1.3	41
26	Synergistic effect of baicalein, wogonin and oroxylin A mixture: multistep inhibition of the NF- κ B signalling pathway contributes to an anti-inflammatory effect of <i>Scutellaria</i> root flavonoids. <i>Journal of Natural Medicines</i> , 2018, 72, 181-191.	2.3	39
27	Biologically Active Constituents of <i>Arnebia euchroma</i> : Structure of Arnebinol, an Ansa-Type Monoterpenylbenzenoid with Inhibitory Activity on Prostaglandin Biosynthesis.. <i>Chemical and Pharmaceutical Bulletin</i> , 1991, 39, 2956-2961.	1.3	38
28	Paeoniflorigenone, a new monoterpene from paeony roots. <i>Tetrahedron Letters</i> , 1981, 22, 3069-3070.	1.4	36
29	A Rapid and Reliable Solid-Phase Extraction Method for High-Performance Liquid Chromatographic Analysis of Opium Alkaloids from Papaver Plants. <i>Chemical and Pharmaceutical Bulletin</i> , 2005, 53, 1446-1450.	1.3	36
30	Bioactive Constituents from <i>Dracocephalum subcapitatum</i> (O. Kuntze) Lipsky. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2005, 60, 22-24.	1.4	36
31	Molecular Cloning, Functional Expression and Characterization of d-Limonene Synthase from <i>Schizonepeta tenuifolia</i> .. <i>Biological and Pharmaceutical Bulletin</i> , 2001, 24, 373-377.	1.4	35
32	Inhibition of prostaglandin biosynthesis by the constituents of medicinal plants.. <i>Chemical and Pharmaceutical Bulletin</i> , 1983, 31, 3391-3396.	1.3	34
33	Resolution of racemic Sb-chiral stibindoles using an optically active ortho-palladated benzylamine derivative, via their diastereomeric complexes. <i>Chemical Communications</i> , 2000, , 191-192.	4.1	34
34	Acacia concinna Saponins. II. Structures of Monoterpenoid Glycosides in the Alkaline Hydrolysate of the Saponin Fraction.. <i>Chemical and Pharmaceutical Bulletin</i> , 1997, 45, 807-812.	1.3	32
35	Synthesis of Erythrina and Related Alkaloids. XXIV. Total Synthesis of Erysotrine from 1,7-Cycloerythrinan Derivatives by the Use of a New 1,2-Carbonyl Transposition Method.. <i>Chemical and Pharmaceutical Bulletin</i> , 1991, 39, 1365-1373.	1.3	31
36	Acacia concinna Saponins. I. Structures of Prosapogenols, Concinnosides A-F, Isolated from the Alkaline Hydrolysate of the Highly Polar Saponin Fraction.. <i>Chemical and Pharmaceutical Bulletin</i> , 1997, 45, 620-625.	1.3	29

#	ARTICLE	IF	CITATIONS
37	A New Diterpene Glycoside from <i>Rabdosia Rubescens</i> .. Chemical and Pharmaceutical Bulletin, 2000, 48, 148-149.	1.3	29
38	Nematocidal Principles in "Oakmoss Absolute" and Nematocidal Activity of 2, 4-Dihydroxybenzoates. Chemical and Pharmaceutical Bulletin, 1991, 39, 1043-1046.	1.3	28
39	In Vitro Leishmanicidal Constituents of <i>Millettia pendula</i> . Chemical and Pharmaceutical Bulletin, 2006, 54, 915-917.	1.3	27
40	Trypanocidal constituents of <i>Dracocephalum komarovi</i> . Tetrahedron, 2006, 62, 4355-4359.	1.9	27
41	New diterpenoids with estrogen sulfotransferase inhibitory activity from <i>Leonurus sibiricus</i> L.. Journal of Natural Medicines, 2014, 68, 125-131.	2.3	27
42	3-carene-5-one from <i>Kaempferia galanga</i> . Phytochemistry, 1987, 26, 3350-3351.	2.9	24
43	Chirality transmission in flexible 5,5'-dinitrodiphenic esters connected with chiral secondary alcohols. Tetrahedron Letters, 2001, 42, 6315-6317.	1.4	24
44	Evaluation of the taste of crude drug and Kampo formula by a taste-sensing system (4): taste of Processed Aconite Root. Journal of Natural Medicines, 2011, 65, 293-300.	2.3	24
45	A New Leishmanicidal Saponin from <i>Brunfelsia grandiflora</i> . Chemical and Pharmaceutical Bulletin, 2008, 56, 93-96.	1.3	23
46	Quantitative analysis of anti-inflammatory activity of orengedokuto: importance of combination of flavonoids in inhibition of PGE2 production in mouse macrophage-like cell line J774.1. Journal of Natural Medicines, 2013, 67, 281-288.	2.3	23
47	Effects of long-chain fatty acids and fatty alcohols on the growth of <i>Streptococcus mutans</i> .. Chemical and Pharmaceutical Bulletin, 1987, 35, 3507-3510.	1.3	22
48	Synthesis of the carbohydrate moiety from the parasite <i>Echinococcus multilocularis</i> and their antigenicity against human sera. European Journal of Medicinal Chemistry, 2011, 46, 1768-1778.	5.5	22
49	Quantitative analysis of the anti-inflammatory activity of orengedokuto II: berberine is responsible for the inhibition of NO production. Journal of Natural Medicines, 2018, 72, 706-714.	2.3	22
50	Biosynthesis of vitamin B12: structure of the ester of a new biosynthetic intermediate, precorrin-6y. Journal of the Chemical Society Chemical Communications, 1992, , 139.	2.0	21
51	Collagenase inhibitors from <i>Viola yedoensis</i> . Journal of Natural Medicines, 2013, 67, 240-245.	2.3	21
52	Taxodione induces apoptosis in BCR-ABL-positive cells through ROS generation. Biochemical Pharmacology, 2018, 154, 357-372.	4.4	21
53	Studies on crude drugs effective on visceral larva migrans. V. The larvicidal principle in mace (aril of <i>Tj ETQq1</i> 1 0.784314 rgBT /Overload	1.3	20
54	Cycloadditions in syntheses. LII. Stereochemical pathways of 1-isoquinolone-chloroethylene photo(2+2)cycloaddition: Determination of regio- and stereostructures of the products and explanation for their formation.. Chemical and Pharmaceutical Bulletin, 1990, 38, 3317-3325.	1.3	20

#	ARTICLE	IF	CITATIONS
55	Biosynthesis of vitamin B12: structural studies on precorrin-8x, an octamethylated intermediate and the structure of its stable tautomer. <i>Journal of the Chemical Society Chemical Communications</i> , 1992, , 982.	2.0	20
56	Improvement of Benzylisoquinoline Alkaloid Productivity by Overexpression of 3- ² -Hydroxy-N-methylcochlorine 4-O-Methyltransferase in Transgenic <i>Coptis japonica</i> Plants. <i>Biological and Pharmaceutical Bulletin</i> , 2012, 35, 650-659.	1.4	20
57	Studies on Nepalese Crude Drugs. XXV. Phenolic Constituents of the Leaves of <i>Didymocarpus leucocalyx</i> C.B. CLARKE (Gesneriaceae).. <i>Chemical and Pharmaceutical Bulletin</i> , 1999, 47, 1404-1411.	1.3	19
58	<i>Perilla citriodora</i> from Taiwan and Its Phytochemical Characteristics.. <i>Biological and Pharmaceutical Bulletin</i> , 2000, 23, 359-362.	1.4	19
59	LC-MS-based quantification method for <i>Achyranthes</i> root saponins. <i>Journal of Natural Medicines</i> , 2016, 70, 102-106.	2.3	19
60	Biosynthesis of porphyrins and related macrocycles. Part 41. Fate of oxygen atoms as precorrin-2 carrying eight labelled carboxyl groups (¹³ C ¹⁸ O ₂ H) is enzymatically converted into cobyrinic acid. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1993, , 2893.	0.9	18
61	Structure of arnebinone, a novel monoterpenylbenzoquinone with inhibitory effect to prostaglandin biosynthesis. <i>Tetrahedron Letters</i> , 1983, 24, 3247-3250.	1.4	17
62	A guanidine derivative from seeds of <i>Plantago asiatica</i> . <i>Journal of Natural Medicines</i> , 2009, 63, 58-60.	2.3	17
63	Studies on crude drugs effective on visceral larva migrans. III. The bursting activity of tannins on dog roundworm larva.. <i>Chemical and Pharmaceutical Bulletin</i> , 1988, 36, 1796-1802.	1.3	15
64	Structure of arnebifuranone, new monoterpenylbenzoquinone from <i>Arnebia euchroma</i> . <i>Tetrahedron Letters</i> , 1984, 25, 5541-5542.	1.4	14
65	Studies on Crude Drugs Effective on Visceral Larva Migrans. Part XVI. Nematocidal Activity of Long Alkyl Chain Amides, Amines, and Their Derivatives on Dog Roundworm Larvae.. <i>Chemical and Pharmaceutical Bulletin</i> , 1992, 40, 3234-3244.	1.3	14
66	Gal ¹ -4Gal ² -1-3GalNAc is the dominant epitope of Em2 antigen, the mucin-type glycoprotein from <i>Echinococcus multilocularis</i> . <i>Parasitology Research</i> , 2012, 111, 795-805.	1.6	14
67	Application of a new method, orthogonal projection to latent structure (OPLS) combined with principal component analysis (PCA), to screening of prostaglandin E2 production inhibitory flavonoids in <i>Scutellaria</i> Root. <i>Journal of Natural Medicines</i> , 2016, 70, 731-739.	2.3	14
68	Biologically Active Constituents of <i>Arnebia euchroma</i> : Structures of New Monoterpenylbenzoquinones: Arnebinone and Arnebifuranone.. <i>Chemical and Pharmaceutical Bulletin</i> , 1991, 39, 2962-2964.	1.3	13
69	Biosynthesis of vitamin B12: stereochemistry of transfer of a hydride equivalent from NADPH by precorrin-6x reductase. <i>Journal of the Chemical Society Chemical Communications</i> , 1992, , 306.	2.0	13
70	Synthetic studies on glycosphingolipids from protostomia phyla: synthesis of glycosphingolipids and related carbohydrate moieties from the parasite <i>Schistosoma mansoni</i> . <i>Carbohydrate Research</i> , 2012, 361, 55-72.	2.3	12
71	Scillapersicene: a new homoisoflavonoid with cytotoxic activity from the bulbs of <i>Scilla persica</i> HAUSSKN. <i>Natural Product Research</i> , 2016, 30, 1309-1314.	1.8	12
72	Efficient Synthesis of Theaflavin 3-Gallate by a Tyrosinase-Catalyzed Reaction with (âˆ—)-Epicatechin and (âˆ—)-Epigallocatechin Gallate in a 1-Octanol/Buffer Biphasic System. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 13464-13472.	5.2	12

#	ARTICLE	IF	CITATIONS
73	Dimerization of 2,5-Dihydroxybenzoquinones in Water.. Chemical and Pharmaceutical Bulletin, 1998, 46, 1229-1234.	1.3	11
74	Synthesis, Antigenicity Against Human Sera and Structure-Activity Relationships of Carbohydrate Moieties from Toxocara larvae and Their Analogues. Molecules, 2012, 17, 9023-9042.	3.8	11
75	Five new 2-(2-phenylethyl)chromone derivatives from agarwood. Journal of Natural Medicines, 2020, 74, 561-570.	2.3	11
76	Establishment of the structure of gymnemagenin by x-ray analysis and the structure of deacylgymnemic acid. Tetrahedron Letters, 1989, 30, 361-362.	1.4	10
77	Chemical Transformation of Embelin through Dimerization during Preparation of a Decoction.. Chemical and Pharmaceutical Bulletin, 1998, 46, 1225-1228.	1.3	10
78	Two new sulfated oleanan saponins from Achyranthes root. Journal of Natural Medicines, 2013, 67, 386-389.	2.3	10
79	Biochemical and biophysical properties of a novel homoisoflavonoid extracted from Scilla persica HAUSSKN. Bioorganic Chemistry, 2014, 57, 51-56.	4.1	10
80	Nepetaefuran and leonotinin isolated from Leonotis nepetaefolia R. Br. potently inhibit the LPS signaling pathway by suppressing the transactivation of NF- κ B. International Immunopharmacology, 2015, 28, 967-976.	3.8	10
81	Three new 5,6,7,8-tetrahydroxy-5,6,7,8-tetrahydrochromone derivatives enantiomeric to agarotetrol from agarwood. Journal of Natural Medicines, 2018, 72, 667-674.	2.3	10
82	Synthetic Studies on Glycosphingolipids from Protostomia Phyla: Synthesis of Glycosphingolipids from the Parasite Schistosoma mansoni. Chemical and Pharmaceutical Bulletin, 2010, 58, 811-817.	1.3	9
83	Establishment of Rhizobium-mediated transformation of Coptis japonica and molecular analyses of transgenic plants. Plant Biotechnology, 2005, 22, 113-118.	1.0	9
84	Two new lignans and melanogenesis inhibitors from Schisandra nigra. Journal of Natural Medicines, 2016, 70, 460-466.	2.3	8
85	LC-MS analysis of saponins of Achyranthes root in the Japanese market. Journal of Natural Medicines, 2020, 74, 135-141.	2.3	8
86	Mineralocorticoid and Renal Receptor Binding Activity of 21-Deoxyaldosterone. Endocrinology, 1990, 126, 1410-1415.	2.8	7
87	Advanced Method for Assignment of Absolute Configuration Utilizing an Induced CD and Computational Technique:A Its Application to Natural Products Possessing a Secondary Alcohol. Journal of Natural Products, 2004, 67, 1568-1570.	3.0	7
88	Synthesis and biological evaluation of the natural product komaroviquinone and related compounds aiming at a potential therapeutic lead compound for high-risk multiple myeloma. Bioorganic and Medicinal Chemistry Letters, 2017, 27, 4558-4563.	2.2	7
89	Thiovalidamine Derivatives of manno-and gluco-Type: Remote Activation and Anchimeric Assistance. Heterocycles, 1997, 44, 427.	0.7	7
90	Synthesis of erythrina and related alkaloids. XIV Hexahydro-dibenz(d,f)azecines : Existence of two conformational isomers of the 6-oxo derivatives in solution.. Chemical and Pharmaceutical Bulletin, 1986, 34, 3910-3914.	1.3	6

#	ARTICLE	IF	CITATIONS
91	Chemical Composition of Essential Oils from <i>Perilla setoyensis</i> , A New Species of Wild <i>Perilla</i> in Japan. <i>Journal of Essential Oil Research</i> , 1999, 11, 669-672.	2.7	6
92	Synthesis, Inhibitory Effects on Nitric Oxide and Structure-Activity Relationships of a Glycosphingolipid from the Marine Sponge <i>Aplysinella rhax</i> and Its Analogues. <i>Molecules</i> , 2011, 16, 637-651.	3.8	6
93	Novel Monoterpene Lactones from <i>Cinnamomum inunctum</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2015, 63, 833-836.	1.3	6
94	Solubility enhancement of berberine-baicalin complex by the constituents of Gardenia Fruit. <i>Journal of Natural Medicines</i> , 2021, 75, 76-83.	2.3	6
95	Oxidation of Dioxypyproline with m-Chloroperbenzoic Acid: Selective Formation of 2,3-Dioxo-1,4-oxazine. <i>Heterocycles</i> , 1994, 37, 523.	0.7	6
96	Saponin constituents of <i>Achyranthes</i> root. <i>Journal of Natural Medicines</i> , 2022, 76, 343-351.	2.3	6
97	(2+2) Photocycloaddition Reaction of 5-Arylfuran-2,3-diones to Trimethylsilyloxyethylenes. <i>Chemical and Pharmaceutical Bulletin</i> , 1997, 45, 608-612.	1.3	5
98	Genetic and chemical comparison of Boi (<i>Sinomeni Caulis et Rhizoma</i>) and Seifuto (<i>Caulis Sinomenii</i>). <i>Journal of Natural Medicines</i> , 2010, 64, 257-265.	2.3	5
99	Two new diterpenoids from <i>Leonotis leonurus</i> R. Br.. <i>Journal of Natural Medicines</i> , 2015, 69, 130-134.	2.3	5
100	New 2-(2-Phenylethyl)chromone Derivatives and Inhibitors of Phosphodiesterase (PDE) 3A from Agarwood. <i>Natural Product Communications</i> , 2016, 11, 1934578X1601100.	0.5	5
101	Synthesis and Antigenicity against Human Sera of a Biotin-Labeled Oligosaccharide Portion of a Glycosphingolipid from the Parasite <i>Echinococcus multilocularis</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2016, 64, 865-873.	1.3	5
102	Photo-cycloaddition of 3-methoxycyclohexenone and 3-aminocyclohexenone to ethoxyethylene: Stereochemistry of the cycloadducts. <i>Chemical and Pharmaceutical Bulletin</i> , 1986, 34, 3614-3622.	1.3	4
103	Infrared spectra of conjugated amides: Reassignment of the C=O and C=C absorptions. <i>Chemical and Pharmaceutical Bulletin</i> , 1988, 36, 2647-2651.	1.3	4
104	Synthesis of Some Substituted Adamantane-2,4-diones from 4,4-Disubstituted Cyclohexanone Enamines and α,β -Unsaturated Acid Chlorides. <i>Journal of Chemical Research Synopses</i> , 1999, , 316-317.	0.3	4
105	Synthesis of substituted tricyclo[5.3.1.0 4,9]undecan-2,6-diones. <i>Tetrahedron</i> , 2001, 57, 3143-3150.	1.9	4
106	Sulfatides Inhibit Adhesion, Migration, and Invasion of Murine Melanoma B16F10 Cell Line <i>in Vitro</i> . <i>Biological and Pharmaceutical Bulletin</i> , 2012, 35, 2054-2058.	1.4	4
107	A novel derivative (GTN024) from a natural product, komaroviquinone, induced the apoptosis of high-risk myeloma cells via reactive oxygen production and ER stress. <i>Biochemical and Biophysical Research Communications</i> , 2018, 505, 787-793.	2.1	4
108	Synthesis of the Non Reducing End Oligosaccharides of Glycosphingolipids from <i>Ascaris suum</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2019, 67, 143-154.	1.3	4

#	ARTICLE	IF	CITATIONS
109	Anti-trypanosomal screening of Salvadoran flora. <i>Journal of Natural Medicines</i> , 2022, 76, 259-267.	2.3	4
110	Synthetic Studies on Glycosphingolipids from Protostomia Phyla: Synthesis of Glycosphingolipid from the Marine Sponge <i>Sphaciospongia vesparia</i> and Its Analogue. <i>Heterocycles</i> , 2014, 88, 689.	0.7	4
111	4,4-Dimethyl effect. 6. The ring A conformation of 4,4-dimethyl-3-keto steroids and triterpenoid-3-ketones: Predicted and observed geometries and their chiroptical properties.. <i>Chemical and Pharmaceutical Bulletin</i> , 1984, 32, 4806-4819.	1.3	3
112	Biosynthesis of porphyrins and related macrocycles, part 43. Isolation and characterization of intermediates of coenzyme B12 biosynthesis, a cobyrinic acid triamide, the a,c-diamide and their Co-(5 ϵ^2 -deoxy-5 ϵ^2 -adenosyl) derivatives, from <i>Propionibacterium shermanii</i> . <i>Chemistry and Biology</i> , 1995, 2, 527-532.	6.0	3
113	Synthesis of Some Substituted Adamantane-2,4-diones from 4, 4-disubstituted Cyclohexanone Enamines and Methacryloyl Chloride. <i>Journal of Chemical Research</i> , 2005, 2005, 293-298.	1.3	3
114	Circular Dichroism in a Chiral Amide Possessing an Achiral Binaphthyl Chromophore. <i>Letters in Organic Chemistry</i> , 2006, 3, 58-61.	0.5	3
115	Synthesis of Model Compounds Related to Linear $\hat{1}^2$ -D-(1 $\hat{1}$ '6)-Galactosyl Side-Chains of Polysaccharides from <i>Astragalus mongholicus</i> Bunge. <i>Heterocycles</i> , 2015, 90, 563.	0.7	2
116	Synthesis of Methylophiopogonanone A. <i>Heterocycles</i> , 2020, 100, 803.	0.7	2
117	Synthesis of the Carbohydrate Moiety of Glycoproteins from the Parasite <i>Echinococcus granulosus</i> and Their Antigenicity against Human Sera. <i>Molecules</i> , 2021, 26, 5652.	3.8	1
118	Biologically Active Constituents of Natural Medicines "A Mixture Can Do More". <i>Yakugaku Zasshi</i> , 2022, 142, 629-639.	0.2	1
119	Preparation of menisdaurigenin and related compounds. <i>Journal of Natural Medicines</i> , 2019, 73, 236-243.	2.3	0
120	Oxidation of methylophiopogonanone A on the surface of TLC plate. <i>Journal of Natural Medicines</i> , 2022, 76, 504.	2.3	0