

# Christina Andica

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6864438/publications.pdf>

Version: 2024-02-01

64  
papers

1,649  
citations

279487

23  
h-index

344852

36  
g-index

65  
all docs

65  
docs citations

65  
times ranked

1679  
citing authors

#	ARTICLE	IF	CITATIONS
1	Multiple sclerosis plaques may undergo continuous myelin degradation: a cross-sectional study with myelin and axon-related quantitative magnetic resonance imaging metrics. <i>Neuroradiology</i> , 2022, 64, 465-471.	1.1	4
2	An Investigation of Water Diffusivity Changes along the Perivascular Space in Elderly Subjects with Hypertension. <i>American Journal of Neuroradiology</i> , 2022, 43, 48-55.	1.2	28
3	White matter microstructures in Parkinson's disease with and without impulse control behaviors. <i>Annals of Clinical and Translational Neurology</i> , 2022, , .	1.7	6
4	Advanced Diffusion MR Imaging for Multiple Sclerosis in the Brain and Spinal Cord. <i>Magnetic Resonance in Medical Sciences</i> , 2022, 21, 58-70.	1.1	9
5	Multimodal magnetic resonance imaging quantification of gray matter alterations in relapsingâ€remitting multiple sclerosis and neuromyelitis optica spectrum disorder. <i>Journal of Neuroscience Research</i> , 2022, 100, 1395-1412.	1.3	3
6	Microstructural white matter abnormalities in multiple sclerosis and neuromyelitis optica spectrum disorders: Evaluation by advanced diffusion imaging. <i>Journal of the Neurological Sciences</i> , 2022, 436, 120205.	0.3	12
7	White matter fiber-specific degeneration in older adults with metabolic syndrome. <i>Molecular Metabolism</i> , 2022, 62, 101527.	3.0	7
8	Parkinsonâ€™s disease: deep learning with a parameter-weighted structural connectome matrix for diagnosis and neural circuit disorder investigation. <i>Neuroradiology</i> , 2021, 63, 1451-1462.	1.1	22
9	Possible Neuroprotective Effects of L-Carnitine on White-Matter Microstructural Damage and Cognitive Decline in Hemodialysis Patients. <i>Nutrients</i> , 2021, 13, 1292.	1.7	4
10	Effect of hybrid of compressed sensing and parallel imaging on the quantitative values measured by 3D quantitative synthetic MRI: A phantom study. <i>Magnetic Resonance Imaging</i> , 2021, 78, 90-97.	1.0	6
11	Differentiation between multiple sclerosis and neuromyelitis optica spectrum disorders by multiparametric quantitative MRI using convolutional neural network. <i>Journal of Clinical Neuroscience</i> , 2021, 87, 55-58.	0.8	8
12	Diffusion Magnetic Resonance Imaging-Based Biomarkers for Neurodegenerative Diseases. <i>International Journal of Molecular Sciences</i> , 2021, 22, 5216.	1.8	39
13	Neurite orientation dispersion and density imaging reveals white matter microstructural alterations in adults with autism. <i>Molecular Autism</i> , 2021, 12, 48.	2.6	17
14	Fiber-specific white matter alterations in early-stage tremor-dominant Parkinsonâ€™s disease. <i>Npj Parkinson's Disease</i> , 2021, 7, 51.	2.5	9
15	Connectome analysis of male worldâ€class gymnasts using probabilistic multishell, multitissue constrained spherical deconvolution tracking. <i>Journal of Neuroscience Research</i> , 2021, 99, 2558-2572.	1.3	1
16	Diffusion MRI Captures White Matter Microstructure Alterations in PRKN Disease. <i>Journal of Parkinson's Disease</i> , 2021, 11, 1221-1235.	1.5	1
17	White matter alterations in Parkinson's disease with levodopa-induced dyskinesia. <i>Parkinsonism and Related Disorders</i> , 2021, 90, 8-14.	1.1	9
18	3D Quantitative Synthetic MRI in the Evaluation of Multiple Sclerosis Lesions. <i>American Journal of Neuroradiology</i> , 2021, 42, 471-478.	1.2	16

#	ARTICLE	IF	CITATIONS
19	Age-Related Changes in Relaxation Times, Proton Density, Myelin, and Tissue Volumes in Adult Brain Analyzed by 2-Dimensional Quantitative Synthetic Magnetic Resonance Imaging. <i>Investigative Radiology</i> , 2021, 56, 163-172.	3.5	30
20	White matter and nigral alterations in multiple system atrophy-parkinsonian type. <i>Npj Parkinson's Disease</i> , 2021, 7, 96.	2.5	10
21	Accelerated Isotropic Multiparametric Imaging by High Spatial Resolution 3D-QALAS With Compressed Sensing. <i>Investigative Radiology</i> , 2021, 56, 292-300.	3.5	23
22	Ventricular volumetry and free-water corrected diffusion tensor imaging of the anterior thalamic radiation in idiopathic normal pressure hydrocephalus. <i>Journal of Neuroradiology</i> , 2020, 47, 312-317.	0.6	10
23	Scanâ€rescan and inter-vendor reproducibility of neurite orientation dispersion and density imaging metrics. <i>Neuroradiology</i> , 2020, 62, 483-494.	1.1	26
24	MR Biomarkers of Degenerative Brain Disorders Derived From Diffusion Imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2020, 52, 1620-1636.	1.9	75
25	Brain White-Matter Degeneration Due to Aging and Parkinson Disease as Revealed by Double Diffusion Encoding. <i>Frontiers in Neuroscience</i> , 2020, 14, 584510.	1.4	18
26	Regional brain gray matter volume in world-class artistic gymnasts. <i>Journal of Physiological Sciences</i> , 2020, 70, 43.	0.9	5
27	Deep Learning Approach for Generating MRA Images From 3D Quantitative Synthetic MRI Without Additional Scans. <i>Investigative Radiology</i> , 2020, 55, 249-256.	3.5	34
28	Differentiation of high-grade and low-grade intra-axial brain tumors by time-dependent diffusion MRI. <i>Magnetic Resonance Imaging</i> , 2020, 72, 34-41.	1.0	22
29	Neurocognitive and psychiatric disordersâ€related axonal degeneration in Parkinson's disease. <i>Journal of Neuroscience Research</i> , 2020, 98, 936-949.	1.3	15
30	Myelin Measurement Using Quantitative Magnetic Resonance Imaging: A Correlation Study Comparing Various Imaging Techniques in Patients with Multiple Sclerosis. <i>Cells</i> , 2020, 9, 393.	1.8	28
31	Advanced diffusion magnetic resonance imaging in patients with Alzheimer's and Parkinson's diseases. <i>Neural Regeneration Research</i> , 2020, 15, 1590.	1.6	28
32	White Matter Myelin Changes Related to Long-term Intensive Training in Japanese World-class Gymnasts. <i>Juntendo Medical Journal</i> , 2020, 66, 21-28.	0.1	0
33	Myelin Imaging Can Be Affected by a Number of Factors. <i>American Journal of Neuroradiology</i> , 2020, 41, E43-E44.	1.2	0
34	Free-Water Imaging in White and Gray Matter in Parkinsonâ€™s Disease. <i>Cells</i> , 2019, 8, 839.	1.8	44
35	Convolutional neural network-based segmentation can help in assessing the substantia nigra in neuromelanin MRI. <i>Neuroradiology</i> , 2019, 61, 1387-1395.	1.1	36
36	Aberrant myelination in patients with Sturge-Weber syndrome analyzed using synthetic quantitative magnetic resonance imaging. <i>Neuroradiology</i> , 2019, 61, 1055-1066.	1.1	17

#	ARTICLE	IF	CITATIONS
37	Three-dimensional high-resolution simultaneous quantitative mapping of the whole brain with 3D-QALAS: An accuracy and repeatability study. <i>Magnetic Resonance Imaging</i> , 2019, 63, 235-243.	1.0	46
38	White Matter Abnormalities in Multiple Sclerosis Evaluated by Quantitative Synthetic MRI, Diffusion Tensor Imaging, and Neurite Orientation Dispersion and Density Imaging. <i>American Journal of Neuroradiology</i> , 2019, 40, 1642-1648.	1.2	33
39	MR g-ratio-weighted connectome analysis in patients with multiple sclerosis. <i>Scientific Reports</i> , 2019, 9, 13522.	1.6	27
40	Improving the Quality of Synthetic FLAIR Images with Deep Learning Using a Conditional Generative Adversarial Network for Pixel-by-Pixel Image Translation. <i>American Journal of Neuroradiology</i> , 2019, 40, 224-230.	1.2	59
41	Brain tissue and myelin volumetric analysis in multiple sclerosis at 3T MRI with various in-plane resolutions using synthetic MRI. <i>Neuroradiology</i> , 2019, 61, 1219-1227.	1.1	21
42	Comparison of magnetization transfer contrast of conventional and simultaneous multislice turbo spin echo acquisitions focusing on excitation time interval. <i>Japanese Journal of Radiology</i> , 2019, 37, 579-589.	1.0	1
43	White matter alterations in adult with autism spectrum disorder evaluated using diffusion kurtosis imaging. <i>Neuroradiology</i> , 2019, 61, 1343-1353.	1.1	13
44	Gray Matter Alterations in Early and Late Relapsing-Remitting Multiple Sclerosis Evaluated with Synthetic Quantitative Magnetic Resonance Imaging. <i>Scientific Reports</i> , 2019, 9, 8147.	1.6	16
45	3D quantitative synthetic MRI-derived cortical thickness and subcortical brain volumes: Scan-to-scan repeatability and comparison with conventional T <sub>1</sub> -weighted images. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 50, 1834-1842.	1.9	37
46	Review of synthetic MRI in pediatric brains: Basic principle of MR quantification, its features, clinical applications, and limitations. <i>Journal of Neuroradiology</i> , 2019, 46, 268-275.	0.6	39
47	Linearity, Bias, Intrascanner Repeatability, and Interscanner Reproducibility of Quantitative Multidynamic Multiecho Sequence for Rapid Simultaneous Relaxometry at 3 T. <i>Investigative Radiology</i> , 2019, 54, 39-47.	3.5	79
48	Choroid plexus cysts analyzed using diffusion-weighted imaging with short diffusion-time. <i>Magnetic Resonance Imaging</i> , 2019, 57, 323-327.	1.0	16
49	Effect of Gadolinium on the Estimation of Myelin and Brain Tissue Volumes Based on Quantitative Synthetic MRI. <i>American Journal of Neuroradiology</i> , 2019, 40, 231-237.	1.2	9
50	Changes in the ADC of diffusion-weighted MRI with the oscillating gradient spin-echo (OGSE) sequence due to differences in substrate viscosities. <i>Japanese Journal of Radiology</i> , 2018, 36, 415-420.	1.0	13
51	Neurite orientation dispersion and density imaging of the nigrostriatal pathway in Parkinson's disease: Retrograde degeneration observed by tract-profile analysis. <i>Parkinsonism and Related Disorders</i> , 2018, 51, 55-60.	1.1	47
52	Spatial Restriction within Intracranial Epidermoid Cysts Observed Using Short Diffusion-time Diffusion-weighted Imaging. <i>Magnetic Resonance in Medical Sciences</i> , 2018, 17, 269-272.	1.1	24
53	The Advantage of Synthetic MRI for the Visualization of Anterior Temporal Pole Lesions on Double Inversion Recovery (DIR), Phase-sensitive Inversion Recovery (PSIR), and Myelin Images in a Patient with CADASIL. <i>Magnetic Resonance in Medical Sciences</i> , 2018, 17, 275-276.	1.1	24
54	Myelin Measurement: Comparison Between Simultaneous Tissue Relaxometry, Magnetization Transfer Saturation Index, and T <sub>1w</sub> /T <sub>2w</sub> Ratio Methods. <i>Scientific Reports</i> , 2018, 8, 10554.	1.6	91

#	ARTICLE	IF	CITATIONS
55	Reduced visualization of cerebral infarction on diffusion-weighted images with short diffusion times. <i>Neuroradiology</i> , 2018, 60, 979-982.	1.1	13
56	Synthetic MRI in the Detection of Multiple Sclerosis Plaques. <i>American Journal of Neuroradiology</i> , 2017, 38, 257-263.	1.2	74
57	SyMRI of the Brain. <i>Investigative Radiology</i> , 2017, 52, 647-657.	3.5	154
58	Analysis of White Matter Damage in Patients with Multiple Sclerosis via a Novel In Vivo MR Method for Measuring Myelin, Axons, and G-Ratio. <i>American Journal of Neuroradiology</i> , 2017, 38, 1934-1940.	1.2	43
59	Synthetic MRI showed increased myelin partial volume in the white matter of a patient with Sturge-Weber syndrome. <i>Neuroradiology</i> , 2017, 59, 1065-1066.	1.1	7
60	Utility of a Multiparametric Quantitative MRI Model That Assesses Myelin and Edema for Evaluating Plaques, Periplaque White Matter, and Normal-Appearing White Matter in Patients with Multiple Sclerosis: A Feasibility Study. <i>American Journal of Neuroradiology</i> , 2017, 38, 237-242.	1.2	51
61	Synthetic MR Imaging in the Diagnosis of Bacterial Meningitis. <i>Magnetic Resonance in Medical Sciences</i> , 2017, 16, 91-92.	1.1	23
62	Dural Enhancement in a Patient with Sturge-Weber Syndrome Revealed by Double Inversion Recovery Contrast Using Synthetic MRI. <i>Magnetic Resonance in Medical Sciences</i> , 2016, 15, 151-152.	1.1	24
63	The Advantage of Synthetic MRI for the Visualization of Early White Matter Change in an Infant with Sturge-Weber Syndrome. <i>Magnetic Resonance in Medical Sciences</i> , 2016, 15, 347-348.	1.1	28
64	A strategy to optimize radiation exposure for non-contrast head CT: comparison with the Japanese diagnostic reference levels. <i>Japanese Journal of Radiology</i> , 2016, 34, 451-457.	1.0	7