

Mikhail Baranov

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6864468/mikhail-baranov-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

99
papers

1,255
citations

18
h-index

32
g-index

124
ext. papers

1,673
ext. citations

4.8
avg. IF

4.44
L-index

#	Paper	IF	Citations
99	Towards a generic prototyping approach for therapeutically-relevant peptides and proteins in a cell-free translation system.. <i>Nature Communications</i> , 2022 , 13, 260	17.4	1
98	Environment-sensitive fluorogens based on a GFP chromophore structural motif. <i>Dyes and Pigments</i> , 2022 , 198, 110033	4.6	1
97	Nucleophilic ring opening of imidazolone activated donor-acceptor cyclopropanes with alcohols. <i>Mendeleev Communications</i> , 2021 , 31, 657-658	1.9	0
96	Computational redesign of a fluorogen activating protein with Rosetta. <i>PLoS Computational Biology</i> , 2021 , 17, e1009555	5	
95	Total Synthesis of Elmenols A and B and Related Rearranged Angucyclinones. <i>ChemistrySelect</i> , 2021 , 6, 11775-11778	1.8	0
94	Snake Toxins Labeled by Green Fluorescent Protein or Its Synthetic Chromophore are New Probes for Nicotinic acetylcholine Receptors.. <i>Frontiers in Molecular Biosciences</i> , 2021 , 8, 753283	5.6	
93	Developing Bright Green Fluorescent Protein (GFP)-like Fluorogens for Live-Cell Imaging with Nonpolar Protein-Chromophore Interactions. <i>Chemistry - A European Journal</i> , 2021 , 27, 8946-8950	4.8	6
92	Silver(I)-mediated base pairing in DNA involving the artificial nucleobase 7,8-dihydro-8-oxo-1,N-etheno adenine. <i>Journal of Inorganic Biochemistry</i> , 2021 , 219, 111369	4.2	2
91	Synthesis of spiro[imidazole-4,3Rquinolin]ones from [2-(dimethylamino)benzylidene]-2-(methylsulfonyl)imidazolones. <i>Chemistry of Heterocyclic Compounds</i> , 2021 , 57, 695	1.4	1
90	Color Tuning of Fluorogens for FAST Fluorogen-Activating Protein. <i>Chemistry - A European Journal</i> , 2021 , 27, 3986-3990	4.8	6
89	Shedding light on ultrafast ring-twisting pathways of halogenated GFP chromophores from the excited to ground state. <i>Physical Chemistry Chemical Physics</i> , 2021 , 23, 14636-14648	3.6	4
88	Imidazol-5-ones as a substrate for [1,5]-hydride shift triggered cyclization. <i>New Journal of Chemistry</i> , 2021 , 45, 1805-1808	3.6	3
87	NanoFAST: structure-based design of a small fluorogen-activating protein with only 98 amino acids. <i>Chemical Science</i> , 2021 , 12, 6719-6725	9.4	4
86	Phenoxazine pseudonucleotides in DNA i-motifs allow precise profiling of small molecule binders by fluorescence monitoring. <i>Analyst, The</i> , 2021 , 146, 4436-4440	5	3
85	Xanthates as Thiol Surrogates for Nucleophilic Substitution with Aryl Halides. <i>European Journal of Organic Chemistry</i> , 2021 , 2021, 4350-4357	3.2	0
84	In-depth characterization of ubiquitin turnover in mammalian cells by fluorescence tracking. <i>Cell Chemical Biology</i> , 2021 , 28, 1192-1205.e9	8.2	2
83	A Novel Dialkylamino GFP Chromophore as an Environment-Polarity Sensor Reveals the Role of Twisted Intramolecular Charge Transfer. <i>Chemosensors</i> , 2021 , 9, 234	4	3

82	Phenoxazine nucleoside derivatives with a multiple activity against RNA and DNA viruses. <i>European Journal of Medicinal Chemistry</i> , 2021 , 220, 113467	6.8	5
81	Probing GFP Chromophore Analogs as Anti-HIV Agents Targeting LTR-III G-Quadruplex. <i>Biomolecules</i> , 2021 , 11,	5.9	1
80	O-Alkylation Redirected Condensation of 5-Hydroxy-1,2-oxazine-6-ones with Primary Amines for Synthesis of 5-Hydroxyiminopyridine-2,6(1H,3H)-diones. <i>ChemistrySelect</i> , 2021 , 6, 8938-8941	1.8	0
79	Modern approaches to the synthesis of 3-(acylamino)-and 3-(carbamoylamino)benzofuran-2(3H)-ones (microreview). <i>Chemistry of Heterocyclic Compounds</i> , 2020 , 56, 1274-1276	1.4	1
78	Synthesis of 6H-1,2-oxazin-6-ones (microreview). <i>Chemistry of Heterocyclic Compounds</i> , 2020 , 56, 1280-1282		1
77	Convenient and Versatile Synthetic Protocol for Arylidene-1H-imidazol-5(4H)-ones. <i>ChemistrySelect</i> , 2020 , 5, 7000-7003	1.8	1
76	Imidazol-5-one as an Acceptor in Donor-Acceptor Cyclopropanes: Cycloaddition with Aldehydes. <i>Organic Letters</i> , 2020 , 22, 2740-2745	6.2	10
75	(3+2) Cycloaddition of N-benzylazomethine methylide with 4-arylidene-1H-imidazol-5(4H)-ones. <i>Chemistry of Heterocyclic Compounds</i> , 2020 , 56, 108-111	1.4	1
74	Synthesis of 2-arylideneimidazo[1,2-a]pyrazine-3,6,8(2H,5H,7H)-triones as a result of oxidation of 4-arylidene-2-methyl-1H-imidazol-5(4H)-ones with selenium dioxide. <i>Chemistry of Heterocyclic Compounds</i> , 2020 , 56, 116-119	1.4	3
73	Ultrafast excited-state proton transfer dynamics in dihalogenated non-fluorescent and fluorescent GFP chromophores. <i>Journal of Chemical Physics</i> , 2020 , 152, 021101	3.9	10
72	Design of red-shifted and environment-sensitive fluorogens based on GFP chromophore core. <i>Dyes and Pigments</i> , 2020 , 177, 108258	4.6	3
71	Synthesis of methylsulfanyl analogs of Kaede protein chromophore. <i>Chemistry of Heterocyclic Compounds</i> , 2020 , 56, 399-402	1.4	
70	Live-cell nanoscopy with spontaneous blinking of conventional green fluorescent proteins. <i>Biochemical and Biophysical Research Communications</i> , 2020 , 522, 852-854	3.4	6
69	Phenoxazine-based scaffold for designing G4-interacting agents. <i>Organic and Biomolecular Chemistry</i> , 2020 , 18, 6147-6154	3.9	4
68	A General Mechanism of Green-to-Red Photoconversions of GFP. <i>Frontiers in Molecular Biosciences</i> , 2020 , 7, 176	5.6	2
67	Synthesis of 5-(aminomethylidene)imidazol-4-ones by using N,N-dialkylformamide acetals. <i>Chemistry of Heterocyclic Compounds</i> , 2020 , 56, 1097-1099	1.4	2
66	Imidazolone-activated donor-acceptor cyclopropanes with a peripheral stereocenter. A study on stereoselectivity of cycloaddition with aldehydes. <i>Chemistry of Heterocyclic Compounds</i> , 2020 , 56, 1092-1096	1.4	3
65	Structure-Based Rational Design of Two Enhanced Bacterial Lipocalin Tags for Protein-PAINT Super-resolution Microscopy. <i>ACS Chemical Biology</i> , 2020 , 15, 2456-2465	4.9	5

64	Antiviral activity spectrum of phenoxazine nucleoside derivatives. <i>Antiviral Research</i> , 2019 , 163, 117-124	10.8	8
63	Designing redder and brighter fluorophores by synergistic tuning of ground and excited states. <i>Chemical Communications</i> , 2019 , 55, 2537-2540	5.8	27
62	Red-Shifted Substrates for FAST Fluorogen-Activating Protein Based on the GFP-Like Chromophores. <i>Chemistry - A European Journal</i> , 2019 , 25, 9592-9596	4.8	23
61	Pyridine analogue of fluorescent protein chromophore: Fluorogenic dye suitable for mitochondria staining. <i>Dyes and Pigments</i> , 2019 , 170, 107550	4.6	9
60	Benzothiazole-based cyanines as fluorescent "light-up" probes for duplex and quadruplex DNA. <i>Biochimie</i> , 2019 , 162, 216-228	4.6	10
59	Oligonucleotide Primers with G-Clamp Modifications for RT-qPCR Detection of the Low-Copy dsRNA. <i>Methods in Molecular Biology</i> , 2019 , 1973, 281-297	1.4	1
58	DNA -Motifs With Guanidino-Clamp Residues: The Counterplay Between Kinetics and Thermodynamics and Implications for the Design of pH Sensors. <i>Computational and Structural Biotechnology Journal</i> , 2019 , 17, 527-536	6.8	2
57	Photoinduced Proton Transfer of GFP-Inspired Fluorescent Superphotoacids: Principles and Design. <i>Journal of Physical Chemistry B</i> , 2019 , 123, 3804-3821	3.4	22
56	Naphthalene derivatives of a conformationally locked GFP chromophore with large stokes shifts. <i>Tetrahedron Letters</i> , 2019 , 60, 150963	2	1
55	Synthesis of spirocyclic pyrrolidines from cyclopentylideneacetic acid derivatives. <i>Chemistry of Heterocyclic Compounds</i> , 2019 , 55, 676-678	1.4	
54	Silver(I)-mediated base pairing in parallel-stranded DNA involving the luminescent cytosine analog 1,3-diaza-2-oxophenoxazine. <i>Journal of Biological Inorganic Chemistry</i> , 2019 , 24, 693-702	3.7	9
53	Nitroacetic Esters in the Regioselective Synthesis of Isoxazole-3,5-dicarboxylic Acid Derivatives. <i>Journal of Organic Chemistry</i> , 2019 , 84, 15417-15428	4.2	5
52	Evaluation of the role that photoacid excited-state acidity has on photovoltage and photocurrent of dye-sensitized ion-exchange membranes 2019 ,		1
51	Excited-state locked amino analogues of the green fluorescent protein chromophore with a giant Stokes shift.. <i>RSC Advances</i> , 2019 , 9, 38730-38734	3.7	3
50	Red fluorescent redox-sensitive biosensor Grx1-roCherry. <i>Redox Biology</i> , 2019 , 21, 101071	11.3	18
49	Enamine-azide [2+3]-cycloaddition as a method to introduce functional groups into fluorescent dyes. <i>Tetrahedron Letters</i> , 2019 , 60, 456-459	2	3
48	Homophthalonitrile for Multicomponent Reactions: Syntheses and Optical Properties of -Cyanophenyl- or Indol-3-yl-Substituted Chromeno[2,3-]isoquinolin-5-Amines. <i>ChemistryOpen</i> , 2019 , 8, 23-30	2.3	4
47	i-Clamp phenoxazine for the fine tuning of DNA i-motif stability. <i>Nucleic Acids Research</i> , 2018 , 46, 2751-2764	7.6	18

46	A water-soluble precursor for efficient silica polymerization by silicateins. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 495, 2066-2070	3.4	3
45	Pyridinium Analogues of Green Fluorescent Protein Chromophore: Fluorogenic Dyes with Large Solvent-Dependent Stokes Shift. <i>Journal of Physical Chemistry Letters</i> , 2018 , 9, 1958-1963	6.4	25
44	Separation of the 5- and 6-Carboxy Regioisomers of ROX and JOE Dyes with Examples of N-(3-Azidopropyl)amide Synthesis. <i>SynOpen</i> , 2018 , 02, 0240-0245	0.7	2
43	Derivatives of Azidocinnamic Acid in the Synthesis of 2-Amino-4-Arylidene-1H-Imidazol-5(4H)-Ones. <i>Chemistry of Heterocyclic Compounds</i> , 2018 , 54, 625-629	1.4	3
42	Azidoacetic Acid Amides in the Synthesis of Substituted Arylidene-1-H-imidazol-5-(4H)-ones. <i>ChemistrySelect</i> , 2018 , 3, 8593-8596	1.8	7
41	Efficient silica synthesis from tetra(glycerol)orthosilicate with cathepsin- and silicatein-like proteins. <i>Scientific Reports</i> , 2018 , 8, 16759	4.9	4
40	Red-Shifted Aminated Derivatives of GFP Chromophore for Live-Cell Protein Labeling with Lipocalins. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	9
39	An effective method for the synthesis of 1,5-disubstituted 4-halo-1H-1,2,3-triazoles from magnesium acetylides. <i>Chemistry of Heterocyclic Compounds</i> , 2018 , 54, 755-757	1.4	3
38	Mechanism and color modulation of fungal bioluminescence. <i>Science Advances</i> , 2017 , 3, e1602847	14.3	56
37	Yellow and Orange Fluorescent Proteins with Tryptophan-based Chromophores. <i>ACS Chemical Biology</i> , 2017 , 12, 1867-1873	4.9	6
36	Synthesis of oligonucleotides containing novel G-clamp analogue with C8-tethered group in phenoxazine ring: Implication to qPCR detection of the low-copy Kemerovo virus dsRNA. <i>Bioorganic and Medicinal Chemistry</i> , 2017 , 25, 3597-3605	3.4	6
35	Synthesis of 2-arylidene-6,7-dihydroimidazo[1,2-a]pyrazine-3,8(2H,5H)-diones by oxidation of 4-arylidene-2-methyl-1H-imidazol-5(4H)-ones with selenium dioxide. <i>Chemistry of Heterocyclic Compounds</i> , 2017 , 53, 930-933	1.4	2
34	A key enzyme of animal steroidogenesis can function in plants enhancing their immunity and accelerating the processes of growth and development. <i>BMC Plant Biology</i> , 2017 , 17, 189	5.3	6
33	The Sonogashira reaction as a new method for the modification of borated analogues of the green fluorescence protein chromophore. <i>Russian Journal of Bioorganic Chemistry</i> , 2017 , 43, 612-615	1	1
32	The Role of N-Substituents in Radiationless Deactivation of Aminated Derivatives of a Locked GFP Chromophore. <i>European Journal of Organic Chemistry</i> , 2017 , 2017, 5219-5224	3.2	10
31	Protein labeling for live cell fluorescence microscopy with a highly photostable renewable signal. <i>Chemical Science</i> , 2017 , 8, 7138-7142	9.4	50
30	Unveiling Structural Motions of a Highly Fluorescent Superphotoacid by Locking and Fluorinating the GFP Chromophore in Solution. <i>Journal of Physical Chemistry Letters</i> , 2017 , 8, 5921-5928	6.4	34
29	Synthesis of Panal Terpenoid Core. <i>Synlett</i> , 2017 , 28, 583-588	2.2	

28	Conformationally locked chromophores of CFP and Sirius protein. <i>Tetrahedron Letters</i> , 2016 , 57, 3043-3045		8
27	Docking-guided identification of protein hosts for GFP chromophore-like ligands. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 3036-3040	7.1	26
26	Nambiscalarane, a novel sesterterpenoid comprising a furan ring, and other secondary metabolites from bioluminescent fungus <i>Neonothopanus nambi</i> . <i>Mendeleev Communications</i> , 2016 , 26, 191-192	1.9	4
25	Local fitness landscape of the green fluorescent protein. <i>Nature</i> , 2016 , 533, 397-401	50.4	232
24	pH-Sensitive fluorophores from locked GFP chromophores by a non-alternant analogue of the photochemical meta effect. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 26703-26711	3.6	9
23	Synthesis and properties of 5-methylidene-3,5-dihydro-4H-imidazol-4-ones (microreview). <i>Chemistry of Heterocyclic Compounds</i> , 2016 , 52, 444-446	1.4	14
22	Conformationally locked GFP chromophore derivatives as potential fluorescent sensors. <i>Russian Journal of Bioorganic Chemistry</i> , 2016 , 42, 453-456	1	4
21	Novel mechanism of bioluminescence: oxidative decarboxylation of a moiety adjacent to the light emitter of <i>Fridericia luciferin</i> . <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 7065-7	16.4	21
20	Total synthesis of AsLn2 λ luciferin analogue from the Siberian bioluminescent earthworm <i>Fridericia heliota</i> . <i>Mendeleev Communications</i> , 2015 , 25, 99-100	1.9	4
19	Titelbild: The Chemical Basis of Fungal Bioluminescence (Angew. Chem. 28/2015). <i>Angewandte Chemie</i> , 2015 , 127, 8113-8113	3.6	
18	The Chemical Basis of Fungal Bioluminescence. <i>Angewandte Chemie</i> , 2015 , 127, 8242-8246	3.6	7
17	Novel Mechanism of Bioluminescence: Oxidative Decarboxylation of a Moiety Adjacent to the Light Emitter of <i>Fridericia Luciferin</i> . <i>Angewandte Chemie</i> , 2015 , 127, 7171-7173	3.6	2
16	Bioinspired Fluorescent Dyes Based on a Conformationally Locked Chromophore of the Fluorescent Protein Kaede. <i>European Journal of Organic Chemistry</i> , 2015 , 2015, 5716-5721	3.2	27
15	The Chemical Basis of Fungal Bioluminescence. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 8124-8128	16.4	66
14	Reversible condensation of 4-arylidene-1,2-dimethyl-1H-imidazol-5(4H)-ones with aromatic acyl chlorides. <i>Chemistry of Heterocyclic Compounds</i> , 2015 , 51, 944-947	1.4	1
13	Novel peptide chemistry in terrestrial animals: natural luciferin analogues from the bioluminescent earthworm <i>Fridericia heliota</i> . <i>Chemistry - A European Journal</i> , 2015 , 21, 3942-7	4.8	7
12	A novel type of luciferin from the Siberian luminous earthworm <i>Fridericia heliota</i> : structure elucidation by spectral studies and total synthesis. <i>Angewandte Chemie - International Edition</i> , 2014 , 53, 5566-8	16.4	33
11	Red-shifted fluorescent aminated derivatives of a conformationally locked GFP chromophore. <i>Chemistry - A European Journal</i> , 2014 , 20, 13234-41	4.8	56

10	A Novel Type of Luciferin from the Siberian Luminous Earthworm <i>Fridericia heliota</i> : Structure Elucidation by Spectral Studies and Total Synthesis. <i>Angewandte Chemie</i> , 2014 , 126, 5672-5674	3.6	6
9	Ring-expanding rearrangement of 2-acyl-5-arylidene-3,5-dihydro-4H-imidazol-4-ones in synthesis of flutimide analogs. <i>Tetrahedron</i> , 2014 , 70, 3714-3719	2.4	4
8	Chemical introduction of the green fluorescence: imaging of cysteine cathepsins by an irreversibly locked GFP fluorophore. <i>Organic and Biomolecular Chemistry</i> , 2013 , 11, 5913-21	3.9	26
7	Novel condensations of nitroacetic esters with aromatic aldehydes leading to 5-hydroxy-1,2-oxazin-6-ones. <i>Tetrahedron Letters</i> , 2013 , 54, 628-629	2	8
6	Efficient Synthetic Approach to Fluorescent Oxazole-4-carboxylate Derivatives. <i>Synthetic Communications</i> , 2013 , 43, 2337-2342	1.7	7
5	A synthetic approach to GFP chromophore analogs from 3-azidocinnamates. Role of methyl rotors in chromophore photophysics. <i>Chemical Communications</i> , 2013 , 49, 5778-80	5.8	24
4	Unusual transformations of anthranilic acid imidazolides. <i>Chemistry of Heterocyclic Compounds</i> , 2012 , 48, 1108-1110	1.4	0
3	Conformationally locked chromophores as models of excited-state proton transfer in fluorescent proteins. <i>Journal of the American Chemical Society</i> , 2012 , 134, 6025-32	16.4	136
2	Copper-Catalyzed [1,3]-Dipolar Cycloaddition for the Synthesis of Macrocycles Containing Acyclic, Aromatic and Steroidal Moieties. <i>Synthesis</i> , 2009 , 2009, 2605-2615	2.9	7
1	NanoFAST: Structure-based design of a small fluorogen-activating protein with only 98 amino acids		1