
Eric Hamrin Senorski

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6864597/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Graft Diameter as a Predictor for Revision Anterior Cruciate Ligament Reconstruction and KOOS and EQ-5D Values: A Cohort Study From the Swedish National Knee Ligament Register Based on 2240 Patients. American Journal of Sports Medicine, 2017, 45, 2092-2097.	1.9	118
2	Increased risk of ACL revision with non-surgical treatment of a concomitant medial collateral ligament injury: a study on 19,457 patients from the Swedish National Knee Ligament Registry. Knee Surgery, Sports Traumatology, Arthroscopy, 2019, 27, 2450-2459.	2.3	97
3	Young Athletes Who Return to Sport Before 9 Months After Anterior Cruciate Ligament Reconstruction Have a Rate of New Injury 7 Times That of Those Who Delay Return. Journal of Orthopaedic and Sports Physical Therapy, 2020, 50, 83-90.	1.7	96
4	Return to knee-strenuous sport after anterior cruciate ligament reconstruction: a report from a rehabilitation outcome registry of patient characteristics. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 1364-1374.	2.3	77
5	Young athletes return too early to knee-strenuous sport, without acceptable knee function after anterior cruciate ligament reconstruction. Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 1966-1974.	2.3	73
6	The mechanism of hamstring injuries – a systematic review. BMC Musculoskeletal Disorders, 2020, 21, 641.	0.8	62
7	Treatment after anterior cruciate ligament injury: Panther Symposium ACL Treatment Consensus Group. Knee Surgery, Sports Traumatology, Arthroscopy, 2020, 28, 2390-2402.	2.3	62
8	Graft Diameter and Graft Type as Predictors of Anterior Cruciate Ligament Revision. Journal of Bone and Joint Surgery - Series A, 2019, 101, 1812-1820.	1.4	58
9	Double-bundle anterior cruciate ligament reconstruction is superior to single-bundle reconstruction in terms of revision frequency: a study of 22,460 patients from the Swedish National Knee Ligament Register. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 3884-3891.	2.3	57
10	Young age and high BMI are predictors of early revision surgery after primary anterior cruciate ligament reconstruction: a cohort study from the Swedish and Norwegian knee ligament registries based on 30,747 patients. Knee Surgery, Sports Traumatology, Arthroscopy, 2019, 27, 3583-3591.	2.3	54
11	Return to sport after anterior cruciate ligament injury: Panther Symposium ACL Injury Return to Sport Consensus Group. Knee Surgery, Sports Traumatology, Arthroscopy, 2020, 28, 2403-2414.	2.3	53
12	Treatment after ACL injury: Panther Symposium ACL Treatment Consensus Group. British Journal of Sports Medicine, 2021, 55, 14-22.	3.1	50
13	Factors that affect patient reported outcome after anterior cruciate ligament reconstruction–a systematic review of the Scandinavian knee ligament registers. British Journal of Sports Medicine, 2019, 53, 410-417.	3.1	47
14	Clinical outcomes after anterior cruciate ligament injury: panther symposium ACL injuryÂclinical outcomes consensus group. Knee Surgery, Sports Traumatology, Arthroscopy, 2020, 28, 2415-2434.	2.3	47
15	Medial collateral ligament injuries of the knee in male professional football players: a prospective three-season study of 130 cases from the UEFA Elite Club Injury Study. Knee Surgery, Sports Traumatology, Arthroscopy, 2019, 27, 3692-3698.	2.3	45
16	Generalised joint hypermobility increases ACL injury risk and is associated with inferior outcome after ACL reconstruction: a systematic review. BMJ Open Sport and Exercise Medicine, 2019, 5, e000620.	1.4	45
17	Low 1-Year Return-to-Sport Rate After Anterior Cruciate Ligament Reconstruction Regardless of Patient and Surgical Factors: A Prospective Cohort Study of 272 Patients. American Journal of Sports Medicine, 2018, 46, 1551-1558.	1.9	44
18	Return to Sport After Anterior Cruciate Ligament Injury: Panther Symposium ACL Injury Return to Sport Consensus Group. Orthopaedic Journal of Sports Medicine, 2020, 8, 232596712093082.	0.8	43

#	Article	IF	CITATIONS
19	How Is Psychological Outcome Related to Knee Function and Return to Sport Among Adolescent Athletes After Anterior Cruciate Ligament Reconstruction?. American Journal of Sports Medicine, 2019, 47, 1567-1575.	1.9	39
20	Evolving evidence in the treatment of primary and recurrent posterior cruciate ligament injuries, part 2: surgical techniques, outcomes and rehabilitation. Knee Surgery, Sports Traumatology, Arthroscopy, 2021, 29, 682-693.	2.3	37
21	Adolescents and female patients are at increased risk for contralateral anterior cruciate ligament reconstruction: a cohort study from the Swedish National Knee Ligament Register based on 17,682 patients. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 3938-3944.	2.3	34
22	Evolving evidence in the treatment of primary and recurrent posterior cruciate ligament injuries, part 1: anatomy, biomechanics and diagnostics. Knee Surgery, Sports Traumatology, Arthroscopy, 2021, 29, 672-681.	2.3	34
23	Meniscal repair results in inferior short-term outcomes compared with meniscal resection: a cohort study of 6398 patients with primary anterior cruciate ligament reconstruction. Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 2251-2258.	2.3	33
24	Factors associated with additional anterior cruciate ligament reconstruction and register comparison: a systematic review on the Scandinavian knee ligament registers. British Journal of Sports Medicine, 2019, 53, 418-425.	3.1	27
25	Increased Postoperative Manual Knee Laxity at 2 Years Results in Inferior Long-term Subjective Outcome After Anterior Cruciate Ligament Reconstruction. American Journal of Sports Medicine, 2018, 46, 2632-2645.	1.9	26
26	Greater Psychological Readiness to Return to Sport, as Well as Greater Present and Future Knee-Related Self-Efficacy, Can Increase the Risk for an Anterior Cruciate Ligament Re-Rupture: A Matched CohortÂStudy. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2022, 38, 1267-1276.e1.	1.3	25
27	"l never made it to the pros…―Return to sport and becoming an elite athlete after pediatric and adolescent anterior cruciate ligament injury—Current evidence and future directions. Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 1011-1018.	2.3	22
28	Graft Fixation and Timing of Surgery Are Predictors of Early Anterior Cruciate Ligament Revision. JBJS Open Access, 2019, 4, e0037.	0.8	22
29	Factors Affecting the Achievement of a Patient-Acceptable Symptom State 1 Year After Anterior Cruciate Ligament Reconstruction: A Cohort Study of 343 Patients From 2 Registries. Orthopaedic Journal of Sports Medicine, 2018, 6, 232596711876431.	0.8	21
30	Five-Year Outcomes After Arthroscopic Surgery for Femoroacetabular Impingement Syndrome in Elite Athletes. American Journal of Sports Medicine, 2020, 48, 1416-1422.	1.9	21
31	Superior Outcome of Early ACL Reconstruction versus Initial Non-reconstructive Treatment With Late Crossover to Surgery: A Study From the Swedish National Knee Ligament Registry. American Journal of Sports Medicine, 2022, 50, 896-903.	1.9	21
32	Concomitant injuries may not reduce the likelihood of achieving symmetrical muscle function oneÂyear after anterior cruciate ligament reconstruction: a prospective observational study based on 263 patients. Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 2966-2977.	2.3	20
33	Strength in numbers? The fragility index of studies from the Scandinavian knee ligament registries. Knee Surgery, Sports Traumatology, Arthroscopy, 2020, 28, 339-352.	2.3	19
34	Ten-Year Risk Factors for Inferior Knee Injury and Osteoarthritis Outcome Score After Anterior Cruciate Ligament Reconstruction: A Study of 874 Patients From the Swedish National Knee Ligament Register. American Journal of Sports Medicine, 2018, 46, 2851-2858.	1.9	18
35	Outcome After Anterior Cruciate Ligament Revision. Current Reviews in Musculoskeletal Medicine, 2019, 12, 397-405.	1.3	18
36	15 years of the Scandinavian knee ligament registries: lessons, limitations and likely prospects. British Journal of Sports Medicine, 2019, 53, 1259-1260.	3.1	18

#	Article	IF	CITATIONS
37	Superior knee self-efficacy and quality of life throughout the first year in patients who recover symmetrical muscle function after ACL reconstruction. Knee Surgery, Sports Traumatology, Arthroscopy, 2020, 28, 555-567.	2.3	18
38	Preoperative and Intraoperative Predictors of Long-Term Acceptable Knee Function and Osteoarthritis After Anterior Cruciate Ligament Reconstruction: An Analysis Based on 2 Randomized Controlled Trials. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2019, 35, 489-499.	1.3	16
39	Comparison of concomitant injuries and patient-reported outcome in patients that have undergone both primary and revision ACL reconstruction—a national registry study. Journal of Orthopaedic Surgery and Research, 2020, 15, 9.	0.9	16
40	Return to sport after anterior cruciate ligament injury: Panther Symposium ACL Injury Return to Sport Consensus Group. Journal of ISAKOS, 2021, 6, 138-146.	1.1	16
41	Self-Reported Symptoms of Depression and Anxiety After ACL Injury: A Systematic Review. Orthopaedic Journal of Sports Medicine, 2022, 10, 232596712110664.	0.8	16
42	Quality Assessment of Prospective Cohort Studies Evaluating Arthroscopic Treatment for Femoroacetabular Impingement Syndrome: A Systematic Review. Orthopaedic Journal of Sports Medicine, 2019, 7, 232596711983853.	0.8	15
43	Evaluation modalities for the anatomical repair of chronic ankle instability. Knee Surgery, Sports Traumatology, Arthroscopy, 2020, 28, 163-176.	2.3	15
44	Clinical Outcomes After Anterior Cruciate Ligament Injury: Panther Symposium ACL Injury Clinical Outcomes Consensus Group. Orthopaedic Journal of Sports Medicine, 2020, 8, 232596712093475.	0.8	15
45	Recovery of preoperative absolute knee extension and flexion strength after ACL reconstruction. BMC Sports Science, Medicine and Rehabilitation, 2020, 12, 77.	0.7	15
46	Anatomic Anterior Cruciate Ligament Reconstruction Using Hamstring Tendons Restores Quantitative Pivot Shift. Orthopaedic Journal of Sports Medicine, 2018, 6, 232596711881236.	0.8	14
47	No differences in subjective knee function between surgical techniques of anterior cruciate ligament reconstruction at 2-year follow-up: a cohort study from the Swedish National Knee Ligament Register. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 3945-3954.	2.3	12
48	Adolescents Have Twice the Revision Rate of Young Adults After ACL Reconstruction With Hamstring Tendon Autograft: A Study From the Swedish National Knee Ligament Registry. Orthopaedic Journal of Sports Medicine, 2021, 9, 232596712110388.	0.8	12
49	Greater proportion of patients report an acceptable symptom state after ACL reconstruction compared with non-surgical treatment: a 10-year follow-up from the Swedish National Knee Ligament Registry. British Journal of Sports Medicine, 2022, 56, 862-870.	3.1	12
50	Persistent knee flexor strength deficits identified through the NordBord eccentric test not seen with "gold standard―isokinetic concentric testing during the first year after anterior cruciate ligament reconstruction with a hamstring tendon autograft. Physical Therapy in Sport, 2022, 55, 119-124.	0.8	12
51	Increased odds of patient-reported success at 2Âyears after anterior cruciate ligament reconstruction in patients without cartilage lesions: a cohort study from the Swedish National Knee Ligament Register. Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 1086-1095.	2.3	11
52	Graft Choice for Anterior Cruciate Ligament Reconstruction With a Concomitant Non-surgically Treated Medial Collateral Ligament Injury Does Not Influence the Risk of Revision. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2020, 36, 199-211.	1.3	11
53	Surgical treatment of chronic Achilles tendon rupture results in improved gait biomechanics. Journal of Orthopaedic Surgery and Research, 2022, 17, 67.	0.9	11
54	Knee strength, hop performance and self-efficacy at 4 months are associated with symmetrical knee muscle function in young athletes 1 year after an anterior cruciate ligament reconstruction. BMJ Open Sport and Exercise Medicine, 2019, 5, e000504.	1.4	10

#	Article	IF	CITATIONS
55	Older Age Predicts Worse Function 1 Year After an Acute Achilles Tendon Rupture: A Prognostic Multicenter Study on 391 Patients. Orthopaedic Journal of Sports Medicine, 2018, 6, 232596711881390.	0.8	9
56	Hop tests and psychological PROs provide a demanding and clinician-friendly RTS assessment of patients after ACL reconstruction, a registry study. BMC Sports Science, Medicine and Rehabilitation, 2020, 12, 32.	0.7	9
57	Psychological impairments after ACL injury – Do we know what we are addressing? Experiences from sports physical therapists. Scandinavian Journal of Medicine and Science in Sports, 2021, 31, 1508-1517.	1.3	9
58	While modern medicine evolves continuously, evidence-based research methodology remains: how register studies should be interpreted and appreciated. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 2305-2308.	2.3	8
59	Patient-Reported and Quantitative Outcomes of Anatomic Anterior Cruciate Ligament Reconstruction With Hamstring Tendon Autografts. Orthopaedic Journal of Sports Medicine, 2020, 8, 232596712092615.	0.8	8
60	Experience of Intensive Care Nurses in Assessment of Postoperative Pain in Patients with Hip Fracture and Dementia. Materia Socio-medica, 2020, 32, 50.	0.3	8
61	Loss to follow-up: initial non-responders do not differ from responders in terms of 2-year outcome in a hip arthroscopy registry. Journal of Hip Preservation Surgery, 2020, 7, 281-287.	0.6	7
62	Treatment of acute Achilles tendon rupture – a multicentre, non-inferiority analysis. BMC Musculoskeletal Disorders, 2020, 21, 358.	0.8	7
63	Different injury patterns exist among patients undergoing operative treatment of isolated PCL, combined PCL/ACL, and isolated ACL injuries: a study from the Swedish National Knee Ligament Registry. Knee Surgery, Sports Traumatology, Arthroscopy, 2022, 30, 3451-3460.	2.3	7
64	No correlation between femoral tunnel orientation and clinical outcome at long-term follow-up after non-anatomic anterior cruciate ligament reconstruction. Knee Surgery, Sports Traumatology, Arthroscopy, 2019, 27, 3400-3410.	2.3	6
65	Clinical outcomes after anterior cruciate ligament injury: Panther Symposium ACL Injury Clinical Outcomes Consensus Group. Journal of ISAKOS, 2020, 5, 281-294.	1.1	6
66	Delayed and cancelled orthopaedic surgery; are there solutions to reduce the complex set of problems? A systematic literature review. International Journal of Clinical Practice, 2021, 75, e14092.	0.8	6
67	The economic cost and patient-reported outcomes of chronic Achilles tendon ruptures. Journal of Experimental Orthopaedics, 2020, 7, 60.	0.8	6
68	Patients with chronic Achilles tendon rupture have persistent limitations in patient-reported function and calf muscle function one year after surgical treatment – a case series. Journal of Experimental Orthopaedics, 2022, 9, 15.	0.8	6
69	The Knee Injury and Osteoarthritis Outcome Score: shortcomings in evaluating knee function in persons undergoing ACL reconstruction. Knee Surgery, Sports Traumatology, Arthroscopy, 2022, 30, 3594-3598.	2.3	6
70	Contralateral knee hyperextension is associated with increased anterior tibial translation and fewer meniscal injuries in the anterior cruciate ligament-injured knee. Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 3020-3028.	2.3	5
71	Epidemiological Data on LCL and PCL Injuries Over 17 Seasons in Men's Professional Soccer: The UEFA Elite Club Injury Study. Open Access Journal of Sports Medicine, 2020, Volume 11, 105-112.	0.6	5
72	Use of the World Health Organization Checklist—Swedish Health Care Professionals' Experience: A Mixed-Method Study. Journal of Perianesthesia Nursing, 2020, 35, 288-293.	0.3	5

#	Article	IF	CITATIONS
73	Experience of nurses in assessing postoperative pain in hip fracture patients suffering from dementia in nursing homes. Medicinski Glasnik, 2020, 17, 216-223.	0.3	5
74	Mapping functions in health-related quality of life: mapping from the Achilles Tendon Rupture Score to the EQ-5D. Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 3083-3088.	2.3	4
75	Treatment after anterior cruciate ligament injury: Panther Symposium ACL Treatment Consensus Group. Journal of ISAKOS, 2021, 6, 129-137.	1.1	4
76	Evaluation of outcome reporting trends for femoroacetabular impingement syndrome- a systematic review. Journal of Experimental Orthopaedics, 2021, 8, 33.	0.8	4
77	Editorial Commentary: Diagnosis and Treatment of Generalized Joint Hypermobility in Patients With Anterior Cruciate Ligament Injury. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2021, 37, 2348-2350.	1.3	4
78	Scoping Review on ACL Surgery and Registry Data. Current Reviews in Musculoskeletal Medicine, 2022, 15, 385-393.	1.3	4
79	Static anteroposterior knee laxity tests are poorly correlated to quantitative pivot shift in the ACL-deficient knee: a prospective multicentre study. Journal of ISAKOS, 2018, 3, 83-88.	1.1	3
80	Improvements After Arthroscopic Treatment for Femoroacetabular Impingement Syndrome in High-Level Ice Hockey Players: 2-Year Outcomes by Player Position. Orthopaedic Journal of Sports Medicine, 2021, 9, 232596712098168.	0.8	3
81	Unique simultaneous avulsion fracture of both the proximal and distal insertion sites of the anterior cruciate ligament. BMJ Case Reports, 2018, 2018, bcr-2017-222265.	0.2	2
82	Poor Associations Between Radiographic Tibiofemoral Osteoarthritis and Patient-Reported Outcomes at 16 Years After Anterior Cruciate Ligament Reconstruction. Orthopaedic Journal of Sports Medicine, 2020, 8, 232596712095117.	0.8	2
83	Communication and assessment of pain in hip fracture patients with dementia - experiences of healthcare professionals at an accident and emergency department in Sweden. Medicinski Glasnik, 2020, 17, 224-233.	0.3	2
84	Return to Sport for Professional and Subelite Ice Hockey Players After Arthroscopic Surgery for Femoroacetabular Impingement Syndrome. Orthopaedic Journal of Sports Medicine, 2022, 10, 232596712210899.	0.8	2
85	Generalized joint hypermobility does not influence 1-year patient satisfaction or functional outcome after ACL reconstruction. Knee Surgery, Sports Traumatology, Arthroscopy, 2022, 30, 4173-4180.	2.3	2
86	No Differences in the Improvement of Subjective Knee Function between Surgical Techniques of Single-Bundle Anterior Cruciate Ligament Reconstruction at Two Years Follow-Up - A Cohort Study from the Swedish National Knee Ligament Register. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2017, 33, e98-e99.	1.3	1
87	Understanding limitations in sport 1 year after an Achilles tendon rupture: a multicentre analysis of 285 patients. Knee Surgery, Sports Traumatology, Arthroscopy, 2020, 28, 233-244.	2.3	1
88	Disappointment and frustration, but long-term satisfaction: patient experiences undergoing treatment for a chronic Achilles tendon rupture—a qualitative study. Journal of Orthopaedic Surgery and Research, 2022, 17, 217.	0.9	1
89	Immigrant patients in brief meetings with anaesthetist nurses - experiences from perioperative meetings in the orthopaedic setting. Medicinski Glasnik, 2019, 16, 93-101.	0.3	1
90	Treatment of Primary Dorsal Wrist Ganglion—A Systematic Review. Journal of Wrist Surgery, 2023, 12, 177-190.	0.3	1

#	Article	IF	CITATIONS
91	Living evidence: a new approach to the appraisal of rapidly evolving musculoskeletal research. British Journal of Sports Medicine, 2022, 56, 1261-1262.	3.1	1
92	2â€10-year risk-factors of knee function after anterior cruciate ligament reconstruction – a study from the swedish national knee ligament register. , 2018, , .		0
93	Protocol for a multicenter prospective cohort study evaluating arthroscopic and non-surgical treatment for microinstability of the hip joint. BMC Musculoskeletal Disorders, 2022, 23, 309.	0.8	0