

Eric Hamrin Senorski

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6864597/publications.pdf>

Version: 2024-02-01

93
papers

2,004
citations

236612

25
h-index

301761

39
g-index

100
all docs

100
docs citations

100
times ranked

1207
citing authors

#	ARTICLE	IF	CITATIONS
1	Treatment of Primary Dorsal Wrist Ganglion – A Systematic Review. <i>Journal of Wrist Surgery</i> , 2023, 12, 177-190.	0.3	1
2	Greater Psychological Readiness to Return to Sport, as Well as Greater Present and Future Knee-Related Self-Efficacy, Can Increase the Risk for an Anterior Cruciate Ligament Re-Rupture: A Matched Cohort Study. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2022, 38, 1267-1276.e1.	1.3	25
3	Self-Reported Symptoms of Depression and Anxiety After ACL Injury: A Systematic Review. <i>Orthopaedic Journal of Sports Medicine</i> , 2022, 10, 232596712110664.	0.8	16
4	Surgical treatment of chronic Achilles tendon rupture results in improved gait biomechanics. <i>Journal of Orthopaedic Surgery and Research</i> , 2022, 17, 67.	0.9	11
5	Superior Outcome of Early ACL Reconstruction versus Initial Non-reconstructive Treatment With Late Crossover to Surgery: A Study From the Swedish National Knee Ligament Registry. <i>American Journal of Sports Medicine</i> , 2022, 50, 896-903.	1.9	21
6	Patients with chronic Achilles tendon rupture have persistent limitations in patient-reported function and calf muscle function one year after surgical treatment – a case series. <i>Journal of Experimental Orthopaedics</i> , 2022, 9, 15.	0.8	6
7	Protocol for a multicenter prospective cohort study evaluating arthroscopic and non-surgical treatment for microinstability of the hip joint. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, 309.	0.8	0
8	Different injury patterns exist among patients undergoing operative treatment of isolated PCL, combined PCL/ACL, and isolated ACL injuries: a study from the Swedish National Knee Ligament Registry. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 3451-3460.	2.3	7
9	Disappointment and frustration, but long-term satisfaction: patient experiences undergoing treatment for a chronic Achilles tendon rupture – a qualitative study. <i>Journal of Orthopaedic Surgery and Research</i> , 2022, 17, 217.	0.9	1
10	Greater proportion of patients report an acceptable symptom state after ACL reconstruction compared with non-surgical treatment: a 10-year follow-up from the Swedish National Knee Ligament Registry. <i>British Journal of Sports Medicine</i> , 2022, 56, 862-870.	3.1	12
11	Persistent knee flexor strength deficits identified through the NordBord eccentric test not seen with –gold standard– isokinetic concentric testing during the first year after anterior cruciate ligament reconstruction with a hamstring tendon autograft. <i>Physical Therapy in Sport</i> , 2022, 55, 119-124.	0.8	12
12	Return to Sport for Professional and Subelite Ice Hockey Players After Arthroscopic Surgery for Femoroacetabular Impingement Syndrome. <i>Orthopaedic Journal of Sports Medicine</i> , 2022, 10, 232596712210899.	0.8	2
13	The Knee Injury and Osteoarthritis Outcome Score: shortcomings in evaluating knee function in persons undergoing ACL reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 3594-3598.	2.3	6
14	Generalized joint hypermobility does not influence 1-year patient satisfaction or functional outcome after ACL reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 4173-4180.	2.3	2
15	Scoping Review on ACL Surgery and Registry Data. <i>Current Reviews in Musculoskeletal Medicine</i> , 2022, 15, 385-393.	1.3	4
16	Living evidence: a new approach to the appraisal of rapidly evolving musculoskeletal research. <i>British Journal of Sports Medicine</i> , 2022, 56, 1261-1262.	3.1	1
17	Treatment after ACL injury: Panther Symposium ACL Treatment Consensus Group. <i>British Journal of Sports Medicine</i> , 2021, 55, 14-22.	3.1	50
18	Evolving evidence in the treatment of primary and recurrent posterior cruciate ligament injuries, part 1: anatomy, biomechanics and diagnostics. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 672-681.	2.3	34

#	ARTICLE	IF	CITATIONS
19	Evolving evidence in the treatment of primary and recurrent posterior cruciate ligament injuries, part 2: surgical techniques, outcomes and rehabilitation. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 682-693.	2.3	37
20	Treatment after anterior cruciate ligament injury: Panther Symposium ACL Treatment Consensus Group. <i>Journal of ISAKOS</i> , 2021, 6, 129-137.	1.1	4
21	Delayed and cancelled orthopaedic surgery; are there solutions to reduce the complex set of problems? A systematic literature review. <i>International Journal of Clinical Practice</i> , 2021, 75, e14092.	0.8	6
22	Improvements After Arthroscopic Treatment for Femoroacetabular Impingement Syndrome in High-Level Ice Hockey Players: 2-Year Outcomes by Player Position. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712098168.	0.8	3
23	Return to sport after anterior cruciate ligament injury: Panther Symposium ACL Injury Return to Sport Consensus Group. <i>Journal of ISAKOS</i> , 2021, 6, 138-146.	1.1	16
24	Psychological impairments after ACL injury – Do we know what we are addressing? Experiences from sports physical therapists. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021, 31, 1508-1517.	1.3	9
25	Evaluation of outcome reporting trends for femoroacetabular impingement syndrome- a systematic review. <i>Journal of Experimental Orthopaedics</i> , 2021, 8, 33.	0.8	4
26	Editorial Commentary: Diagnosis and Treatment of Generalized Joint Hypermobility in Patients With Anterior Cruciate Ligament Injury. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 2348-2350.	1.3	4
27	Adolescents Have Twice the Revision Rate of Young Adults After ACL Reconstruction With Hamstring Tendon Autograft: A Study From the Swedish National Knee Ligament Registry. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712110388.	0.8	12
28	Strength in numbers? The fragility index of studies from the Scandinavian knee ligament registries. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 339-352.	2.3	19
29	Superior knee self-efficacy and quality of life throughout the first year in patients who recover symmetrical muscle function after ACL reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 555-567.	2.3	18
30	Evaluation modalities for the anatomical repair of chronic ankle instability. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 163-176.	2.3	15
31	Understanding limitations in sport 1 year after an Achilles tendon rupture: a multicentre analysis of 285 patients. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 233-244.	2.3	1
32	Graft Choice for Anterior Cruciate Ligament Reconstruction With a Concomitant Non-surgically Treated Medial Collateral Ligament Injury Does Not Influence the Risk of Revision. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2020, 36, 199-211.	1.3	11
33	Comparison of concomitant injuries and patient-reported outcome in patients that have undergone both primary and revision ACL reconstruction – a national registry study. <i>Journal of Orthopaedic Surgery and Research</i> , 2020, 15, 9.	0.9	16
34	Clinical outcomes after anterior cruciate ligament injury: Panther Symposium ACL Injury Clinical Outcomes Consensus Group. <i>Journal of ISAKOS</i> , 2020, 5, 281-294.	1.1	6
35	Poor Associations Between Radiographic Tibiofemoral Osteoarthritis and Patient-Reported Outcomes at 16 Years After Anterior Cruciate Ligament Reconstruction. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712095117.	0.8	2
36	The mechanism of hamstring injuries – a systematic review. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 641.	0.8	62

#	ARTICLE	IF	CITATIONS
37	Loss to follow-up: initial non-responders do not differ from responders in terms of 2-year outcome in a hip arthroscopy registry. <i>Journal of Hip Preservation Surgery</i> , 2020, 7, 281-287.	0.6	7
38	Clinical outcomes after anterior cruciate ligament injury: panther symposium ACL injury clinical outcomes consensus group. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 2415-2434.	2.3	47
39	Clinical Outcomes After Anterior Cruciate Ligament Injury: Panther Symposium ACL Injury Clinical Outcomes Consensus Group. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712093475.	0.8	15
40	Recovery of preoperative absolute knee extension and flexion strength after ACL reconstruction. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2020, 12, 77.	0.7	15
41	Hop tests and psychological PROs provide a demanding and clinician-friendly RTS assessment of patients after ACL reconstruction, a registry study. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2020, 12, 32.	0.7	9
42	Treatment after anterior cruciate ligament injury: Panther Symposium ACL Treatment Consensus Group. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 2390-2402.	2.3	62
43	<p>Epidemiological Data on LCL and PCL Injuries Over 17 Seasons in Men's Professional Soccer: The UEFA Elite Club Injury Study</p>. <i>Open Access Journal of Sports Medicine</i> , 2020, Volume 11, 105-112.	0.6	5
44	Treatment of acute Achilles tendon rupture – a multicentre, non-inferiority analysis. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 358.	0.8	7
45	Five-Year Outcomes After Arthroscopic Surgery for Femoroacetabular Impingement Syndrome in Elite Athletes. <i>American Journal of Sports Medicine</i> , 2020, 48, 1416-1422.	1.9	21
46	Patient-Reported and Quantitative Outcomes of Anatomic Anterior Cruciate Ligament Reconstruction With Hamstring Tendon Autografts. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712092615.	0.8	8
47	Return to Sport After Anterior Cruciate Ligament Injury: Panther Symposium ACL Injury Return to Sport Consensus Group. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712093082.	0.8	43
48	Young Athletes Who Return to Sport Before 9 Months After Anterior Cruciate Ligament Reconstruction Have a Rate of New Injury 7 Times That of Those Who Delay Return. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2020, 50, 83-90.	1.7	96
49	Use of the World Health Organization Checklist – Swedish Health Care Professionals' Experience: A Mixed-Method Study. <i>Journal of Perianesthesia Nursing</i> , 2020, 35, 288-293.	0.3	5
50	Return to sport after anterior cruciate ligament injury: Panther Symposium ACL Injury Return to Sport Consensus Group. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 2403-2414.	2.3	53
51	Experience of Intensive Care Nurses in Assessment of Postoperative Pain in Patients with Hip Fracture and Dementia. <i>Materia Socio-medica</i> , 2020, 32, 50.	0.3	8
52	The economic cost and patient-reported outcomes of chronic Achilles tendon ruptures. <i>Journal of Experimental Orthopaedics</i> , 2020, 7, 60.	0.8	6
53	Experience of nurses in assessing postoperative pain in hip fracture patients suffering from dementia in nursing homes. <i>Medicinski Glasnik</i> , 2020, 17, 216-223.	0.3	5
54	Communication and assessment of pain in hip fracture patients with dementia - experiences of healthcare professionals at an accident and emergency department in Sweden. <i>Medicinski Glasnik</i> , 2020, 17, 224-233.	0.3	2

#	ARTICLE	IF	CITATIONS
55	Factors that affect patient reported outcome after anterior cruciate ligament reconstruction—a systematic review of the Scandinavian knee ligament registers. <i>British Journal of Sports Medicine</i> , 2019, 53, 410-417.	3.1	47
56	Factors associated with additional anterior cruciate ligament reconstruction and register comparison: a systematic review on the Scandinavian knee ligament registers. <i>British Journal of Sports Medicine</i> , 2019, 53, 418-425.	3.1	27
57	Outcome After Anterior Cruciate Ligament Revision. <i>Current Reviews in Musculoskeletal Medicine</i> , 2019, 12, 397-405.	1.3	18
58	No correlation between femoral tunnel orientation and clinical outcome at long-term follow-up after non-anatomic anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 3400-3410.	2.3	6
59	Quality Assessment of Prospective Cohort Studies Evaluating Arthroscopic Treatment for Femoroacetabular Impingement Syndrome: A Systematic Review. <i>Orthopaedic Journal of Sports Medicine</i> , 2019, 7, 232596711983853.	0.8	15
60	How Is Psychological Outcome Related to Knee Function and Return to Sport Among Adolescent Athletes After Anterior Cruciate Ligament Reconstruction?. <i>American Journal of Sports Medicine</i> , 2019, 47, 1567-1575.	1.9	39
61	Knee strength, hop performance and self-efficacy at 4 months are associated with symmetrical knee muscle function in young athletes 1 year after an anterior cruciate ligament reconstruction. <i>BMJ Open Sport and Exercise Medicine</i> , 2019, 5, e000504.	1.4	10
62	Young age and high BMI are predictors of early revision surgery after primary anterior cruciate ligament reconstruction: a cohort study from the Swedish and Norwegian knee ligament registries based on 30,747 patients. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 3583-3591.	2.3	54
63	15 years of the Scandinavian knee ligament registries: lessons, limitations and likely prospects. <i>British Journal of Sports Medicine</i> , 2019, 53, 1259-1260.	3.1	18
64	Medial collateral ligament injuries of the knee in male professional football players: a prospective three-season study of 130 cases from the UEFA Elite Club Injury Study. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 3692-3698.	2.3	45
65	Generalised joint hypermobility increases ACL injury risk and is associated with inferior outcome after ACL reconstruction: a systematic review. <i>BMJ Open Sport and Exercise Medicine</i> , 2019, 5, e000620.	1.4	45
66	Graft Diameter and Graft Type as Predictors of Anterior Cruciate Ligament Revision. <i>Journal of Bone and Joint Surgery - Series A</i> , 2019, 101, 1812-1820.	1.4	58
67	Increased risk of ACL revision with non-surgical treatment of a concomitant medial collateral ligament injury: a study on 19,457 patients from the Swedish National Knee Ligament Registry. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 2450-2459.	2.3	97
68	Preoperative and Intraoperative Predictors of Long-Term Acceptable Knee Function and Osteoarthritis After Anterior Cruciate Ligament Reconstruction: An Analysis Based on 2 Randomized Controlled Trials. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2019, 35, 489-499.	1.3	16
69	Graft Fixation and Timing of Surgery Are Predictors of Early Anterior Cruciate Ligament Revision. <i>JBJS Open Access</i> , 2019, 4, e0037.	0.8	22
70	Immigrant patients in brief meetings with anaesthetist nurses - experiences from perioperative meetings in the orthopaedic setting. <i>Medicinski Glasnik</i> , 2019, 16, 93-101.	0.3	1
71	Increased odds of patient-reported success at 2 years after anterior cruciate ligament reconstruction in patients without cartilage lesions: a cohort study from the Swedish National Knee Ligament Register. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 1086-1095.	2.3	11
72	Never made it to the pros—Return to sport and becoming an elite athlete after pediatric and adolescent anterior cruciate ligament injury—Current evidence and future directions. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 1011-1018.	2.3	22

#	ARTICLE	IF	CITATIONS
73	Static anteroposterior knee laxity tests are poorly correlated to quantitative pivot shift in the ACL-deficient knee: a prospective multicentre study. <i>Journal of ISAKOS</i> , 2018, 3, 83-88.	1.1	3
74	2-10-year risk-factors of knee function after anterior cruciate ligament reconstruction – a study from the Swedish national knee ligament register. , 2018, , .		0
75	Mapping functions in health-related quality of life: mapping from the Achilles Tendon Rupture Score to the EQ-5D. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 3083-3088.	2.3	4
76	Low 1-Year Return-to-Sport Rate After Anterior Cruciate Ligament Reconstruction Regardless of Patient and Surgical Factors: A Prospective Cohort Study of 272 Patients. <i>American Journal of Sports Medicine</i> , 2018, 46, 1551-1558.	1.9	44
77	Concomitant injuries may not reduce the likelihood of achieving symmetrical muscle function one year after anterior cruciate ligament reconstruction: a prospective observational study based on 263 patients. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 2966-2977.	2.3	20
78	Young athletes return too early to knee-strenuous sport, without acceptable knee function after anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 1966-1974.	2.3	73
79	Meniscal repair results in inferior short-term outcomes compared with meniscal resection: a cohort study of 6398 patients with primary anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 2251-2258.	2.3	33
80	Unique simultaneous avulsion fracture of both the proximal and distal insertion sites of the anterior cruciate ligament. <i>BMJ Case Reports</i> , 2018, 2018, bcr-2017-222265.	0.2	2
81	Older Age Predicts Worse Function 1 Year After an Acute Achilles Tendon Rupture: A Prognostic Multicenter Study on 391 Patients. <i>Orthopaedic Journal of Sports Medicine</i> , 2018, 6, 232596711881390.	0.8	9
82	Anatomic Anterior Cruciate Ligament Reconstruction Using Hamstring Tendons Restores Quantitative Pivot Shift. <i>Orthopaedic Journal of Sports Medicine</i> , 2018, 6, 232596711881236.	0.8	14
83	Factors Affecting the Achievement of a Patient-Acceptable Symptom State 1 Year After Anterior Cruciate Ligament Reconstruction: A Cohort Study of 343 Patients From 2 Registries. <i>Orthopaedic Journal of Sports Medicine</i> , 2018, 6, 232596711876431.	0.8	21
84	Increased Postoperative Manual Knee Laxity at 2 Years Results in Inferior Long-term Subjective Outcome After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2018, 46, 2632-2645.	1.9	26
85	Contralateral knee hyperextension is associated with increased anterior tibial translation and fewer meniscal injuries in the anterior cruciate ligament-injured knee. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 3020-3028.	2.3	5
86	Ten-Year Risk Factors for Inferior Knee Injury and Osteoarthritis Outcome Score After Anterior Cruciate Ligament Reconstruction: A Study of 874 Patients From the Swedish National Knee Ligament Register. <i>American Journal of Sports Medicine</i> , 2018, 46, 2851-2858.	1.9	18
87	Graft Diameter as a Predictor for Revision Anterior Cruciate Ligament Reconstruction and KOOS and EQ-5D Values: A Cohort Study From the Swedish National Knee Ligament Register Based on 2240 Patients. <i>American Journal of Sports Medicine</i> , 2017, 45, 2092-2097.	1.9	118
88	While modern medicine evolves continuously, evidence-based research methodology remains: how register studies should be interpreted and appreciated. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 2305-2308.	2.3	8
89	Adolescents and female patients are at increased risk for contralateral anterior cruciate ligament reconstruction: a cohort study from the Swedish National Knee Ligament Register based on 17,682 patients. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 3938-3944.	2.3	34
90	No differences in subjective knee function between surgical techniques of anterior cruciate ligament reconstruction at 2-year follow-up: a cohort study from the Swedish National Knee Ligament Register. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 3945-3954.	2.3	12

#	ARTICLE	IF	CITATIONS
91	No Differences in the Improvement of Subjective Knee Function between Surgical Techniques of Single-Bundle Anterior Cruciate Ligament Reconstruction at Two Years Follow-Up - A Cohort Study from the Swedish National Knee Ligament Register. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2017, 33, e98-e99.	1.3	1
92	Return to knee-strenuous sport after anterior cruciate ligament reconstruction: a report from a rehabilitation outcome registry of patient characteristics. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 1364-1374.	2.3	77
93	Double-bundle anterior cruciate ligament reconstruction is superior to single-bundle reconstruction in terms of revision frequency; a study of 22,460 patients from the Swedish National Knee Ligament Register. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 3884-3891.	2.3	57