

# Axel Grothey

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6865314/publications.pdf>

Version: 2024-02-01

255  
papers

27,661  
citations

15466

65  
h-index

5965

160  
g-index

273  
all docs

273  
docs citations

273  
times ranked

29914  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Regorafenib monotherapy for previously treated metastatic colorectal cancer (CORRECT): an international, multicentre, randomised, placebo-controlled, phase 3 trial. <i>Lancet, The</i> , 2013, 381, 303-312.  | 6.3  | 2,276     |
| 2  | Clinical impact of COVID-19 on patients with cancer (CCC19): a cohort study. <i>Lancet, The</i> , 2020, 395, 1907-1918.  | 6.3  | 1,395     |
| 3  | Defective Mismatch Repair As a Predictive Marker for Lack of Efficacy of Fluorouracil-Based Adjuvant Therapy in Colon Cancer. <i>Journal of Clinical Oncology</i> , 2010, 28, 3219-3226.   | 0.8  | 1,352     |
| 4  | Improved Survival in Metastatic Colorectal Cancer Is Associated With Adoption of Hepatic Resection and Improved Chemotherapy. <i>Journal of Clinical Oncology</i> , 2009, 27, 3677-3683.   | 0.8  | 1,166     |
| 5  | Chemotherapy in Advanced Gastric Cancer: A Systematic Review and Meta-Analysis Based on Aggregate Data. <i>Journal of Clinical Oncology</i> , 2006, 24, 2903-2909.   | 0.8  | 1,055     |
| 6  | Survival of Patients With Advanced Colorectal Cancer Improves With the Availability of Fluorouracil-Leucovorin, Irinotecan, and Oxaliplatin in the Course of Treatment. <i>Journal of Clinical Oncology</i> , 2004, 22, 1209-1214.   | 0.8  | 1,007     |
| 7  | Encorafenib, Binimetinib, and Cetuximab in BRAF V600E-Mutated Colorectal Cancer. <i>New England Journal of Medicine</i> , 2019, 381, 1632-1643.  | 13.9 | 918       |
| 8  | Ramucirumab versus placebo in combination with second-line FOLFIRI in patients with metastatic colorectal carcinoma that progressed during or after first-line therapy with bevacizumab, oxaliplatin, and a fluoropyrimidine (RAISE): a randomised, double-blind, multicentre, phase 3 study. <i>Lancet Oncology, The</i> , 2015, 16, 499-508. | 5.1  | 753       |
| 9  | Colon Cancer, Version 1.2017, NCCN Clinical Practice Guidelines in Oncology. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2017, 15, 370-398.   | 2.3  | 707       |
| 10 | Duration of Adjuvant Chemotherapy for Stage III Colon Cancer. <i>New England Journal of Medicine</i> , 2018, 378, 1177-1188.   | 13.9 | 699       |
| 11 | Rectal Cancer, Version 2.2018, NCCN Clinical Practice Guidelines in Oncology. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2018, 16, 874-901.  | 2.3  | 698       |
| 12 | NCCN Guidelines Insights: Colon Cancer, Version 2.2018. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2018, 16, 359-369.  | 2.3  | 675       |
| 13 | Bevacizumab Beyond First Progression Is Associated With Prolonged Overall Survival in Metastatic Colorectal Cancer: Results From a Large Observational Cohort Study (BRiTE). <i>Journal of Clinical Oncology</i> , 2008, 26, 5326-5334.  | 0.8  | 654       |
| 14 | Disease-Free Survival Versus Overall Survival As a Primary End Point for Adjuvant Colon Cancer Studies: Individual Patient Data From 20,898 Patients on 18 Randomized Trials. <i>Journal of Clinical Oncology</i> , 2005, 23, 8664-8670.   | 0.8  | 607       |
| 15 | Evidence for Cure by Adjuvant Therapy in Colon Cancer: Observations Based on Individual Patient Data From 20,898 Patients on 18 Randomized Trials. <i>Journal of Clinical Oncology</i> , 2009, 27, 872-877.  | 0.8  | 539       |
| 16 | Treatment-Related Adverse Events of PD-1 and PD-L1 Inhibitors in Clinical Trials. <i>JAMA Oncology</i> , 2019, 5, 1008.  | 3.4  | 526       |
| 17 | A Practical Approach to the Management of Cancer Patients During the Novel Coronavirus Disease 2019 (COVID-19) Pandemic: An International Collaborative Group. <i>Oncologist</i> , 2020, 25, e936-e945.  | 1.9  | 520       |
| 18 | Prognosis of patients with peritoneal metastatic colorectal cancer given systemic therapy: an analysis of individual patient data from prospective randomised trials from the Analysis and Research in Cancers of the Digestive System (ARCAD) database. <i>Lancet Oncology, The</i> , 2016, 17, 1709-1719.                                    | 5.1  | 442       |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Effect of Oxaliplatin, Fluorouracil, and Leucovorin With or Without Cetuximab on Survival Among Patients With Resected Stage III Colon Cancer. <i>JAMA - Journal of the American Medical Association</i> , 2012, 307, 1383.   | 3.8  | 412       |
| 20 | Cyclooxygenase-2: a novel target for cancer chemotherapy?. <i>Journal of Cancer Research and Clinical Oncology</i> , 2001, 127, 411-417.  | 1.2  | 381       |
| 21 | Selection of Patients for Resection of Hepatic Colorectal Metastases: Expert Consensus Statement. <i>Annals of Surgical Oncology</i> , 2006, 13, 1261-1268.   | 0.7  | 336       |
| 22 | Targeting angiogenesis: progress with anti-VEGF treatment with large molecules. <i>Nature Reviews Clinical Oncology</i> , 2009, 6, 507-518.   | 12.5 | 332       |
| 23 | Clinical Outcomes Associated with Bevacizumab-Containing Treatment of Metastatic Colorectal Cancer: The BRiTE Observational Cohort Study. <i>Oncologist</i> , 2009, 14, 862-870.  | 1.9  | 292       |
| 24 | Analysis of circulating DNA and protein biomarkers to predict the clinical activity of regorafenib and assess prognosis in patients with metastatic colorectal cancer: a retrospective, exploratory analysis of the CORRECT trial. <i>Lancet Oncology</i> , The, 2015, 16, 937-948. | 5.1  | 286       |
| 25 | Biomarkers and surrogate end pointsâ€”the challenge of statistical validation. <i>Nature Reviews Clinical Oncology</i> , 2010, 7, 309-317.  | 12.5 | 283       |
| 26 | <sup>Non-V600</sup><i>BRAF</i> Mutations Define a Clinically Distinct Molecular Subtype of Metastatic Colorectal Cancer. <i>Journal of Clinical Oncology</i> , 2017, 35, 2624-2630.   | 0.8  | 267       |
| 27 | Phase III Study of Capecitabine Plus Oxaliplatin Compared With Fluorouracil and Leucovorin Plus Oxaliplatin in Metastatic Colorectal Cancer: A Final Report of the AIO Colorectal Study Group. <i>Journal of Clinical Oncology</i> , 2007, 25, 4217-4223.                           | 0.8  | 258       |
| 28 | 5-fluorouracil and cardiotoxicity: a review. <i>Therapeutic Advances in Medical Oncology</i> , 2018, 10, 175883591878014.   | 1.4  | 255       |
| 29 | Trastuzumab deruxtecan (DS-8201) in patients with HER2-expressing metastatic colorectal cancer (DESTINY-CRC01): a multicentre, open-label, phase 2 trial. <i>Lancet Oncology</i> , The, 2021, 22, 779-789.  | 5.1  | 234       |
| 30 | A Home-Based Exercise Program to Improve Function, Fatigue, and Sleep Quality in Patients With Stage IV Lung and Colorectal Cancer: A Randomized Controlled Trial. <i>Journal of Pain and Symptom Management</i> , 2013, 45, 811-821.   | 0.6  | 223       |
| 31 | Drug rechallenge and treatment beyond progressionâ€”implications for drug resistance. <i>Nature Reviews Clinical Oncology</i> , 2013, 10, 571-587.  | 12.5 | 219       |
| 32 | The Continuum of Care: A Paradigm for the Management of Metastatic Colorectal Cancer. <i>Oncologist</i> , 2007, 12, 38-50.  | 1.9  | 218       |
| 33 | Clinical Course of Oxaliplatin-Induced Neuropathy: Results From the Randomized Phase III Trial N08CB (Alliance). <i>Journal of Clinical Oncology</i> , 2015, 33, 3416-3422.   | 0.8  | 216       |
| 34 | Pharmacogenetic Predictors of Adverse Events and Response to Chemotherapy in Metastatic Colorectal Cancer: Results From North American Gastrointestinal Intergroup Trial N9741. <i>Journal of Clinical Oncology</i> , 2010, 28, 3227-3233.  | 0.8  | 198       |
| 35 | Phase III Randomized, Placebo-Controlled, Double-Blind Study of Intravenous Calcium and Magnesium to Prevent Oxaliplatin-Induced Sensory Neurotoxicity (N08CB/Alliance). <i>Journal of Clinical Oncology</i> , 2014, 32, 997-1005.  | 0.8  | 191       |
| 36 | Binimetinib, Encorafenib, and Cetuximab Triplet Therapy for Patients With <i>BRAF</i> V600Eâ€”Mutant Metastatic Colorectal Cancer: Safety Lead-In Results From the Phase III BEACON Colorectal Cancer Study. <i>Journal of Clinical Oncology</i> , 2019, 37, 1460-1469.             | 0.8  | 188       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Rectal Cancer, Version 2.2015. Journal of the National Comprehensive Cancer Network: JNCCN, 2015, 13, 719-728.  | 2.3 | 181       |
| 38 | Response-Independent Survival Benefit in Metastatic Colorectal Cancer: A Comparative Analysis of N9741 and AVF2107. Journal of Clinical Oncology, 2008, 26, 183-189.  | 0.8 | 169       |
| 39 | Landscape of Tumor Mutation Load, Mismatch Repair Deficiency, and PD-L1 Expression in a Large Patient Cohort of Gastrointestinal Cancers. Molecular Cancer Research, 2018, 16, 805-812.   | 1.5 | 169       |
| 40 | Regorafenib dose-optimisation in patients with refractory metastatic colorectal cancer (ReDOS): a randomised, multicentre, open-label, phase 2 study. Lancet Oncology, The, 2019, 20, 1070-1082.  | 5.1 | 169       |
| 41 | Surgical Resection After Downsizing of Colorectal Liver Metastasis in the Era of Bevacizumab. Journal of Clinical Oncology, 2005, 23, 4853-4855.  | 0.8 | 164       |
| 42 | Pooled Safety and Efficacy Analysis Examining the Effect of Performance Status on Outcomes in Nine First-Line Treatment Trials Using Individual Data From Patients With Metastatic Colorectal Cancer. Journal of Clinical Oncology, 2009, 27, 1948-1955.      | 0.8 | 160       |
| 43 | Effect of duration of adjuvant chemotherapy for patients with stage III colon cancer (IDEA) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50<br>Lancet Oncology, The, 2020, 21, 1620-1629.   | 5.1 | 152       |
| 44 | Randomized Phase III Trial Results of Panitumumab, a Fully Human Anti-epidermal Growth Factor Receptor Monoclonal Antibody, in Metastatic Colorectal Cancer. Clinical Colorectal Cancer, 2006, 6, 29-31.  | 1.0 | 141       |
| 45 | Patient and Tumor Characteristics and BRAF and KRAS Mutations in Colon Cancer, NCCTG/Alliance N0147. Journal of the National Cancer Institute, 2014, 106, .   | 3.0 | 140       |
| 46 | Association of HER2/ErbB2 Expression and Gene Amplification with Pathologic Features and Prognosis in Esophageal Adenocarcinomas. Clinical Cancer Research, 2012, 18, 546-554.  | 3.2 | 129       |
| 47 | Integrating biomarkers in clinical trials. Expert Review of Molecular Diagnostics, 2011, 11, 171-182.   | 1.5 | 124       |
| 48 | Napabucasin: An Update on the First-in-Class Cancer Stemness Inhibitor. Drugs, 2017, 77, 1091-1103.   | 4.9 | 116       |
| 49 | C-erbB-2/ HER-2 upregulates fascin, an actin-bundling protein associated with cell motility, in human breast cancer cell lines. Oncogene, 2000, 19, 4864-4875.  | 2.6 | 106       |
| 50 | Anal Carcinoma, Version 2.2018, NCCN Clinical Practice Guidelines in Oncology. Journal of the National Comprehensive Cancer Network: JNCCN, 2018, 16, 852-871.  | 2.3 | 104       |
| 51 | Cisplatin resistance and oncogenes - a review. Anti-Cancer Drugs, 2000, 11, 225-236.  | 0.7 | 102       |
| 52 | Relationship between <scp>MLH1</scp>, <scp>PMS2</scp>, <scp>MSH2</scp> and <scp>MSH6</scp> gene-specific alterations and tumor mutational burden in 1057 microsatellite instability-high solid tumors. International Journal of Cancer, 2020, 147, 2948-2956. | 2.3 | 102       |
| 53 | A review of oxaliplatin and its clinical use in colorectal cancer. Expert Opinion on Pharmacotherapy, 2004, 5, 2159-2170.   | 0.9 | 96        |
| 54 | Comparison of Error Rates in Single-Arm Versus Randomized Phase II Cancer Clinical Trials. Journal of Clinical Oncology, 2010, 28, 1936-1941.   | 0.8 | 96        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Failure of activation of caspase-9 induces a higher threshold for apoptosis and cisplatin resistance in testicular cancer. <i>Cancer Research</i> , 2003, 63, 513-21.  | 0.4 | 95        |
| 56 | The IDEA (International Duration Evaluation of Adjuvant Chemotherapy) Collaboration: Prospective Combined Analysis of Phase III Trials Investigating Duration of Adjuvant Therapy with the FOLFOX (FOLFOX4 or Modified FOLFOX6) or XELOX (3 versus 6 Months) Regimen for Patients with Stage III Colon Cancer: Trial Design and Current Status. <i>Current Colorectal Cancer Reports</i> , 2013, 9, 261-269. | 1.0 | 94        |
| 57 | Randomized phase III trial of regorafenib in metastatic colorectal cancer: analysis of the CORRECT Japanese and non-Japanese subpopulations. <i>Investigational New Drugs</i> , 2015, 33, 740-750.   | 1.2 | 94        |
| 58 | Treatment Patterns and Clinical Outcomes in Patients With Metastatic Colorectal Cancer Initially Treated with FOLFOX±Bevacizumab or FOLFIRI±Bevacizumab: Results From ARIES, a Bevacizumab Observational Cohort Study. <i>Oncologist</i> , 2012, 17, 1486-1495.  | 1.9 | 91        |
| 59 | Longitudinal adverse event assessment in oncology clinical trials: the Toxicity over Time (ToxT) analysis of Alliance trials NCCTG N9741 and 979254. <i>Lancet Oncology</i> , The, 2016, 17, 663-670.  | 5.1 | 90        |
| 60 | Regorafenib for Patients with Metastatic Colorectal Cancer Who Progressed After Standard Therapy: Results of the Large, Single-Arm, Open-Label Phase IIIb CONSIGN Study. <i>Oncologist</i> , 2019, 24, 185-192.  | 1.9 | 89        |
| 61 | Individual Patient Data Analysis of Progression-Free Survival Versus Overall Survival As a First-Line End Point for Metastatic Colorectal Cancer in Modern Randomized Trials: Findings From the Analysis and Research in Cancers of the Digestive System Database. <i>Journal of Clinical Oncology</i> , 2015, 33, 22-28.  | 0.8 | 87        |
| 62 | Microsatellite Instability in Patients With Stage III Colon Cancer Receiving Fluoropyrimidine With or Without Oxaliplatin: An ACCENT Pooled Analysis of 12 Adjuvant Trials. <i>Journal of Clinical Oncology</i> , 2021, 39, 642-651.   | 0.8 | 84        |
| 63 | ESMO / ASCO Recommendations for a Global Curriculum in Medical Oncology Edition 2016. <i>ESMO Open</i> , 2016, 1, e000097.   | 2.0 | 82        |
| 64 | Randomized Phase II Trials: Inevitable or Inadvisable?. <i>Journal of Clinical Oncology</i> , 2010, 28, 2641-2647.   | 0.8 | 78        |
| 65 | Liver transplantation for non-resectable colorectal liver metastases: the International Hepato-Pancreato-Biliary Association consensus guidelines. <i>The Lancet Gastroenterology and Hepatology</i> , 2021, 6, 933-946.   | 3.7 | 73        |
| 66 | Association Between Disease-Free Survival and Overall Survival When Survival Is Prolonged After Recurrence in Patients Receiving Cytotoxic Adjuvant Therapy for Colon Cancer: Simulations Based on the 20,800 Patient ACCENT Data Set. <i>Journal of Clinical Oncology</i> , 2010, 28, 460-465.  | 0.8 | 67        |
| 67 | A FACTOR FOUND IN THE IGG FRACTION OF SERUM OF PATIENTS WITH PARANEOPLASTIC BILATERAL DIFFUSE UVEAL MELANOCYTIC PROLIFERATION CAUSES PROLIFERATION OF CULTURED HUMAN MELANOCYTES. <i>Retina</i> , 2012, 32, 1959-1966.   | 1.0 | 67        |
| 68 | Comparison of oxaliplatin and paclitaxel-induced neuropathy (Alliance A151505). <i>Supportive Care in Cancer</i> , 2016, 24, 5059-5068.  | 1.0 | 67        |
| 69 | Targeting Angiogenesis Driven by Vascular Endothelial Growth Factors Using Antibody-Based Therapies. <i>Cancer Journal (Sudbury, Mass)</i> , 2008, 14, 170-177.  | 1.0 | 65        |
| 70 | Comparison of Outcomes After Fluorouracil-Based Adjuvant Therapy for Stages II and III Colon Cancer Between 1978 to 1995 and 1996 to 2007: Evidence of Stage Migration From the ACCENT Database. <i>Journal of Clinical Oncology</i> , 2013, 31, 3656-3663.  | 0.8 | 65        |
| 71 | Molecular profile of BRCA-mutated biliary tract cancers. <i>ESMO Open</i> , 2020, 5, e000682.  | 2.0 | 64        |
| 72 | Effect of Celecoxib vs Placebo Added to Standard Adjuvant Therapy on Disease-Free Survival Among Patients With Stage III Colon Cancer. <i>JAMA - Journal of the American Medical Association</i> , 2021, 325, 1277.  | 3.8 | 63        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | ACCENT-Based Web Calculators to Predict Recurrence and Overall Survival in Stage III Colon Cancer. <i>Journal of the National Cancer Institute</i> , 2014, 106, .   | 3.0 | 62        |
| 74 | The Imperative for a New Approach to Toxicity Analysis in Oncology Clinical Trials. <i>Journal of the National Cancer Institute</i> , 2015, 107, djv216.  | 3.0 | 62        |
| 75 | Optimizing Treatment Outcomes With Regorafenib: Personalized Dosing and Other Strategies to Support Patient Care. <i>Oncologist</i> , 2014, 19, 669-680.  | 1.9 | 61        |
| 76 | Evolving role of regorafenib for the treatment of advanced cancers. <i>Cancer Treatment Reviews</i> , 2020, 86, 101993.   | 3.4 | 61        |
| 77 | New chemotherapy approaches in colorectal cancer. <i>Current Opinion in Oncology</i> , 2001, 13, 275-286.   | 1.1 | 57        |
| 78 | Chemotherapy induced neutropenia at 1-month mark is a predictor of overall survival in patients receiving TAS-102 for refractory metastatic colorectal cancer: a cohort study. <i>BMC Cancer</i> , 2016, 16, 467.                           | 1.1 | 57        |
| 79 | Successful treatment of mediastinal lymphomatoid granulomatosis with rituximab monotherapy. <i>European Journal of Haematology</i> , 2005, 74, 263-266.   | 1.1 | 56        |
| 80 | Adolescent and Young Adult Colorectal Cancer. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2013, 11, 1219-1225.   | 2.3 | 49        |
| 81 | Extended RAS analysis for anti-epidermal growth factor therapy in patients with metastatic colorectal cancer. <i>Cancer Treatment Reviews</i> , 2015, 41, 653-659.  | 3.4 | 49        |
| 82 | MC11C4: a pilot randomized, placebo-controlled, double-blind study of venlafaxine to prevent oxaliplatin-induced neuropathy. <i>Supportive Care in Cancer</i> , 2016, 24, 1071-1078.  | 1.0 | 48        |
| 83 | A phase II, multicenter, open-label study of trastuzumab deruxtecan (T-DXd; DS-8201) in patients (pts) with HER2-expressing metastatic colorectal cancer (mCRC): DESTINY-CRC01.. <i>Journal of Clinical Oncology</i> , 2020, 38, 4000-4000. | 0.8 | 48        |
| 84 | Phase I Trial of a Pathotropic Retroviral Vector Expressing a Cytocidal Cyclin G1 Construct (Rexin-G) in Patients With Advanced Pancreatic Cancer. <i>Molecular Therapy</i> , 2008, 16, 979-984.  | 3.7 | 46        |
| 85 | Biomarkers of Resistance to Epidermal Growth Factor Receptor Monoclonal Antibodies in Patients with Metastatic Colorectal Cancer. <i>Clinical Cancer Research</i> , 2009, 15, 7492-7501.  | 3.2 | 45        |
| 86 | Clinical Trial Designs for Prospective Validation of Biomarkers. <i>Molecular Diagnosis and Therapy</i> , 2005, 5, 317-325.   | 3.3 | 44        |
| 87 | Bevacizumab exposure beyond first disease progression in patients with metastatic colorectal cancer: analyses of the ARIES observational cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2014, 23, 726-734.                     | 0.9 | 43        |
| 88 | Curable Metastatic Colorectal Cancer. <i>Current Oncology Reports</i> , 2011, 13, 168-176.  | 1.8 | 42        |
| 89 | Comparison of FOLFIRI With or Without Cetuximab in Patients With Resected Stage III Colon Cancer; NCCTG (Alliance) Intergroup Trial N0147. <i>Clinical Colorectal Cancer</i> , 2014, 13, 100-109.   | 1.0 | 41        |
| 90 | Evaluation of Alternate Categorical Tumor Metrics and Cut Points for Response Categorization Using the RECIST 1.1 Data Warehouse. <i>Journal of Clinical Oncology</i> , 2014, 32, 841-850.  | 0.8 | 40        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 91  | Progress in defining first-line and maintenance therapies. <i>Nature Reviews Clinical Oncology</i> , 2015, 12, 73-74.  | 12.5 | 39        |
| 92  | Outcome of Mismatch Repair-Deficient Metastatic Colorectal Cancer: The Mayo Clinic Experience. <i>Oncologist</i> , 2018, 23, 1083-1091.  | 1.9  | 39        |
| 93  | Chemotherapy-Induced Neutropenia as a Prognostic and Predictive Marker of Outcomes in Solid-Tumor Patients. <i>Drugs</i> , 2018, 78, 737-745.  | 4.9  | 39        |
| 94  | Lack of Caudal-Type Homeobox Transcription Factor 2 Expression as a Prognostic Biomarker in Metastatic Colorectal Cancer. <i>Clinical Colorectal Cancer</i> , 2017, 16, 124-128.   | 1.0  | 37        |
| 95  | Clinical Calculator for Early Mortality in Metastatic Colorectal Cancer: An Analysis of Patients From 28 Clinical Trials in the Aide et Recherche en Cancérologie Digestive Database. <i>Journal of Clinical Oncology</i> , 2017, 35, 1929-1937.   | 0.8  | 37        |
| 96  | Treatment options for advanced pancreatic cancer: a review. <i>Expert Review of Anticancer Therapy</i> , 2012, 12, 1327-1336.  | 1.1  | 36        |
| 97  | Broad Detection of Alterations Predicted to Confer Lack of Benefit From EGFR Antibodies or Sensitivity to Targeted Therapy in Advanced Colorectal Cancer. <i>Oncologist</i> , 2016, 21, 1306-1314.   | 1.9  | 36        |
| 98  | Antiangiogenic therapy for refractory colorectal cancer: current options and future strategies. <i>Therapeutic Advances in Medical Oncology</i> , 2017, 9, 106-126.  | 1.4  | 36        |
| 99  | Encorafenib plus cetuximab with or without binimetinib for BRAF V600E metastatic colorectal cancer: Updated survival results from a randomized, three-arm, phase III study versus choice of either irinotecan or FOLFIRI plus cetuximab (BEACON CRC). <i>Journal of Clinical Oncology</i> , 2020, 38, 4001-4001. | 0.8  | 35        |
| 100 | Exploring racial differences in outcome and treatment for metastatic colorectal cancer. <i>Cancer</i> , 2012, 118, 1083-1090.  | 2.0  | 34        |
| 101 | Impact of Metastasectomy in the Multimodality Approach for BRAF V600E Metastatic Colorectal Cancer: The Mayo Clinic Experience. <i>Oncologist</i> , 2018, 23, 128-134.   | 1.9  | 34        |
| 102 | Relationship Between Metformin Use and Recurrence and Survival in Patients With Resected Stage III Colon Cancer Receiving Adjuvant Chemotherapy: Results From North Central Cancer Treatment Group N0147 (Alliance). <i>Oncologist</i> , 2016, 21, 1509-1521.  | 1.9  | 33        |
| 103 | Impact of Tumor Location and Variables Associated With Overall Survival in Patients With Colorectal Cancer: A Mayo Clinic Colon and Rectal Cancer Registry Study. <i>Frontiers in Oncology</i> , 2019, 9, 76.  | 1.3  | 33        |
| 104 | Impact of Circulating Tumor DNA-Based Detection of Molecular Residual Disease on the Conduct and Design of Clinical Trials for Solid Tumors. <i>JCO Precision Oncology</i> , 2022, 6, e2100181.  | 1.5  | 33        |
| 105 | Determinants of Early Mortality Among 37,568 Patients With Colon Cancer Who Participated in 25 Clinical Trials From the Adjuvant Colon Cancer Endpoints Database. <i>Journal of Clinical Oncology</i> , 2016, 34, 1182-1189.   | 0.8  | 32        |
| 106 | Bolus 5-fluorouracil (5-FU) In Combination With Oxaliplatin Is Safe and Well Tolerated in Patients Who Experienced Coronary Vasospasm With Infusional 5-FU or Capecitabine. <i>Clinical Colorectal Cancer</i> , 2019, 18, 52-57.   | 1.0  | 32        |
| 107 | Targeting colorectal cancer with human anti-EGFR monoclonal antibodies: focus on panitumumab. <i>Biologics: Targets and Therapy</i> , 2008, 2, 223.  | 3.0  | 31        |
| 108 | Chemotherapy Maintenance. <i>Cancer Journal (Sudbury, Mass)</i> , 2016, 22, 199-204.   | 1.0  | 31        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 109 | Landscape of <i>KRAS</i> <sup>G12C</sup> , Associated Genomic Alterations, and Interrelation With Immuno-Oncology Biomarkers in <i>KRAS</i> -Mutated Cancers. <i>JCO Precision Oncology</i> , 2022, 6, e2100245.  | 1.5  | 31        |
| 110 | Hepatic Artery Embolization for Neuroendocrine Tumors: Postprocedural Management and Complications. <i>Oncologist</i> , 2012, 17, 725-731.  | 1.9  | 30        |
| 111 | MODULÂ”a multicenter randomized clinical trial of biomarker-driven maintenance therapy following first-line standard induction treatment of metastatic colorectal cancer: an adaptable signal-seeking approach. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018, 144, 1197-1204.   | 1.2  | 30        |
| 112 | NO147: A Randomized Phase III Trial of Oxaliplatin plus 5-Fluorouracil/Leucovorin with or Without Cetuximab After Curative Resection of Stage III Colon Cancer. <i>Clinical Colorectal Cancer</i> , 2005, 5, 211-213.   | 1.0  | 29        |
| 113 | Updated efficacy and toxicity analysis of irinotecan and oxaliplatin (IROX). <i>Cancer</i> , 2007, 110, 670-677.  | 2.0  | 29        |
| 114 | Consensus statement on essential patient characteristics in systemic treatment trials for metastatic colorectal cancer: Supported by the ARCAD Group. <i>European Journal of Cancer</i> , 2018, 100, 35-45.   | 1.3  | 29        |
| 115 | Oxaliplatin in Combination with 5-Fluorouracil/Leucovorin or Capecitabine in Elderly Patients with Metastatic Colorectal Cancer. <i>Clinical Colorectal Cancer</i> , 2008, 7, 60-64.  | 1.0  | 28        |
| 116 | Antiangiogenesis agents in colorectal cancer. <i>Current Opinion in Oncology</i> , 2010, 22, 374-380.   | 1.1  | 28        |
| 117 | Clinical Validation of a Machine-learningâ€”derived Signature Predictive of Outcomes from First-line Oxaliplatin-based Chemotherapy in Advanced Colorectal Cancer. <i>Clinical Cancer Research</i> , 2021, 27, 1174-1183.   | 3.2  | 28        |
| 118 | Overall survival (OS) and long-term disease-free survival (DFS) of three versus six months of adjuvant (adj) oxaliplatin and fluoropyrimidine-based therapy for patients (pts) with stage III colon cancer (CC): Final results from the IDEA (International Duration Evaluation of Adj chemotherapy) collaboration.. <i>Journal of Clinical Oncology</i> , 2020, 38, 4004-4004. | 0.8  | 28        |
| 119 | Phase II Trial of Capecitabine/Irinotecan and Capecitabine/Oxaliplatin in Advanced Gastrointestinal Cancers. <i>Clinical Colorectal Cancer</i> , 2004, 4, 46-50.  | 1.0  | 27        |
| 120 | A new prognostic and predictive tool for shared decision making in stage III colon cancer. <i>European Journal of Cancer</i> , 2020, 138, 182-188.  | 1.3  | 27        |
| 121 | Commentary on a Phase III Trial of Bevacizumab plus XELOX or FOLFOX4 for First-Line Treatment of Metastatic Colorectal Cancer: The NO16966 Trial. <i>Clinical Colorectal Cancer</i> , 2006, 6, 261-264.   | 1.0  | 26        |
| 122 | Antiangiogenesis therapy in the treatment of metastatic colorectal cancer. <i>Therapeutic Advances in Medical Oncology</i> , 2012, 4, 301-319.  | 1.4  | 26        |
| 123 | Molecular characteristics of BRCA1/2 and PALB2 mutations in pancreatic ductal adenocarcinoma. <i>ESMO Open</i> , 2020, 5, e000942.  | 2.0  | 26        |
| 124 | Prognostic webâ€”based models for stage II and III colon cancer. <i>Cancer</i> , 2011, 117, 4155-4165.  | 2.0  | 25        |
| 125 | Rationale for metronomic chemotherapy in phase III trials. <i>Nature Reviews Clinical Oncology</i> , 2015, 12, 313-314.   | 12.5 | 25        |
| 126 | Molecular Analyses of Left- and Right-Sided Tumors in Adolescents and Young Adults with Colorectal Cancer. <i>Oncologist</i> , 2020, 25, 404-413.   | 1.9  | 25        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 127 | Reintroduction of Oxaliplatin: A Viable Approach to the Long-Term Management of Metastatic Colorectal Cancer. <i>Oncology</i> , 2010, 79, 389-399.  | 0.9  | 24        |
| 128 | Pembrolizumab in MSI-H/dMMR Advanced Colorectal Cancer – A New Standard of Care. <i>New England Journal of Medicine</i> , 2020, 383, 2283-2285.   | 13.9 | 24        |
| 129 | FOLFOX for Stage II Colon Cancer? A Commentary on the Recent FDA Approval of Oxaliplatin for Adjuvant Therapy of Stage III Colon Cancer. <i>Journal of Clinical Oncology</i> , 2005, 23, 3311-3313.   | 0.8  | 23        |
| 130 | Adjuvant Chemotherapy for Resected Stage II and III Colon Cancer: Comparison of Two Widely Used Prognostic Calculators. <i>Seminars in Oncology</i> , 2010, 37, 39-46.  | 0.8  | 21        |
| 131 | Is obesity an advantage in patients with colorectal cancer?. <i>Expert Review of Gastroenterology and Hepatology</i> , 2015, 9, 1339-1342.  | 1.4  | 21        |
| 132 | Echocardiographic Assessment for the Detection of Cardiotoxicity Due to Vascular Endothelial Growth Factor Inhibitor Therapy in Metastatic Renal Cell and Colorectal Cancers. <i>Journal of the American Society of Echocardiography</i> , 2019, 32, 267-276.                 | 1.2  | 21        |
| 133 | Safety of trifluridine/tipiracil in an open-label expanded-access program in elderly and younger patients with metastatic colorectal cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2018, 82, 961-969.   | 1.1  | 20        |
| 134 | Granisetron versus tropisetron for prophylaxis of acute chemotherapy-induced emesis: a pooled analysis. <i>Supportive Care in Cancer</i> , 2005, 13, 26-31.   | 1.0  | 19        |
| 135 | Impact of primary tumour location on efficacy of bevacizumab plus chemotherapy in metastatic colorectal cancer. <i>British Journal of Cancer</i> , 2018, 119, 1451-1455.  | 2.9  | 19        |
| 136 | BESPOKE study protocol: a multicentre, prospective observational study to evaluate the impact of circulating tumour DNA guided therapy on patients with colorectal cancer. <i>BMJ Open</i> , 2021, 11, e047831.   | 0.8  | 19        |
| 137 | Evaluating Continuous Tumor Measurement-Based Metrics as Phase II Endpoints for Predicting Overall Survival. <i>Journal of the National Cancer Institute</i> , 2015, 107, djv239.   | 3.0  | 18        |
| 138 | First- and second-line therapy of metastatic colorectal cancer. <i>Expert Review of Anticancer Therapy</i> , 2006, 6, 921-930.  | 1.1  | 17        |
| 139 | A Randomized, Double-Blind, Placebo-Controlled Phase II Study of the Efficacy and Safety of Monotherapy Ontuxizumab (MORAb-004) Plus Best Supportive Care in Patients with Chemorefractory Metastatic Colorectal Cancer. <i>Clinical Cancer Research</i> , 2018, 24, 316-325. | 3.2  | 17        |
| 140 | Phase 1 trial of Vismodegib and Erlotinib combination in metastatic pancreatic cancer. <i>Pancreatology</i> , 2020, 20, 101-109.  | 0.5  | 17        |
| 141 | Tumor Status at 12 Weeks Predicts Survival in Advanced Colorectal Cancer: Findings from NCCTG N9741. <i>Oncologist</i> , 2011, 16, 859-867.   | 1.9  | 16        |
| 142 | <i>KRAS</i> and Colorectal Cancer: Ethical and Pragmatic Issues in Effecting Real-Time Change in Oncology Clinical Trials and Practice. <i>Oncologist</i> , 2011, 16, 1061-1068.  | 1.9  | 16        |
| 143 | The search for treatments to reduce chemotherapy-induced peripheral neuropathy. <i>Journal of Clinical Investigation</i> , 2014, 124, 72-74.  | 3.9  | 16        |
| 144 | A Curative-Intent Trimodality Approach for Isolated Abdominal Nodal Metastases in Metastatic Colorectal Cancer: Update of a Single-Institutional Experience. <i>Oncologist</i> , 2018, 23, 679-685.   | 1.9  | 16        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Patient and physician preferences for anticancer drugs for the treatment of metastatic colorectal cancer: a discrete-choice experiment. <i>Cancer Management and Research</i> , 2017, Volume 9, 149-158.  | 0.9 | 15        |
| 146 | Association of baseline absolute neutrophil counts and survival in patients with metastatic colorectal cancer treated with second-line antiangiogenic therapies: exploratory analyses of the RAISE trial and validation in an electronic medical record data set. <i>ESMO Open</i> , 2018, 3, e000347.                    | 2.0 | 15        |
| 147 | Optimizing Adjuvant Therapy for Localized Colon Cancer and Treatment Selection in Advanced Colorectal Cancer. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2018, 16, 611-615.   | 2.3 | 15        |
| 148 | Regorafenib in metastatic colorectal cancer: optimal dosing and patient selection recommendations. <i>Clinical Advances in Hematology and Oncology</i> , 2015, 13, 514-7.   | 0.3 | 15        |
| 149 | Management of adverse events from the treatment of encorafenib plus cetuximab for patients with BRAF V600E-mutant metastatic colorectal cancer: insights from the BEACON CRC study. <i>ESMO Open</i> , 2021, 6, 100328.   | 2.0 | 15        |
| 150 | Low E-cadherin and beta-catenin expression correlates with increased spontaneous and artificial lung metastases of murine carcinomas. <i>Clinical and Experimental Metastasis</i> , 1999, 17, 171-176.  | 1.7 | 14        |
| 151 | Oxaliplatin plus Oral Fluoropyrimidines in Colorectal Cancer. <i>Clinical Colorectal Cancer</i> , 2004, 4, S37-S42.   | 1.0 | 14        |
| 152 | New Approaches to Assessing and Treating Early-Stage Colon and Rectal Cancer: Summary Statement from 2007 Santa Monica Conference. <i>Clinical Cancer Research</i> , 2007, 13, 6853s-6856s.   | 3.2 | 14        |
| 153 | Clinical and Functional Characterization of Atypical <i>KRAS</i> / <i>NRAS</i> Mutations in Metastatic Colorectal Cancer. <i>Clinical Cancer Research</i> , 2021, 27, 4587-4598.  | 3.2 | 14        |
| 154 | Future Directions in Vascular Endothelial Growth Factor-Targeted Therapy for Metastatic Colorectal Cancer. <i>Seminars in Oncology</i> , 2006, 33, S41-S49.   | 0.8 | 13        |
| 155 | When less is more: maintenance therapy in colorectal cancer. <i>Lancet, The</i> , 2015, 385, 1808-1810.   | 6.3 | 13        |
| 156 | Clinicopathological differences and survival outcomes with first-line therapy in patients with left-sided colon cancer and rectal cancer: Pooled analysis of 2879 patients from AGITG (MAX), COIN, FOCUS2, OPUS, CRYSTAL and COIN-B trials in the ARCAD database. <i>European Journal of Cancer</i> , 2018, 103, 205-213. | 1.3 | 13        |
| 157 | Molecular correlates of clinical benefit in previously treated patients (pts) with <i>BRAF</i> V600E-mutant metastatic colorectal cancer (mCRC) from the BEACON study.. <i>Journal of Clinical Oncology</i> , 2021, 39, 3513-3513.  | 0.8 | 13        |
| 158 | A low dose of ionizing radiation increases luminal release of intestinal peptidases in rats. <i>Journal of Cancer Research and Clinical Oncology</i> , 2001, 127, 96-100.   | 1.2 | 12        |
| 159 | Dual VEGF inhibition with sorafenib and bevacizumab as salvage therapy in metastatic colorectal cancer: results of the phase II North Central Cancer Treatment Group study N054C (Alliance). <i>Therapeutic Advances in Medical Oncology</i> , 2020, 12, 175883592091091.   | 1.4 | 12        |
| 160 | Evolution and Current Status of the Multidisciplinary Management of Locally Advanced Rectal Cancer. <i>JCO Oncology Practice</i> , 2021, 17, 383-402.   | 1.4 | 12        |
| 161 | Phase II study of i.v. CI-980 in patients with advanced platinum refractory epithelial ovarian carcinoma. <i>Anti-Cancer Drugs</i> , 1998, 9, 405-409.  | 0.7 | 11        |
| 162 | Calcium and Magnesium Use for Oxaliplatin-Induced Neuropathy: A Case Study to Assess How Quickly Evidence Translates Into Practice. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2015, 13, 1097-1101.   | 2.3 | 11        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Selection of biologics for patients with metastatic colorectal cancer: the role of predictive markers. Expert Review of Gastroenterology and Hepatology, 2015, 9, 273-276.  | 1.4 | 11        |
| 164 | Leptomeningeal Carcinomatosis in Colorectal Cancer: The Mayo Clinic Experience. Clinical Colorectal Cancer, 2018, 17, e183-e187.  | 1.0 | 11        |
| 165 | Regorafenib in the treatment of colorectal cancer. Expert Opinion on Pharmacotherapy, 2016, 17, 137-145.  | 0.9 | 10        |
| 166 | Challenges of conducting a prospective clinical trial for older patients: Lessons learned from NCCTG N0949 (alliance). Journal of Geriatric Oncology, 2018, 9, 24-31.   | 0.5 | 10        |
| 167 | WRN-Mutated Colorectal Cancer Is Characterized by a Distinct Genetic Phenotype. Cancers, 2020, 12, 1319.  | 1.7 | 10        |
| 168 | Regorafenib for metastatic colorectal cancer – Authors' reply. Lancet, The, 2013, 381, 1538-1539.   | 6.3 | 9         |
| 169 | VEGF inhibition beyond tumour progression. Lancet Oncology, The, 2013, 14, 2-3.   | 5.1 | 9         |
| 170 | Case series of dabrafenib-trametinib-induced pyrexia successfully treated with colchicine. Supportive Care in Cancer, 2019, 27, 3869-3875.  | 1.0 | 9         |
| 171 | Efficacy of Immunotherapy in Microsatellite-Stable or Mismatch Repair Proficient Colorectal Cancer – Fact or Fiction?. JAMA Oncology, 2020, 6, 823.   | 3.4 | 9         |
| 172 | Comparing and Validating Simple Measures of Patient- Reported Peripheral Neuropathy for Oncology Clinical Trials: NCCTG N0897 (Alliance) A Pooled Analysis of 2440 Patients. SOJ Anesthesiology & Pain Management, 2015, 2, . | 0.1 | 9         |
| 173 | Molecular differences between lymph nodes and distant metastases compared with primaries in colorectal cancer patients. Npj Precision Oncology, 2021, 5, 95.  | 2.3 | 9         |
| 174 | Surrogate endpoints for overall survival in early colorectal cancer from the clinician's perspective. Statistical Methods in Medical Research, 2008, 17, 529-535.   | 0.7 | 8         |
| 175 | Adjuvant Therapy for Colon Cancer. JAMA Oncology, 2016, 2, 1133.  | 3.4 | 8         |
| 176 | Analysis of the Survival Impact of Postoperative Chemotherapy After Preoperative Chemotherapy and Resection for Gastric Cancer. Annals of Surgical Oncology, 2021, 28, 1417-1427.   | 0.7 | 8         |
| 177 | Update on the role of pembrolizumab in patients with unresectable or metastatic colorectal cancer. Therapeutic Advances in Gastroenterology, 2021, 14, 175628482110244.   | 1.4 | 8         |
| 178 | Antiemetic Efficacy of an Oral Suspension of Granisetron plus Dexamethasone and Influence of Quality of Life on Risk for Nausea and Vomiting. Oncology Research and Treatment, 2005, 28, 88-92.                               | 0.8 | 7         |
| 179 | Do All Patients with Metastatic Colorectal Cancer Need Chemotherapy Until Disease Progression?. Clinical Colorectal Cancer, 2006, 6, 196-201.   | 1.0 | 7         |
| 180 | Review: Medical treatment of advanced colorectal cancer in 2009. Therapeutic Advances in Medical Oncology, 2009, 1, 55-68.  | 1.4 | 7         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | The Role of Chemotherapy in Managing Patients With Resectable Liver Metastases. <i>Cancer Journal (Sudbury, Mass)</i> , 2010, 16, 125-131.   | 1.0 | 7         |
| 182 | Does Stage II Colorectal Cancer Need to Be Redefined?. <i>Clinical Cancer Research</i> , 2011, 17, 3053-3055.  | 3.2 | 7         |
| 183 | Molecular profiling in the treatment of colorectal cancer: focus on regorafenib. <i>OncoTargets and Therapy</i> , 2015, 8, 2949.   | 1.0 | 7         |
| 184 | Long-term follow-up of chemoimmunotherapy with rituximab, oxaliplatin, cytosine arabinoside, dexamethasone (ROAD) in patients with relapsed CD20+ B-cell non-Hodgkin lymphoma: Results of a study of the Mayo Clinic Cancer Center Research Consortium (MCCRC). <i>American Journal of Hematology</i> , 2017, 92, 1004-1010. | 2.0 | 7         |
| 185 | Evolution of Cancer Care in Response to the COVID-19 Pandemic. <i>Oncologist</i> , 2020, 25, e1426-e1427.  | 1.9 | 7         |
| 186 | EGFR antibodies in resectable metastatic colorectal liver metastasis: more harm than benefit?. <i>Lancet Oncology, The</i> , 2020, 21, 324-326.  | 5.1 | 7         |
| 187 | Regorafenib in metastatic colorectal cancer. <i>Clinical Advances in Hematology and Oncology</i> , 2012, 10, 324-5.  | 0.3 | 7         |
| 188 | Biological Therapy and Other Novel Therapies in Early-Stage Disease: Are They Appropriate?. <i>Clinical Cancer Research</i> , 2007, 13, 6909s-6912s.   | 3.2 | 6         |
| 189 | North Central Cancer Treatment Group's Achievements and Perspectives. <i>Seminars in Oncology</i> , 2008, 35, 530-544.   | 0.8 | 6         |
| 190 | A comparison of XELOX with FOLFOX-4 as first-line treatment for metastatic colorectal cancer. <i>Nature Clinical Practice Oncology</i> , 2009, 6, 10-11.   | 4.3 | 6         |
| 191 | Should Oncologists Routinely Discuss Fertility Preservation With Cancer Patients of Childbearing Age?. <i>Mayo Clinic Proceedings</i> , 2011, 86, 6-7.   | 1.4 | 6         |
| 192 | The role of regorafenib in metastatic colorectal cancer. <i>Lancet Oncology, The</i> , 2015, 16, 596-597.  | 5.1 | 6         |
| 193 | Effect of Regorafenib in Delaying Definitive Deterioration in Health-Related Quality of Life in Patients with Advanced Cancer of Three Different Tumor Types. <i>Cancer Management and Research</i> , 2021, Volume 13, 5523-5533.  | 0.9 | 6         |
| 194 | Heterogeneity in early lesion changes on treatment as a marker of poor prognosis in patients (pts) with metastatic colorectal cancer (mCRC) treated with first line systemic chemotherapy ± biologic: Findings from 9,092 pts in the ARCAD database.. <i>Journal of Clinical Oncology</i> , 2017, 35, 3535-3535.             | 0.8 | 6         |
| 195 | Effect of age, gender, and performance status (PS) on the duration results of adjuvant chemotherapy for stage III colon cancer: The IDEA collaboration.. <i>Journal of Clinical Oncology</i> , 2018, 36, 3599-3599.  | 0.8 | 6         |
| 196 | Adjuvant Therapy for Colon Cancer: Learning from the Past to Inform the Future. <i>Annals of Surgical Oncology</i> , 2010, 17, 947-949.  | 0.7 | 5         |
| 197 | Chemotherapy in the Setting of Severe Liver Dysfunction in Patients with Metastatic Colorectal Cancer. <i>Case Reports in Oncological Medicine</i> , 2015, 2015, 1-7.  | 0.2 | 5         |
| 198 | Evidence in Favor of Standard Surgical Treatment for Rectal Cancer. <i>JAMA Oncology</i> , 2017, 3, 885.   | 3.4 | 5         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Missing tumor measurement (TM) data in the search for alternative TM-based endpoints in cancer clinical trials. <i>Contemporary Clinical Trials Communications</i> , 2020, 17, 100492.  | 0.5 | 5         |
| 200 | Preemptive Versus Reactive Topical Clobetasol for Regorafenib-Induced Hand-Foot Reactions: A Preplanned Analysis of the ReDOS Trial. <i>Oncologist</i> , 2021, 26, 610-618.   | 1.9 | 5         |
| 201 | Use of Molecular Assays and Circulating Tumor DNA in Early-Stage Colorectal Cancer: A Roundtable Discussion of the Gastrointestinal Cancer Therapy Expert Group. <i>Oncologist</i> , 2021, 26, 651-659.   | 1.9 | 5         |
| 202 | Developments in combination chemotherapy for colorectal cancer. <i>Expert Review of Anticancer Therapy</i> , 2004, 4, 627-637.  | 1.1 | 4         |
| 203 | Systemic cytotoxic and biologic therapies for colorectal cancer liver metastases: expert consensus statement. <i>Hpb</i> , 2013, 15, 116-118.   | 0.1 | 4         |
| 204 | Phase III Randomized, Placebo(Pl)-Controlled, Double-Blind Study of Intravenous Calcium/Magnesium (CaMg) to Prevent Oxaliplatin-Induced Sensory Neurotoxicity (sNT), N08CB: an Alliance for Clinical Trials in Oncology Study1. <i>Annals of Oncology</i> , 2013, 24, iv24. | 0.6 | 4         |
| 205 | Influence of genetic variation in the vitamin D pathway on plasma 25-hydroxyvitamin D3 levels and survival among patients with metastatic colorectal cancer. <i>Cancer Causes and Control</i> , 2019, 30, 757-765.  | 0.8 | 4         |
| 206 | Microsatellite Stable Colorectal Liver Metastasesâ€”Understanding the Mechanisms of Immune Resistance. <i>JAMA Network Open</i> , 2021, 4, e2119025.  | 2.8 | 4         |
| 207 | Metastatic extramammary Paget's disease responding to weekly paclitaxel. <i>BMJ Case Reports</i> , 2015, 2015, bcr2014208653-bcr2014208653.   | 0.2 | 4         |
| 208 | Preferential repair of the N-ras gene in K 562 cells after exposure to cisplatin. <i>Anti-Cancer Drugs</i> , 1999, 10, 545-550.   | 0.7 | 3         |
| 209 | Reply to D.J. Stewart. <i>Journal of Clinical Oncology</i> , 2010, 28, e652-e653.   | 0.8 | 3         |
| 210 | Impact of geography on prognostic outcomes of 21,509 patients with metastatic colorectal cancer enrolled in clinical trials: an ARCAD database analysis. <i>Therapeutic Advances in Medical Oncology</i> , 2021, 13, 175883592110205.                                       | 1.4 | 3         |
| 211 | Overall survival (OS) with encorafenib (enco) + cetuximab (cetux) in BEACON CRC: Effect of prior therapy for BRAF V600E-mutant metastatic colorectal cancer (mCRC).. <i>Journal of Clinical Oncology</i> , 2021, 39, 3583-3583.   | 0.8 | 3         |
| 212 | Precision Medicine for the Treatment of Colorectal Cancer: the Evolution and Status of Molecular Profiling and Biomarkers. <i>Current Colorectal Cancer Reports</i> , 2021, 17, 55-68.  | 1.0 | 3         |
| 213 | Personalizing Treatment for Rectal Cancer. <i>JAMA Network Open</i> , 2020, 3, e2030508.  | 2.8 | 3         |
| 214 | Metastatic Colorectal Cancer Outcomes by Age Among ARCAD First- and Second-Line Clinical Trials. <i>JNCI Cancer Spectrum</i> , 2022, 6, .   | 1.4 | 3         |
| 215 | Sound Footing or Slippery Slope? The Value of Secondary Analyses of Randomized Trials. <i>Journal of Clinical Oncology</i> , 2007, 25, 3191-3193.   | 0.8 | 2         |
| 216 | Optimizing Systemic Therapy Selection in Metastatic Colorectal Cancer. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2015, 13, 682-685.  | 2.3 | 2         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 217 | New Adjuvant Trial Designs in Colon Cancer. <i>Current Colorectal Cancer Reports</i> , 2015, 11, 326-334.   | 1.0 | 2         |
| 218 | Phase I trial of FOLFIRI in combination with sorafenib and bevacizumab in patients with advanced gastrointestinal malignancies. <i>Investigational New Drugs</i> , 2016, 34, 96-103.  | 1.2 | 2         |
| 219 | Continued disappointments with targeted agents in first-line therapy of advanced gastric cancers. <i>Lancet Oncology</i> , The, 2017, 18, 1427-1428.  | 5.1 | 2         |
| 220 | Evaluation of lesion-based response at 12 weeks (LBR12) of treatment (Rx) in metastatic colorectal cancer (mCRC): Findings from 9,092 patients (pts) in the ARCAD database.. <i>Journal of Clinical Oncology</i> , 2018, 36, 612-612. | 0.8 | 2         |
| 221 | Clinical Trial Endpoints in Metastatic Cancer: Using Individual Participant Data to Inform Future Trials Methodology. <i>Journal of the National Cancer Institute</i> , 2022, 114, 819-828.   | 3.0 | 2         |
| 222 | Does bevacizumab improve survival in patients with metastatic colorectal cancer treated with chemotherapy?. <i>Nature Clinical Practice Oncology</i> , 2006, 3, 22-23.  | 4.3 | 1         |
| 223 | Reply to S.A. Kesikli et al. <i>Journal of Clinical Oncology</i> , 2012, 30, 2288-2289.   | 0.8 | 1         |
| 224 | O-0023 Phase 3 Correct Trial of Regorafenib in Metastatic Colorectal Cancer (mCRC). <i>Annals of Oncology</i> , 2012, 23, iv15-iv16.  | 0.6 | 1         |
| 225 | The Challenge to Optimize Medical Therapy for Advanced Colorectal Cancer. <i>Journal of the National Cancer Institute</i> , 2014, 106, djt442-djt442.   | 3.0 | 1         |
| 226 | Distinctive Tumor Biology of MSI-High Colorectal Cancer. <i>Current Colorectal Cancer Reports</i> , 2015, 11, 281-287.  | 1.0 | 1         |
| 227 | Colorectal cancer: how to teach an old drug new tricks. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2016, 13, 384-385.  | 8.2 | 1         |
| 228 | Adverse event development in clinical oncology trials – Authors' reply. <i>Lancet Oncology</i> , The, 2016, 17, e264-e265.  | 5.1 | 1         |
| 229 | Impact of Molecular Tumor Board (MTB) on precision oncology in a community setting. <i>Gynecologic Oncology</i> , 2021, 162, S180.  | 0.6 | 1         |
| 230 | Does Lifestyle Cause Colorectal Cancer?. , 0, , 1-13.   |     | 1         |
| 231 | The Role of the Colorectal Nurse Specialist in the Management of Colorectal Cancer. , 0, , 153-166.   |     | 1         |
| 232 | Risk assessment in stage II colon cancer: to treat or not to treat?. <i>Oncology</i> , 2010, 24, 1-2.   | 0.4 | 1         |
| 233 | Should bevacizumab be continued beyond progression in colorectal cancer?. <i>Current Colorectal Cancer Reports</i> , 2008, 4, 139-143.  | 1.0 | 0         |
| 234 | Reply to F. Montagnani et al. <i>Journal of Clinical Oncology</i> , 2009, 27, e134-e135.  | 0.8 | 0         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 235 | Adding cetuximab to a standard chemotherapy regimen containing bevacizumab in first-line therapy for colorectal cancer decreases efficacy: Results from the CAIRO2 trial. <i>Current Colorectal Cancer Reports</i> , 2009, 5, 65-66. | 1.0 | 0         |
| 236 | Strategies for Managing Chemotherapy-Induced Sensory Neuropathy. <i>Current Colorectal Cancer Reports</i> , 2010, 6, 126-132.  | 1.0 | 0         |
| 237 | Recent developments in therapy for gastrointestinal cancers. <i>Community Oncology</i> , 2011, 8, 4-8.   | 0.2 | 0         |
| 238 | Adjuvant Hepatic Arterial Infusional Chemotherapy. <i>Annals of Surgery</i> , 2011, 254, 857-859.  | 2.1 | 0         |
| 239 | Reduced Chemotherapy Duration: A Good Idea?. <i>Current Colorectal Cancer Reports</i> , 2011, 7, 241-245.  | 1.0 | 0         |
| 240 | Reply to A. Chan et al. <i>Journal of Clinical Oncology</i> , 2011, 29, e490-e491.   | 0.8 | 0         |
| 241 | Reply to S.B. Park et al. <i>Journal of Clinical Oncology</i> , 2011, 29, e555-e556.   | 0.8 | 0         |
| 242 | Reply to M. MandalÃ et al. <i>Journal of Clinical Oncology</i> , 2012, 30, 1895-1895.  | 0.8 | 0         |
| 243 | Establishing a Standard of Care for Small Bowel Adenocarcinomas: Challenges and Lessons Learned. <i>Oncologist</i> , 2012, 17, 1133-1134.  | 1.9 | 0         |
| 244 | S-1 in colorectal cancer: a new standard of care?. <i>Lancet Oncology</i> , The, 2012, 13, 1068-1070.  | 5.1 | 0         |
| 245 | Optimal Treatment Strategies for Localized and Advanced Microsatellite Instabilityâ€“High Colorectal Cancer. <i>Current Colorectal Cancer Reports</i> , 2012, 8, 36-41.  | 1.0 | 0         |
| 246 | European Society for Medical Oncology Copenhagen update: potential practice-changing findings. <i>Therapeutic Advances in Medical Oncology</i> , 2017, 9, 4-12.  | 1.4 | 0         |
| 247 | Early-onset stage II/III colorectal adenocarcinoma in the IDEA database: Treatment adherence, toxicities, and outcomes from adjuvant fluoropyrimidine and oxaliplatin.. <i>Journal of Clinical Oncology</i> , 2021, 39, 3517-3517.   | 0.8 | 0         |
| 248 | A comprehensive analysis of clinical and tumor characteristics with BRAF and KRAS mutations status in adjuvant colon cancer trial N0147.. <i>Journal of Clinical Oncology</i> , 2012, 30, 446-446.                                   | 0.8 | 0         |
| 249 | Combining Survival and Toxicity Effect Sizes from Clinical Trials: NCCTG 89-20-52 (Alliance). <i>International Journal of Statistics in Medical Research</i> , 2018, 7, 137-146.   | 0.5 | 0         |
| 250 | Improving the Odds for a Patient With Potentially Curable Stage IV Colorectal Cancer: A Question of Chemosensitivity. <i>Gastrointestinal Cancer Research: GCR</i> , 2008, 2, 258-60.  | 0.8 | 0         |
| 251 | Waiting in line for cancer treatments?. <i>Gastrointestinal Cancer Research: GCR</i> , 2011, 4, 147-9.   | 0.8 | 0         |
| 252 | What can the Pathologist Tell the Multidisciplinary Team about Rectal Cancer Resection?. , 0, , 31-45.   |     | 0         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 253 | MRI-Directed Rectal Cancer Surgery. , 0, , 46-59.  |     | 0         |
| 254 | Minimally Invasive Surgeryâ€™ Where are We? Laparoscopic Surgery for Cancer of the Colon and Rectum. , 0, , 60-72.           |     | 0         |
| 255 | Introduction to special issue on biomarker-based clinical trial designs in oncology. Chinese Clinical Oncology, 2015, 4, 28. | 0.4 | 0         |