

Ruth Topless

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6866397/publications.pdf>

Version: 2024-02-01

28
papers

1,483
citations

361413

20
h-index

501196

28
g-index

28
all docs

28
docs citations

28
times ranked

2868
citing authors

#	ARTICLE	IF	CITATIONS
1	Abdominal Aortic Aneurysm Is Associated with a Variant in Low-Density Lipoprotein Receptor-Related Protein 1. <i>American Journal of Human Genetics</i> , 2011, 89, 619-627.	6.2	185
2	Twenty-eight loci that influence serum urate levels: analysis of association with gout. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 124-130.	0.9	116
3	A strong role for the ABCG2 gene in susceptibility to gout in New Zealand Pacific Island and Caucasian, but not Māori, case and control sample sets. <i>Human Molecular Genetics</i> , 2010, 19, 4813-4819.	2.9	100
4	Role of the urate transporter <i>SLC2A9</i> gene in susceptibility to gout in New Zealand Māori, Pacific Island, and Caucasian case-control sample sets. <i>Arthritis and Rheumatism</i> , 2009, 60, 3485-3492.	6.7	98
5	No causal effects of serum urate levels on the risk of chronic kidney disease: A Mendelian randomization study. <i>PLoS Medicine</i> , 2019, 16, e1002725.	8.4	97
6	Evidence of interaction of CARD8 rs2043211 with NALP3 rs35829419 in Crohn's disease. <i>Genes and Immunity</i> , 2010, 11, 351-356.	4.1	92
7	A sequence variant associated with sortilin-1 (SORT1) on 1p13.3 is independently associated with abdominal aortic aneurysm. <i>Human Molecular Genetics</i> , 2013, 22, 2941-2947.	2.9	88
8	ABCG2 loss-of-function polymorphism predicts poor response to allopurinol in patients with gout. <i>Pharmacogenomics Journal</i> , 2017, 17, 201-203.	2.0	82
9	Sugar-sweetened beverage consumption: a risk factor for prevalent gout with <i>SLC2A9</i> genotype-specific effects on serum urate and risk of gout. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 2101-2106.	0.9	77
10	The <i>PTPN22</i> R263Q polymorphism is a risk factor for rheumatoid arthritis in Caucasian case-control samples. <i>Arthritis and Rheumatism</i> , 2011, 63, 365-372.	6.7	64
11	KCNN4 Gene Variant Is Associated With Ileal Crohn's Disease in the Australian and New Zealand Population. <i>American Journal of Gastroenterology</i> , 2010, 105, 2209-2217.	0.4	59
12	Multiplicative interaction of functional inflammasome genetic variants in determining the risk of gout. <i>Arthritis Research and Therapy</i> , 2015, 17, 288.	3.5	54
13	Mendelian Randomization Analysis to Examine for a Causal Effect of Urate on Bone Mineral Density. <i>Journal of Bone and Mineral Research</i> , 2015, 30, 985-991.	2.8	50
14	Population-specific Resequencing Associates the ATP-binding Cassette Subfamily C Member 4 Gene With Gout in New Zealand Māori and Pacific Men. <i>Arthritis and Rheumatology</i> , 2017, 69, 1461-1469.	5.6	46
15	Only one independent genetic association with rheumatoid arthritis within the KIAA1109-TENR-IL2-IL21 locus in Caucasian sample sets: confirmation of association of rs6822844 with rheumatoid arthritis at a genome-wide level of significance. <i>Arthritis Research and Therapy</i> , 2010, 12, R116.	3.5	35
16	Association analysis of the SLC22A11 (organic anion transporter 4) and SLC22A12 (urate transporter 1) urate transporter locus with gout in New Zealand case-control sample sets reveals multiple ancestral-specific effects. <i>Arthritis Research and Therapy</i> , 2013, 15, R220.	3.5	35
17	Association of the lipoprotein receptor-related protein 2 gene with gout and non-additive interaction with alcohol consumption. <i>Arthritis Research and Therapy</i> , 2013, 15, R177.	3.5	34
18	The Toll-Like Receptor 4 (TLR4) Variant rs2149356 and Risk of Gout in European and Polynesian Sample Sets. <i>PLoS ONE</i> , 2016, 11, e0147939.	2.5	31

#	ARTICLE	IF	CITATIONS
19	Testing the Validity of Taxonic Schizotypy Using Genetic and Environmental Risk Variables. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw108.	4.3	28
20	Positive association of tomato consumption with serum urate: support for tomato consumption as an anecdotal trigger of gout flares. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 196.	1.9	27
21	Association of SLC2A9 genotype with phenotypic variability of serum urate in pre-menopausal women. <i>Frontiers in Genetics</i> , 2015, 6, 313.	2.3	16
22	Replication of association of the apolipoprotein A1-C3-A4 gene cluster with the risk of gout. <i>Rheumatology</i> , 2016, 55, 1421-1430.	1.9	16
23	Replication of association of the interleukin 23 receptor rs1343151 variant with rheumatoid arthritis in Caucasian sample sets. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 155-157.	0.9	13
24	Association study involving polymorphisms in IL-6, IL-1RA, and CTLA4 genes and rheumatic heart disease in New Zealand population of Māori and Pacific ancestry. <i>Cytokine</i> , 2016, 85, 201-206.	3.2	13
25	Association analysis of the beta-3 adrenergic receptor Trp64Arg (rs4994) polymorphism with urate and gout. <i>Rheumatology International</i> , 2016, 36, 255-261.	3.0	10
26	Analysis of the <i>DISC1</i> translocation partner (11q14.3) in genetic risk of schizophrenia. <i>Genes, Brain and Behavior</i> , 2012, 11, 859-863.	2.2	8
27	No evidence for association of the systemic lupus erythematosus-associated ITCAM variant, R77H, with rheumatoid arthritis in the Caucasian population. <i>Rheumatology</i> , 2009, 48, 1614-1615.	1.9	7
28	Analysis of association of DNASE2 promoter variation with rheumatoid arthritis in European Caucasians. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 1512-1514.	0.9	2