

Mirella Ruggeri

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6866473/mirella-ruggeri-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

187 papers	6,932 citations	40 h-index	80 g-index
212 ext. papers	8,115 ext. citations	5 avg, IF	5.39 L-index

#	Paper	IF	Citations
187	Performance and effectiveness of step progressive care pathways within mental health supported accommodation services in Italy.. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022 , 1	4.5	1
186	Insula volumes in first-episode and chronic psychosis: A longitudinal MRI study.. <i>Schizophrenia Research</i> , 2022 , 241, 14-23	3.6	0
185	Three-Month Follow-up Study of Mental Health Outcomes After a National COVID-19 Lockdown: Comparing Patients With Mood or Anxiety Disorders Living in an Area With a Higher Versus Lower Infection Incidence.. <i>Journal of Clinical Psychiatry</i> , 2022 , 83,	4.6	3
184	Supported employment for people with severe mental illness: a pilot study of an Italian social enterprise with a special ingredient.. <i>BMC Psychiatry</i> , 2022 , 22, 296	4.2	1
183	"First-episode psychosis: Structural covariance deficits in salience network correlate with symptoms severity". <i>Journal of Psychiatric Research</i> , 2021 , 136, 409-420	5.2	1
182	Do outcomes of psychiatric hospital treatment differ for migrants and non-migrants?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 1957-1965	4.5	
181	Lack of Support for the Genes by Early Environment Interaction Hypothesis in the Pathogenesis of Schizophrenia. <i>Schizophrenia Bulletin</i> , 2021 ,	1.3	6
180	Childhood and Adulthood Severe Stressful Experiences and Biomarkers Related to Glucose Metabolism: A Possible Association?. <i>Frontiers in Psychiatry</i> , 2021 , 12, 629137	5	1
179	Comparing discrimination among people with schizophrenia, affective and anxiety disorders. A multilevel study in five European countries. <i>Journal of Affective Disorders</i> , 2021 , 279, 191-202	6.6	1
178	Levels of burn-out among healthcare workers during the COVID-19 pandemic and their associated factors: a cross-sectional study in a tertiary hospital of a highly burdened area of north-east Italy. <i>BMJ Open</i> , 2021 , 11, e045127	3	61
177	Sexual Regional Dimorphism of Post-Adolescent and Middle Age Brain Maturation. A Multi-center 3T MRI Study. <i>Frontiers in Aging Neuroscience</i> , 2021 , 13, 622054	5.3	4
176	Classification of Psychoses Based on Immunological Features: A Machine Learning Study in a Large Cohort of First-Episode and Chronic Patients. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1141-1155	1.3	6
175	Use of psychiatric hospitals and social integration of patients with psychiatric disorders: a prospective cohort study in five European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 1425-1438	4.5	3
174	Predicting PatientsRReadmission: Do Clinicians Outperform a Statistical Model? An Exploratory Study on Clinical Risk Judgment in Mental Health. <i>Journal of Nervous and Mental Disease</i> , 2020 , 208, 353-361	1.8	2
173	Should we be concerned about stigma and discrimination in people at risk for psychosis? A systematic review. <i>Psychological Medicine</i> , 2020 , 50, 705-726	6.9	17
172	The EUropean Network of National Schizophrenia Networks Studying Gene-Environment Interactions (EU-GEI): Incidence and First-Episode Case-Control Programme. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 645-657	4.5	20
171	Prevention and early intervention in youth mental health: is it time for a multidisciplinary and trans-diagnostic model for care?. <i>International Journal of Mental Health Systems</i> , 2020 , 14, 23	3.6	36

170	Unraveling the Intoxicating and Therapeutic Effects of Cannabis Ingredients on Psychosis and Cognition. <i>Frontiers in Psychology</i> , 2020 , 11, 833	3.4	17
169	Childhood trauma and glucose metabolism in patients with first-episode psychosis. <i>Psychoneuroendocrinology</i> , 2020 , 113, 104536	5	10
168	Dietary habits and physical activity in first-episode psychosis patients treated in community services. Effect on early anthropometric and cardio-metabolic alterations. <i>Schizophrenia Research</i> , 2020 , 216, 374-381	3.6	2
167	Correlations between immune and metabolic serum markers and schizophrenia/bipolar disorder polygenic risk score in first-episode psychosis. <i>Microbial Biotechnology</i> , 2020 , 14, 507-511	3.3	9
166	Adolescent Lifestyle Behaviors, Coping Strategies and Subjective Wellbeing during the COVID-19 Pandemic: An Online Student Survey. <i>Healthcare (Switzerland)</i> , 2020 , 8,	3.4	33
165	Tolerability and efficacy of vortioxetine versus SSRIs in elderly with major depression. Study protocol of the VESPA study: a pragmatic, multicentre, open-label, parallel-group, superiority, randomized trial. <i>Trials</i> , 2020 , 21, 695	2.8	2
164	The impact of COVID-19 on patients of Italian mental health supported accommodation services. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 1395-1396	4.5	2
163	Gender and 5-years course of psychosis patients: focus on clinical and social variables. <i>Archives of Women's Mental Health</i> , 2020 , 23, 63-70	5	4
162	Factors associated with satisfaction of inpatient psychiatric care: a cross country comparison. <i>Psychological Medicine</i> , 2020 , 50, 284-292	6.9	8
161	Personal continuity versus specialisation of care approaches in mental healthcare: experiences of patients and clinicians-results of the qualitative study in five European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 205-216	4.5	4
160	Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. <i>Schizophrenia Bulletin</i> , 2020 , 46, 517-529	1.3	10
159	Pathways to care, DUP, and types of interventions over 5 years following psychosis onset: findings from a naturalistic study conducted in routine generalist mental health services. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 175-186	4.5	1
158	Medically unexplained symptoms in the times of COVID-19 pandemic: A case-report. <i>Brain, Behavior, & Immunity - Health</i> , 2020 , 5, 100073	5.1	78
157	Mental health supported accommodation services in England and in Italy: a comparison. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019 , 54, 1419-1427	4.5	6
156	Music Interventions for Dementia and Depression in ELderly care (MIDDEL): protocol and statistical analysis plan for a multinational cluster-randomised trial. <i>BMJ Open</i> , 2019 , 9, e023436	3	14
155	The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GEI): a multicentre case-control study. <i>Lancet Psychiatry</i> , 2019 , 6, 427-436	23.3	322
154	Current evidence of childhood traumatic experiences in psychosis - focus on gender differences. <i>Psychiatry Research</i> , 2019 , 281, 112507	9.9	8
153	Forensic psychiatric evaluations of defendants: Italy and the Netherlands compared. <i>International Journal of Law and Psychiatry</i> , 2019 , 66, 101473	2.6	4

152	Altered syntactic abilities in first episode patients: An inner phenomenon characterizing psychosis. <i>European Psychiatry</i> , 2019 , 61, 119-126	6	1
151	Predictors of personal continuity of care of patients with severe mental illness: A comparison across five European countries. <i>European Psychiatry</i> , 2019 , 56, 69-74	6	2
150	Dimensional structure of first episode psychosis. <i>Microbial Biotechnology</i> , 2019 , 13, 1431-1438	3.3	13
149	The impact of gender and childhood abuse on age of psychosis onset, psychopathology and needs for care in psychosis patients. <i>Schizophrenia Research</i> , 2019 , 210, 164-171	3.6	9
148	Renaming schizophrenia: benefits, challenges and barriers. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 28, 251-253	5.1	7
147	Cingulate abnormalities in bipolar disorder relate to gender and outcome: a region-based morphometry study [corrected]. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019 , 269, 777-784	5.1	2
146	Pituitary gland shrinkage in bipolar disorder: The role of gender. <i>Comprehensive Psychiatry</i> , 2018 , 82, 95-99	7.3	3
145	Immune and metabolic alterations in first episode psychosis (FEP) patients. <i>Brain, Behavior, and Immunity</i> , 2018 , 70, 315-324	16.6	22
144	Hippocampal Subfield Volumes in Patients With First-Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2018 , 44, 552-559	1.3	41
143	Scales for assessing patient satisfaction with mental health care: A systematic review. <i>Journal of Psychiatric Research</i> , 2018 , 100, 33-46	5.2	24
142	Predictors of length of stay in psychiatric inpatient units: Does their effect vary across countries?. <i>European Psychiatry</i> , 2018 , 48, 6-12	6	26
141	Comparison of Early Intervention Services vs Treatment as Usual for Early-Phase Psychosis: A Systematic Review, Meta-analysis, and Meta-regression. <i>JAMA Psychiatry</i> , 2018 , 75, 555-565	14.5	293
140	Why measuring quality of mental health care is still an unmet challenge and how to meet it. <i>World Psychiatry</i> , 2018 , 17, 45-46	14.4	1
139	Altered expression of schizophrenia-related genes in mice lacking mGlu5 receptors. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018 , 268, 77-87	5.1	6
138	A diffusion weighted imaging study of basal ganglia in schizophrenia. <i>International Journal of Psychiatry in Clinical Practice</i> , 2018 , 22, 6-12	2.4	4
137	Prevalence and Correlates of Psychological Distress and Psychiatric Disorders in Asylum Seekers and Refugees Resettled in an Italian Catchment Area. <i>Journal of Immigrant and Minority Health</i> , 2018 , 20, 263-270	2.2	14
136	Increased gyrification in schizophrenia and non affective first episode of psychosis. <i>Schizophrenia Research</i> , 2018 , 193, 269-275	3.6	10
135	Prosody abilities in a large sample of affective and non-affective first episode psychosis patients. <i>Comprehensive Psychiatry</i> , 2018 , 86, 31-38	7.3	6

134	Factors associated with first- versus second-generation long-acting antipsychotics prescribed under ordinary clinical practice in Italy. <i>PLoS ONE</i> , 2018 , 13, e0201371	3.7	29
133	Diffusion imaging study of the Corpus Callosum in bipolar disorder. <i>Psychiatry Research - Neuroimaging</i> , 2018 , 271, 75-81	2.9	11
132	Non literal language comprehension in a large sample of first episode psychosis patients in adulthood. <i>Psychiatry Research</i> , 2018 , 260, 78-89	9.9	7
131	Access to and Use of Psychiatric Services by Migrants Resettled in Northern Italy. <i>Journal of Immigrant and Minority Health</i> , 2018 , 20, 1309-1316	2.2	1
130	Classification of first-episode psychosis in a large cohort of patients using support vector machine and multiple kernel learning techniques. <i>NeuroImage</i> , 2017 , 145, 238-245	7.9	36
129	Predictors of 9-month hospitalization in patients with first-episode affective and non-affective psychosis. Results from the GET UP pragmatic cluster randomized controlled trial. <i>Schizophrenia Research</i> , 2017 , 190, 187-188	3.6	4
128	Sexual dimorphism of the planum temporale in schizophrenia: A MRI study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017 , 51, 1010-1019	2.6	4
127	Reducing Stigma in Media Professionals: Is there Room for Improvement? Results from a Systematic Review. <i>Canadian Journal of Psychiatry</i> , 2017 , 62, 702-715	4.8	22
126	Predictors and moderators of treatment outcome in patients receiving multi-element psychosocial intervention for early psychosis: results from the GET UP pragmatic cluster randomised controlled trial. <i>British Journal of Psychiatry</i> , 2017 , 210, 342-349	5.4	19
125	Brain anatomy of symptom stratification in schizophrenia: a voxel-based morphometry study. <i>Nordic Journal of Psychiatry</i> , 2017 , 71, 348-354	2.3	1
124	Common and distinct structural features of schizophrenia and bipolar disorder: The European Network on Psychosis, Affective disorders and Cognitive Trajectory (ENPACT) study. <i>PLoS ONE</i> , 2017 , 12, e0188000	3.7	55
123	Similar white matter changes in schizophrenia and bipolar disorder: A tract-based spatial statistics study. <i>PLoS ONE</i> , 2017 , 12, e0178089	3.7	47
122	Longitudinal investigation of the parietal lobe anatomy in bipolar disorder and its association with general functioning. <i>Psychiatry Research - Neuroimaging</i> , 2017 , 267, 22-31	2.9	10
121	Potential Gender-Related Aging Processes Occur Earlier and Faster in the Vermis of Patients with Bipolar Disorder: An MRI Study. <i>Neuropsychobiology</i> , 2017 , 75, 32-38	4	2
120	Family Burden, Emotional Distress and Service Satisfaction in First Episode Psychosis. Data from the GET UP Trial. <i>Frontiers in Psychology</i> , 2017 , 8, 721	3.4	9
119	Chronological age and its impact on associative learning proficiency and brain structure in middle adulthood. <i>Behavioural Brain Research</i> , 2016 , 297, 329-37	3.4	7
118	DTI and Myelin Plasticity in Bipolar Disorder: Integrating Neuroimaging and Neuropathological Findings. <i>Frontiers in Psychiatry</i> , 2016 , 7, 21	5	48
117	The use of dynamic susceptibility contrast (DSC) MRI to automatically classify patients with first episode psychosis. <i>Schizophrenia Research</i> , 2015 , 165, 38-44	3.6	18

116	Classification of first-episode psychosis: a multi-modal multi-feature approach integrating structural and diffusion imaging. <i>Journal of Neural Transmission</i> , 2015 , 122, 897-905	4.3	20
115	Association between the COMT gene and neurological abnormalities and poorer executive function in psychosis. <i>Psychiatry Research</i> , 2015 , 230, 742-3	9.9	2
114	Feasibility and Effectiveness of a Multi-Element Psychosocial Intervention for First-Episode Psychosis: Results From the Cluster-Randomized Controlled GET UP PIANO Trial in a Catchment Area of 10 Million Inhabitants. <i>Schizophrenia Bulletin</i> , 2015 , 41, 1192-203	1.3	78
113	Specialised teams or personal continuity across inpatient and outpatient mental healthcare? Study protocol for a natural experiment. <i>BMJ Open</i> , 2015 , 5, e008996	3	18
112	Neurological soft signs and prepulse inhibition of the startle reflex in psychosis: A pilot study. <i>International Journal of Psychiatry in Clinical Practice</i> , 2015 , 19, 276-84	2.4	
111	First-contact incidence of psychosis in north-eastern Italy: influence of age, gender, immigration and socioeconomic deprivation. <i>British Journal of Psychiatry</i> , 2014 , 205, 127-34	5.4	40
110	No association between NRG1 and ErbB4 genes and psychopathological symptoms of schizophrenia. <i>NeuroMolecular Medicine</i> , 2014 , 16, 742-51	4.6	4
109	Outcomes from Italian community psychiatric services studies. <i>Journal of Nervous and Mental Disease</i> , 2014 , 202, 501-6	1.8	2
108	The role of experienced and anticipated discrimination in the lives of people with first-episode psychosis. <i>Psychiatric Services</i> , 2014 , 65, 1034-40	3.3	27
107	The impact of cannabis use on age of onset and clinical characteristics in first-episode psychotic patients. Data from the Psychosis Incident Cohort Outcome Study (PICOS). <i>Journal of Psychiatric Research</i> , 2013 , 47, 438-44	5.2	54
106	COMT, neuropsychological function and brain structure in schizophrenia: a systematic review and neurobiological interpretation. <i>Journal of Psychiatry and Neuroscience</i> , 2013 , 38, 366-80	4.5	59
105	Predictors of anxiety and depression in hematopoietic stem cell transplant patients during protective isolation. <i>Psycho-Oncology</i> , 2013 , 22, 1790-7	3.9	35
104	Incorporating local information and prior expert knowledge to evidence-informed mental health system research 2013 , 209-228		4
103	Neurocognitive profile and its association with psychopathology in first-degree relatives of patients with schizophrenia. a case-control study. <i>Psychiatry Research</i> , 2012 , 200, 137-43	9.9	15
102	A multi-element psychosocial intervention for early psychosis (GET UP PIANO TRIAL) conducted in a catchment area of 10 million inhabitants: study protocol for a pragmatic cluster randomized controlled trial. <i>Trials</i> , 2012 , 13, 73	2.8	38
101	Replication study and meta-analysis in European samples supports association of the 3p21.1 locus with bipolar disorder. <i>Biological Psychiatry</i> , 2012 , 72, 645-50	7.9	15
100	Is neuregulin 1 involved in determining cerebral volumes in schizophrenia? Preliminary results showing a decrease in superior temporal gyrus volume. <i>Neuropsychobiology</i> , 2012 , 65, 119-25	4	22
99	At-risk variant in TCF7L2 for type II diabetes increases risk of schizophrenia. <i>Biological Psychiatry</i> , 2011 , 70, 59-63	7.9	101

98	Association between symptoms and quality of life in patients with schizophrenia: a pooled analysis of changes over time. <i>Schizophrenia Research</i> , 2011 , 133, 17-21	3.6	61
97	Effect of COMT genotype on aggressive behaviour in a community cohort of schizophrenic patients. <i>Neuroscience Letters</i> , 2011 , 495, 17-21	3.3	29
96	New perspectives in the psychotherapy of psychoses at onset: evidence, effectiveness, flexibility, and fidelity. <i>Epidemiology and Psychiatric Sciences</i> , 2011 , 20, 107-11	5.1	9
95	Common variants at VRK2 and TCF4 conferring risk of schizophrenia. <i>Human Molecular Genetics</i> , 2011 , 20, 4076-81	5.6	162
94	Il Progetto DECO-TRE: un modello di intervento stepped-care integrato per il trattamento della depressione in comorbidità con malattie fisiche nell'Ospedale Generale e nella Medicina di Base. <i>Epidemiology and Psychiatric Sciences</i> , 2010 , 19, 362-374	5.1	
93	Protocollo operativo di un intervento stepped care per il trattamento breve e di gruppo della depressione in comorbidità con malattie fisiche, Presentazione. <i>Epidemiology and Psychiatric Sciences</i> , 2010 , 19, 360-361	5.1	
92	Factors influencing subjective quality of life in patients with schizophrenia and other mental disorders: a pooled analysis. <i>Schizophrenia Research</i> , 2010 , 121, 251-8	3.6	71
91	Mental Health in Europe: Learning from Differences 2010 , 499-516		
90	Disruption of the neurexin 1 gene is associated with schizophrenia. <i>Human Molecular Genetics</i> , 2009 , 18, 988-96	5.6	376
89	Influence of perceived organisational factors on job burnout: survey of community mental health staff. <i>British Journal of Psychiatry</i> , 2009 , 195, 537-44	5.4	113
88	Can the role of genetic factors in schizophrenia be enlightened by studies of candidate gene mutant mice behaviour?. <i>World Journal of Biological Psychiatry</i> , 2009 , 10, 778-97	3.8	8
87	A comparison of SF-6D and EQ-5D utility scores in a study of patients with schizophrenia. <i>Journal of Mental Health Policy and Economics</i> , 2009 , 12, 27-31	1.3	50
86	Long-term monitoring and evaluation of a new system of community-based psychiatric care. Integrating research, teaching and practice at the University of Verona. <i>Annali Dell'Istituto Superiore Di Sanita</i> , 2009 , 45, 43-53	1.6	10
85	Large recurrent microdeletions associated with schizophrenia. <i>Nature</i> , 2008 , 455, 232-6	50.4	1427
84	Improving the treatment of schizophrenia in real world mental health services. <i>Epidemiology and Psychiatric Sciences</i> , 2008 , 17, 249-253	5.1	4
83	Promoting recovery of schizophrenic patients: discrepancy between routine practice and evidence. The SIEP-DIRECTR Project. <i>Epidemiology and Psychiatric Sciences</i> , 2008 , 17, 331-348	5.1	24
82	Management of violent behaviour and rapid tranquillisation during acute psychotic episode: discrepancy between routine practice and evidence. The SIEP-DIRECTR Project. <i>Epidemiology and Psychiatric Sciences</i> , 2008 , 17, 349-357	5.1	3
81	Case management or assertive community treatment: are they really alternative approaches?. <i>Epidemiologia E Psichiatria Sociale</i> , 2008 , 17, 93-98		9

80	Care across all phases of schizophrenia and initiation of treatment: discrepancy between routine practice and evidence. The SIEP-DIRECT [®] Project. <i>Epidemiology and Psychiatric Sciences</i> , 2008 , 17, 305-318	5.1	6
79	The SIEP-DIRECT [®] Project on the discrepancy between routine practice and evidence in the treatment of schizophrenia. The design, the indicators, and the methodology of the study. <i>Epidemiology and Psychiatric Sciences</i> , 2008 , 17, 278-290	5.1	16
78	Guidelines for treating mental illness: love them, hate them. Can the SIEP-DIRECT [®] Project serve in the search for a happy medium?. <i>Epidemiology and Psychiatric Sciences</i> , 2008 , 17, 270-7	5.1	20
77	The treatment of acute psychotic episode: discrepancy between routine practice and evidence. The project SIEP-DIRECT [®] . <i>Epidemiology and Psychiatric Sciences</i> , 2008 , 17, 319-330	5.1	6
76	The SIEP-DIRECT [®] Project on the discrepancy between routine practice and evidence. An outline of main findings and practical implications for the future of community based mental health services. <i>Epidemiology and Psychiatric Sciences</i> , 2008 , 17, 358-368	5.1	27
75	The acceptability of the NICE recommendations for schizophrenia in the Italian Departments of Mental Health. The SIEP-DIRECT [®] Project on the discrepancy between routine practice and evidence. <i>Epidemiology and Psychiatric Sciences</i> , 2008 , 17, 291-304	5.1	7
74	Improving the treatment of schizophrenia in real world mental health services. <i>Epidemiologia E Psichiatria Sociale</i> , 2008 , 17, 249-53		3
73	The SIEP-DIRECT [®] Project on the discrepancy between routine practice and evidence. An outline of main findings and practical implications for the future of community based mental health services. <i>Epidemiologia E Psichiatria Sociale</i> , 2008 , 17, 358-68		10
72	Association study of dysbindin gene with clinical and outcome measures in a representative cohort of Italian schizophrenic patients. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007 , 144B, 647-59	3.5	43
71	Outcome of patients dropping out from community-based mental health care: a 6-year multiwave follow-up study. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 116, 42-52	6.5	27
70	Applications and usefulness of routine measurement of patients' satisfaction with community-based mental health care. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 116, 53-65	6.5	46
69	The current state of mental health care in Italy: problems, perspectives, and lessons to learn. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007 , 257, 83-91	5.1	71
68	The diffusion and the reason for the use of complementary and alternative medicine among users of mental health services: a systematic review of literature. <i>Epidemiologia E Psichiatria Sociale</i> , 2007 , 16, 35-49		7
67	Quality of Life, Enjoyment and Satisfaction Questionnaire (Q-LES-Q). <i>Epidemiologia E Psichiatria Sociale</i> , 2007 , 16, 79-81		3
66	Heterogeneity of the Departments of Mental Health in the Veneto Region ten years after the National Plan 1994-96 for Mental Health. Which implication for clinical practice? Findings from the PICOS Project. <i>Epidemiologia E Psichiatria Sociale</i> , 2007 , 16, 59-70		12
65	Satisfaction with treatment among patients with depressive and bipolar disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006 , 41, 148-55	4.5	21
64	Satisfaction with community and hospital-based emergency services amongst severely mentally ill service users: a comparison study in South-Verona and South-London. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006 , 41, 302-9	4.5	26
63	Severe and persistent mental illness: a useful definition for prioritizing community-based mental health service interventions. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006 , 41, 457-63	4.5	76

62	Main determinants of Global Assessment of Functioning score in schizophrenia: a European multicenter study. <i>Comprehensive Psychiatry</i> , 2005 , 46, 440-6	7.3	30
61	Factor solution of the BPRS-expanded version in schizophrenic outpatients living in five European countries. <i>Schizophrenia Research</i> , 2005 , 75, 107-17	3.6	67
60	Changes and predictors of change in objective and subjective quality of life: multiwave follow-up study in community psychiatric practice. <i>British Journal of Psychiatry</i> , 2005 , 187, 121-30	5.4	92
59	Needs and quality of life among patients with schizophrenia in five European centres: what is the impact of global functioning scores?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 628-34	4.5	28
58	Does additional care provided by a consumer self-help group improve psychiatric outcome? A study in an Italian community-based psychiatric service. <i>Community Mental Health Journal</i> , 2005 , 41, 705-20	2.1	29
57	Listening to patients' needs to improve their subjective quality of life. <i>Psychological Medicine</i> , 2005 , 35, 1655-65	6.9	86
56	Heterogeneity of outcomes in schizophrenia. 3-year follow-up of treated prevalent cases. <i>British Journal of Psychiatry</i> , 2004 , 184, 48-57	5.4	34
55	Does meeting needs improve quality of life?. <i>Psychotherapy and Psychosomatics</i> , 2004 , 73, 183-9	9.4	105
54	Demographic, clinical, social and service variables associated with higher needs for care in community psychiatric service patients. The South Verona Outcome Project 8. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004 , 39, 60-8	4.5	38
53	A longitudinal evaluation of two-year outcome in a community-based mental health service using graphical chain models. The South-Verona Outcome Project 9. <i>International Journal of Methods in Psychiatric Research</i> , 2004 , 13, 10-23	4.3	6
52	Satisfaction with mental health services among people with schizophrenia in five European sites: results from the EPSILON Study. <i>Schizophrenia Bulletin</i> , 2003 , 29, 229-45	1.3	74
51	Cross-cultural differences in the conceptualisation of patients' satisfaction with psychiatric services--content validity of the English version of the Verona Service Satisfaction Scale. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003 , 38, 142-8	4.5	22
50	Neurotics are dissatisfied with life, but not with services. The South Verona Outcome Project 7. <i>General Hospital Psychiatry</i> , 2003 , 25, 338-44	5.6	20
49	Determinants of subjective quality of life in patients attending community-based mental health services. The South-Verona Outcome Project 5. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 105, 131-40	6.5	77
48	Feasibility, usefulness, limitations and perspectives of routine outcome assessment: the South Verona Outcome Project. <i>Epidemiologia E Psichiatria Sociale</i> , 2002 , 11, 177-85		15
47	Subjective quality of life: its relationship with clinician-rated and patient-rated psychopathology. The South-Verona Outcome Project 6. <i>Psychotherapy and Psychosomatics</i> , 2002 , 71, 275-84	9.4	77
46	Dropping out of care: inappropriate terminations of contact with community-based psychiatric services. <i>British Journal of Psychiatry</i> , 2002 , 181, 331-8	5.4	76
45	To what extent do mental health services meet patients' needs and provide satisfactory care?. <i>Current Opinion in Psychiatry</i> , 2002 , 15, 193-199	4.9	11

44	Subjective and objective dimensions of quality of life in psychiatric patients: a factor analytical approach: The South Verona Outcome Project 4. <i>British Journal of Psychiatry</i> , 2001 , 178, 268-75	5.4	155
43	Reliability in multi-site psychiatric studies. <i>International Journal of Methods in Psychiatric Research</i> , 2001 , 10, 29-42	4.3	6
42	Methodology of a multi-site reliability study: EPSILON Study 3. <i>British Journal of Psychiatry</i> , 2000 , 177, s15-s20	5.4	37
41	Translation and cross-cultural adaptation of outcome measurements for schizophrenia. EPSILON Study 2. European Psychiatric Services: Inputs Linked to Outcome Domains and Needs. <i>British Journal of Psychiatry</i> , 2000 , s8-14	5.4	50
40	Development, internal consistency and reliability of the Verona Service Satisfaction Scale--European Version. EPSILON Study 7. European Psychiatric Services: Inputs Linked to Outcome Domains and Needs. <i>British Journal of Psychiatry</i> , 2000 , s41-8	5.4	77
39	The perception of needs for care in staff and patients in community-based mental health services. The South-Verona Outcome Project 3. <i>Acta Psychiatrica Scandinavica</i> , 2000 , 102, 366-75	6.5	95
38	Definition and prevalence of severe and persistent mental illness. <i>British Journal of Psychiatry</i> , 2000 , 177, 149-55	5.4	312
37	Quality of life in schizophrenia: development, reliability and internal consistency of the Lancashire Quality of Life Profile--European Version. EPSILON Study 8. European Psychiatric Services: Inputs Linked to Outcome Domains and Needs. <i>British Journal of Psychiatry</i> , 2000 , s49-54	5.4	62
36	Multidimensional assessment of outcome in psychiatry: the use of graphical displays. The South-Verona Project 2. <i>International Journal of Methods in Psychiatric Research</i> , 1998 , 7, 186-198	4.3	5
35	Levosulpiride versus pimozide in negative symptoms of schizophrenia. <i>Current Therapeutic Research</i> , 1996 , 57, 797-809	2.4	6
34	Individual patient outcomes 1996 , 281-295		14
33	ICAP. Presentazione. <i>Epidemiologia E Psichiatria Sociale</i> , 1996 , 5, 198-200		
32	Objectives, models and methods for evaluating psychiatric services. An Italian experience. <i>Epidemiologia E Psichiatria Sociale</i> , 1996 , 5, 19-27		2
31	FACTOR ANALYSIS OF THE VERONA SERVICE SATISFACTION SCALE-82 AND DEVELOPMENT OF REDUCED VERSIONS. <i>International Journal of Methods in Psychiatric Research</i> , 1996 , 6, 23-38	4.3	29
30	The Italian version of the service satisfaction scale (SSS-30) adapted for community-based psychiatric patients: Development, factor analysis and application. <i>Evaluation and Program Planning</i> , 1995 , 18, 191-202	1.7	19
29	Brief Psychiatric Rating Scale, versione 4.0 "ampliata" (BPRS 4.0). Presentazione. <i>Epidemiologia E Psichiatria Sociale</i> , 1995 , 4, 67-68		7
28	Evaluating outcome in mental health care. <i>Current Opinion in Psychiatry</i> , 1995 , 8, 116-121	4.9	20
27	The development and use of the Verona Expectations for Care Scale (VECS) and the Verona Service Satisfaction Scale (VSSS) for measuring expectations and satisfaction with community-based psychiatric services in patients, relatives and professionals. <i>Psychological Medicine</i> , 1993 , 23, 511-23	6.9	154

26	Meta-analysis of double-blind placebo-controlled trials of antidepressants and benzodiazepines for patients with panic disorders. <i>Psychological Medicine</i> , 1991 , 21, 991-8	6.9	49
25	Outcome measurement in Italy62-71		
24	The nature and scale of the global mental health challenge1-11		
23	Psychiatric case registers264-280		
22	Innovative epidemiological methods229-245		
21	Implementing evidence-based treatments in routine mental health services57-77		
20	The swings and roundabouts of community mental health25-39		
19	Some wobbly planks in the platform of mental health care394-402		
18	The feasibility of applying the clinical staging paradigm to the care of people with mental disorders145-162		
17	Training mental health providers in better communication with their patients180-192		
16	Can brain imaging address psychosocial functioning and outcome in schizophrenia?281-290		1
15	Psychotropic drug epidemiology and systematic reviews of randomised clinical trials317-339		
14	The management of mental disorders in the primary care setting374-393		
13	Service user involvement in mental health research308-316		
12	Statistics and the evaluation of the effects of randomised health-care interventions291-307		
11	Work, mental health and depression163-179		2
10	Making an economic case for better mental health services193-208		2
9	Routine outcome monitoring246-263		9

8	Scaling up mental health care in resource-poor settings12-24	2
7	Services for people with severe mental disorders in high-income countries340-373	1
6	Treatment gaps and knowledge gaps in mental health403-423	1
5	Mental health services and recovery40-56	3
4	The need for new models of care for people with severe mental illness in low- and middle-income countries78-95	
3	The role of primary care in low- and middle-income countries96-113	1
2	Meeting the challenge of physical comorbidity and unhealthy lifestyles114-130	1
1	Complex interventions in mental health services research131-144	1