Aivars Vembris

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6867847/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Carbene–Metal Complexes As Molecular Scaffolds for Construction of through-Space Thermally Activated Delayed Fluorescence Emitters. Inorganic Chemistry, 2022, 61, 2174-2185.	4.0	14
2	Photophysical and Electrical Properties of Highly Luminescent 2/6-Triazolyl-Substituted Push–Pull Purines. ACS Omega, 2022, 7, 5242-5253.	3.5	11
3	Thiazoline Carbene–Cu(I)–Amide complexes: Efficient White Electroluminescence from Combined Monomer and Excimer Emission. ACS Applied Materials & Interfaces, 2022, 14, 15478-15493.	8.0	25
4	Sb ₂ S ₃ solar cells with a cost-effective and dopant-free fluorene-based enamine as a hole transport material. Sustainable Energy and Fuels, 2022, 6, 3220-3229.	4.9	12
5	HAPPY Dyes as Light Amplification Media in Thin Films. Journal of Organic Chemistry, 2021, 86, 3213-3222.	3.2	2
6	All-organic fast intersystem crossing assisted exciplexes exhibiting sub-microsecond thermally activated delayed fluorescence. Journal of Materials Chemistry C, 2021, 9, 4532-4543.	5.5	18
7	New Electroactive Polymers with Electronically Isolated 4,7-Diarylfluorene Chromophores as Positive Charge Transporting Layer Materials for OLEDs. Molecules, 2021, 26, 1936.	3.8	0
8	Effects of steric encumbrance of iridium(iii) complex core on performance of solution-processed organic light emitting diodes. RSC Advances, 2020, 10, 27552-27559.	3.6	4
9	Glassy 2-(1-benzyl-2-styryl-6-methylpyridin-4(1H)-ylidene) fragment containing 1H-indene-1,3(2H)-dione and pyrimidine-2,4,6(1H,3H,5H)-trione derivatives with light-emitting and amplified spontaneous emission properties. , 2020, , .		0
10	Several Derivatives of 6-(Tert-Butyl)-4H-Pyran-4-Ylidene Malononitrile with Different Amorphous Phase Promoting Substituents for Light-Amplification Systems. Key Engineering Materials, 2019, 800, 275-279.	0.4	0
11	Thiphenylmethane based structural fragments as building blocks towards solution-processable heteroleptic iridium(<scp>iii</scp>) complexes for OLED use. New Journal of Chemistry, 2019, 43, 37-47.	2.8	8
12	Glass-forming non-symmetric bis-styryl-DWK-type dyes for infra-red radiation amplification systems. Optical Materials, 2019, 93, 85-92.	3.6	1
13	Influence of organic material and sample parameters on the surface potential in Kelvin probe measurements. SN Applied Sciences, 2019, 1, 1.	2.9	3
14	Emission Enhancement by Intramolecular Stacking between Heteroleptic Iridium(III) Complex and Flexibly Bridged Aromatic Pendant Group. Inorganic Chemistry, 2019, 58, 4214-4222.	4.0	8
15	On the development of a new approach to the design of lanthanide-based materials for solution-processed OLEDs. Dalton Transactions, 2019, 48, 17298-17309.	3.3	25
16	Synthesis and investigation of charge transport properties in adducts of hole transporting carbazole derivatives and push-pull azobenzenes. Journal of Physics and Chemistry of Solids, 2019, 127, 178-185.	4.0	1
17	Glass-forming derivatives of 2-cyano-2-(4H-pyran-4-ylidene) acetate for light-amplification systems. Dyes and Pigments, 2019, 163, 62-70.	3.7	5
18	Eu3+ ternary and tetrakis complexes with carbazole and methyl group substituted dibenzoylmethane derivatives: Induction of aggregation enhanced emission. Dyes and Pigments, 2019, 163, 257-266.	3.7	3

AIVARS VEMBRIS

#	Article	IF	CITATIONS
19	Energy level determination in bulk heterojunction systems using photoemission yield spectroscopy: case of P3HT:PCBM. Journal of Materials Science, 2018, 53, 7506-7515.	3.7	9
20	Photovoltaic effect in bulk heterojunction system with glass forming indandione derivative DMABI-6Ph. Energy Procedia, 2018, 147, 573-580.	1.8	0
21	Glass-forming nonsymmetric DWK-dyes with 5,5,5-triphenylpentyl and piparazine moieties for light-amplification studies. Journal of Photonics for Energy, 2018, 8, 1.	1.3	3
22	Energy level determination of purine containing blue light emitting organic compounds. , 2018, , .		1
23	3,3'-Bicarbazole structural derivatives as charge transporting materials for use in OLED devices. , 2018, , .		Ο
24	Solution-processable green phosphorescent iridium(III) complexes bearing 3,3,3-triphenylpropionic acid fragment for use in OLEDs. , 2018, , .		0
25	Optical and amplified spontaneous emission of neat films containing 2-cyanoacetic derivatives. , 2018, ,		Ο
26	Investigation of photoluminescence and amplified spontaneous emission properties of cyanoacetic acid derivative (KTB) in PVK amorphous thin films. , 2018, , .		0
27	Solution processable piperazine and triphenyl moiety containing non-symmetric bis-styryl-DWK type molecular glasses with light-emitting and amplified spontaneous emission properties. , 2018, , .		1
28	Thin Film Organic Thermoelectric Generator Based on Tetrathiotetracene. Advanced Electronic Materials, 2017, 3, 1600429.	5.1	23
29	Stimulated emission and optical properties of pyranyliden fragment containing compounds in PVK matrix. Optics and Laser Technology, 2017, 95, 74-80.	4.6	12
30	Relation between molecule ionization energy, film thickness and morphology of two indandione derivatives thin films. Journal of Physics and Chemistry of Solids, 2016, 95, 12-18.	4.0	4
31	Study of the P3HT/PCBM interface using photoemission yield spectroscopy. Proceedings of SPIE, 2016, , .	0.8	2
32	Amplified spontaneous emission of pyranyliden derivatives in PVK matrix. Proceedings of SPIE, 2016, , .	0.8	0
33	Impact of the molecular structure of an indandione fragment containing azobenzene derivatives on the morphology and electrical properties of thin films. Materials Chemistry and Physics, 2016, 173, 117-125.	4.0	3
34	Tetrathiotetracene thin film morphology and electrical properties. Thin Solid Films, 2016, 598, 214-218.	1.8	4
35	Optical properties of the low-molecular amorphous azochromophores and their application in holography. Journal of Physics: Conference Series, 2015, 619, 012055.	0.4	0
36	Photoinduced mass transport in low molecular organic glasses and its practical application in holography. Journal of Non-Crystalline Solids, 2015, 421, 48-53.	3.1	5

AIVARS VEMBRIS

#	Article	IF	CITATIONS
37	Solid state solvation effect and reduced amplified spontaneous emission threshold value of glass forming DCM derivative in PMMA films. Journal of Luminescence, 2015, 158, 441-446.	3.1	15
38	Solution processable 2-(trityloxy)ethyl and tert-butyl group containing amorphous molecular glasses of pyranylidene derivatives with light-emitting and amplified spontaneous emission properties. Optical Materials, 2015, 49, 129-137.	3.6	10
39	Thermal and optical properties of 4H-pyran-4-ylidene fragment and bis-styryl and triphenyl groups containing derivatives. , 2014, , .		О
40	Amplified spontaneous emission of glass forming DCM derivatives in PMMA films. Proceedings of SPIE, 2014, , .	0.8	1
41	Photoelectrical properties of indandione fragment containing azobenzene compounds. Proceedings of SPIE, 2014, , .	0.8	3
42	Energy structure and electro-optical properties of organic layers with carbazole derivative. Thin Solid Films, 2014, 556, 405-409.	1.8	1
43	Light emitting and electrical properties of pure amorphous thin films of organic compounds containing 2-tert-butyl-6-methyl-4H-pyran-4-ylidene. Optical Materials, 2013, 36, 529-534.	3.6	7
44	Improvement of Solar PV Efficiency. Potential Materials for Organic Photovoltaic Cells. Environmental and Climate Technologies, 2013, 12, 28-33.	0.2	3
45	Photovoltaic properties of glass forming pyranyliden derivatives in thin films. IOP Conference Series: Materials Science and Engineering, 2013, 49, 012055.	0.6	2
46	Synthesis and Physical Properties of Red Luminescent Glass Forming Pyranylidene and Isophorene Fragment Containing Derivatives. , 2012, , .		1
47	Light-emitting thin films of glassy forming organic compounds containing 2-tert-butyl-6-methyl-4H-pyran-4-ylidene. , 2012, , .		0
48	Synthesis, optical, and thermal properties of glassy trityl group containing luminescent derivatives of 2-tert-butyl-6-methyl-4H-pyran-4-one. Proceedings of SPIE, 2012, , .	0.8	3
49	Chromophore Poling in Thin Films of Organic Glasses. 2. Two-Electrode Corona Discharge Setup. Latvian Journal of Physics and Technical Sciences, 2012, 49, 62-70.	0.6	3
50	Fluorescence and amplified spontaneous emission of glass forming compounds containing styryl-4H-pyran-4-ylidene fragment. Journal of Luminescence, 2012, 132, 2421-2426.	3.1	21
51	Thermal and optical properties of red luminescent glass forming symmetric and non symmetric styryl-4H-pyran-4-ylidene fragment containing derivatives. Optical Materials, 2012, 34, 1501-1506.	3.6	29
52	Pyranylidene indene-1,3-dione derivatives as an amorphous red electroluminescence material. Journal of Photonics for Energy, 2011, 1, 011001.	1.3	3
53	Novel Amorphous Red Electroluminescence Material Based on Pyranylidene Indene-1,3-Dione Derivative. Latvian Journal of Physics and Technical Sciences, 2010, 47, .	0.6	3
54	Stability of the functional NLO polymers–optically induced depoling of the DMABI molecules in sPMMA matrix. Thin Solid Films, 2008, 516, 8937-8943.	1.8	8

AIVARS VEMBRIS

#	Article	IF	CITATIONS
55	New Figure of Merit for Tailoring Optimal Structure of the Second Order NLO Chromophore for Guest-Host Polymers. Molecular Crystals and Liquid Crystals, 2008, 485, 903-914.	0.9	13
56	Effect of Corona Poling and Thermo Cycling Sequence on NLO Properties of The Guest-Host System. Molecular Crystals and Liquid Crystals, 2008, 485, 873-880.	0.9	16
57	Influence of corona poling procedures on linear and non-linear optical properties of polymer materials containing indandione derivatives as a cromophores. , 2008, , .		3
58	Toward device applicable second order NLO polymer materials: definition of the chromophore figure of merit. Journal of Physics: Conference Series, 2007, 93, 012028.	0.4	2
59	Novel second-order nonlinear optical polymer materials containing indandione derivativatives as a chromophore. , 2006, 6192, 513.		25
60	<title>All-optical poling of DMABI molecules in a polymer matrix</title> ., 2005, 5946, 186.		1
61	<title>Optically induced degradation of some betaine dyes</title> ., 2003, , .		0
62	Synthesis and Spectroscopic Characteristics of Ligands Based on Quinolin-8-Ol as Useful Precursors for Alq3 Type Complexes. Key Engineering Materials, 0, 903, 168-173.	0.4	0