Irina Lipatova

List of Publications by Citations

Source: https://exaly.com/author-pdf/6868515/irina-lipatova-publications-by-citations.pdf

Version: 2024-04-04

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| 53 | 229 | 7 | 11 |
|-------------|----------------|--------------------|---------|
| papers | citations | h-index | g-index |
| 53 | 267 | 2.4 avg, IF | 3.87 |
| ext. papers | ext. citations | | L-index |

| # | Paper | IF | Citations |
|----|--|------|-----------|
| 53 | Adsorption removal of anionic dyes from aqueous solutions by chitosan nanoparticles deposited on the fibrous carrier. <i>Chemosphere</i> , 2018 , 212, 1155-1162 | 8.4 | 42 |
| 52 | Effect of composition and mechanoactivation on the properties of films based on starch and chitosans with high and low deacetylation. <i>Carbohydrate Polymers</i> , 2020 , 239, 116245 | 10.3 | 10 |
| 51 | Influence of the composition and high shear stresses on the structure and properties of hybrid materials based on starch and synthetic copolymer. <i>Carbohydrate Polymers</i> , 2018 , 196, 368-375 | 10.3 | 10 |
| 50 | Rheological, dynamic mechanical and transport properties of compatibilized starch/synthetic copolymer blends. <i>European Polymer Journal</i> , 2019 , 120, 109209 | 5.2 | 9 |
| 49 | Dual-Mode Solution Plasma Processing for the Production of Chitosan/Ag Composites with the Antibacterial Effect. <i>Materials</i> , 2020 , 13, | 3.5 | 9 |
| 48 | The influence of the combined impact of shear stress and cavitation on the structure and sorption properties of chitin. <i>Carbohydrate Polymers</i> , 2019 , 209, 320-327 | 10.3 | 9 |
| 47 | Rate of Acid Hydrolysis of Starch as Influenced by Intensive Mechanical Effects. <i>Russian Journal of Applied Chemistry</i> , 2003 , 76, 997-1001 | 0.8 | 8 |
| 46 | Application of Hydroacoustic Treatment for Intensification of Alkaline Deacetylation of Chitin. <i>Russian Journal of General Chemistry</i> , 2018 , 88, 356-361 | 0.7 | 7 |
| 45 | Plasma-chemical destruction and modification of chitosan in solution. <i>High Energy Chemistry</i> , 2016 , 50, 411-415 | 0.9 | 7 |
| 44 | Formation of the dispersed phase in mixed solutions of chitosan and magnesium sulfate. <i>Russian Journal of Applied Chemistry</i> , 2014 , 87, 830-835 | 0.8 | 7 |
| 43 | Supramolecular complexation of the cationic derivative of Zn (II) phthalocyanine and sodium alginate in mixed aqueous solutions. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2018 , 364, 588-594 | 4.7 | 6 |
| 42 | A spectrophotometric study of the ionic complexation between chitosan and anionic dyes. <i>Russian Journal of Applied Chemistry</i> , 2013 , 86, 575-580 | 0.8 | 6 |
| 41 | Effect of peroxide depolymerization of chitosan on properties of chitosan sulfate particles produced from this substance. <i>Russian Journal of Applied Chemistry</i> , 2015 , 88, 1576-1581 | 0.8 | 6 |
| 40 | Rutin-containing chitosan films produced using in situ mechanoactivated precipitation process. <i>Food Hydrocolloids</i> , 2021 , 110, 106157 | 10.6 | 6 |
| 39 | Photoactivity inhibition of zinc phthalocyanine choline derivatives (Cholosens) by sodium alginate. <i>Dyes and Pigments</i> , 2018 , 155, 42-50 | 4.6 | 5 |
| 38 | Gelation in solutions of low deacetylated chitosan initiated by high shear stresses. <i>International Journal of Biological Macromolecules</i> , 2019 , 139, 550-557 | 7.9 | 5 |
| 37 | The effect of mechanical activation on the structure and sorption activity of chitin. <i>Protection of Metals and Physical Chemistry of Surfaces</i> , 2017 , 53, 801-806 | 0.9 | 5 |

Effect of the composition and mechanical activation of aerosil suspensions in chitosan solutions on 36 properties of films formed from these suspensions. Russian Journal of Applied Chemistry, **2011**, 84, 2065- 2070^{-5} Supramolecular Complexation of Sulfonated Aluminum Phthalocyanin and Chitosan in the Mixed 2.2 35 Aqueous Solutions. Macroheterocycles, 2017, 10, 334-339 A spectrophotometric study of the complexation between methylene blue dye and sodium 0.7 4 34 alginate. Russian Journal of General Chemistry, 2016, 86, 2226-2231 Sorption of Phthalocyanine Dyes by Chitosan-Sulfate Particles Immobilized on a Fiber Substrate. 0.9 33 4 Protection of Metals and Physical Chemistry of Surfaces, 2018, 54, 574-581 Features of Bitosan interaction with copper(II) and cobalt(II) tetrasulfophthalocyanines. Russian 0.7 32 4 Journal of General Chemistry, 2017, 87, 2327-2331 Effect of hydroacoustic treatment on the state and gel-forming capacity of starch suspensions. 0.8 31 4 Russian Journal of Applied Chemistry, 2015, 88, 661-668 Prediction of the dispersity of starch hydrogels prepared under hydroacoustic treatment. Russian 0.8 30 4 Journal of Applied Chemistry, **2010**, 83, 1309-1313 Mechanical degradation of gelatinized starch upon hydroacoustic treatment. Russian Journal of 0.8 29 4 Applied Chemistry, **2006**, 79, 1532-1537 Fabrication and characterization of starch films containing chitosan nanoparticles using in situ 28 6 4 precipitation and mechanoactivation techniques. Journal of Food Engineering, 2021, 304, 110593 Functionalization of synthetic fibrous materials using nanosized polymer carriers. Russian Journal of 0.7 27 General Chemistry, 2017, 87, 1378-1385 Synthesis of chitosan-mineral sorbents on fibrous supports and study of their properties. Russian 26 0.8 3 Journal of Applied Chemistry, **2012**, 85, 1059-1063 Mechanoacoustic method for production of composite Chitosan finishing agents for textile 0.7 materials. Russian Journal of General Chemistry, 2013, 83, 205-213 Effect of mechanical activation on rheological and film-forming properties of suspensions of 0.8 24 3 barium sulfate in chitosan solutions. Russian Journal of Applied Chemistry, 2011, 84, 486-490 Effect of hydroacoustic treatment on structural organization of chitosan solutions. Russian Journal 0.8 23 of Applied Chemistry, 2010, 83, 139-144 Effect of hydroacoustic treatment on the rate of hydrolytic degradation of chitosan in acetic acid 22 0.8 3 solutions. Russian Journal of Applied Chemistry, 2008, 81, 815-819 Effect of mechanical activation on starch crosslinking with citric acid. International Journal of 21 7.9 Biological Macromolecules, 2021, 185, 688-695 Effect of hyaluronic acid on the State and photoactivity of Zn(II) phthalocyanine cationic derivative 20 in mixed aqueous solutions. Journal of Photochemistry and Photobiology A: Chemistry, **2019**, 382, 111927 $^{4\cdot7}$ 2 Mechanical activation of chitin in aqueous and alcoholic suspensions. Russian Journal of Applied 0.8 19 2 Chemistry, **2010**, 83, 145-150

| 18 | Effect of Ultrasonic Field on the State of Starch Hydrogels. <i>Russian Journal of Applied Chemistry</i> , 2002 , 75, 526-530 | 0.8 | 2 |
|----|--|-----|---|
| 17 | Structural Transformation of Starch Hydrogels Exposed to Strong Mechanical Field. <i>Russian Journal of Applied Chemistry</i> , 2001 , 74, 1563-1567 | 0.8 | 2 |
| 16 | Preparation of Submicron Chitosan-Alginate Particles and Study of Their Selective Sorption Properties with Respect to Amphiphilic Organic Compounds. <i>Russian Journal of General Chemistry</i> , 2019 , 89, 1324-1331 | 0.7 | 1 |
| 15 | Influence of Mechanical Treatment on the Structure and Properties of Chitosan Solutions and Films Based on Them. <i>Fibre Chemistry</i> , 2013 , 45, 209-213 | 0.6 | 1 |
| 14 | Effect of a hydroacoustic treatment on the state of chitosan solutions containing a solid filler. <i>Russian Journal of Applied Chemistry</i> , 2009 , 82, 439-444 | 0.8 | 1 |
| 13 | Effect of hydroacoustic treatment on chitosan dissolution in aqueous acetic acid solutions. <i>Russian Journal of Applied Chemistry</i> , 2008 , 81, 2112-2117 | 0.8 | 1 |
| 12 | Functional films based on mechanoactivated starch with prolonged release of preservative. <i>Food Bioscience</i> , 2022 , 47, 101694 | 4.9 | 1 |
| 11 | Rheological and Film-Forming Properties of Mixed Sodium Alginate and Hyaluronate Solutions. <i>Fibre Chemistry</i> , 2014 , 46, 143-146 | 0.6 | O |
| 10 | Polyurethane and styrene-acrylic copolymer as modifiers for starch composites preparation under the mechanochemical activation: A multifactorial approach. <i>Materials Letters</i> , 2022 , 322, 132502 | 3.3 | 0 |
| 9 | Supramolecular Self-Assembly and Phase Transformations in Aqueous Systems Based on Chitosan and Sulfonated Metallophthalocyanines. <i>Russian Journal of General Chemistry</i> , 2019 , 89, 612-618 | 0.7 | |
| 8 | Mechanically initiated gelation in solutions of chitosan with low degree of deacetylation. <i>Russian Journal of Applied Chemistry</i> , 2013 , 86, 545-551 | 0.8 | |
| 7 | Effects of Fillers and Mechanical Activation on the Structure and Properties of Chitosan Films. <i>Fibre Chemistry</i> , 2015 , 46, 363-367 | 0.6 | |
| 6 | Effect of filler nature and mechanical activation on rheological properties of suspensions based on chitosan solutions. <i>Russian Journal of Applied Chemistry</i> , 2011 , 84, 1371-1376 | 0.8 | |
| 5 | Prediction of the dispersity of ultrasonically treated starch hydrogels. <i>Russian Journal of Applied Chemistry</i> , 2009 , 82, 1070-1073 | 0.8 | |
| 4 | Effect of hydroacoustic treatment on the state of aqueous solutions of sodium alginate. <i>Russian Journal of Applied Chemistry</i> , 2008 , 81, 810-814 | 0.8 | |
| 3 | Chemical effects of hydroacoustic treatment in starch hydrogels. <i>Russian Journal of Applied Chemistry</i> , 2008 , 81, 1369-1374 | 0.8 | |
| 2 | Influence of Surfactants on the State of Starch Hydrogels under High Shear Stresses. <i>Russian Journal of Applied Chemistry</i> , 2003 , 76, 434-438 | 0.8 | |
| 1 | Adsorption of Anionic Metallophthalocyanines on Submicron Chitosan-Sulfate Particles in Aqueous Dispersions. <i>Russian Journal of General Chemistry</i> , 2019 , 89, 2733-2740 | 0.7 | |